wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

MEMORANDUM

From: **Ian Jones**
Head of Service Public Protection

To: **Matthew Phillips**
Head of Service Planning Development

Our Ref:

Your Ref: P/2024/1069

Date: 25-06-2024

Town and Country Planning Act 1990

Town and Country Planning (General Development Procedure) Order 1996

Re: P/2024/1069, BURTON BUILDINGS, 26 BRIDGE STREET, WREXHAM, LL13 7HP

NEWID DEFNYDD ADEILAD O DDOSBARTH A1 (SIOP) I DDOSBARTH A3 (BAR) / CHANGE OF USE OF BUILDING FROM CLASS A1 (SHOP) TO CLASS A3 (BAR)

A25N - DUST MANAGEMENT (SCHEME NOT REQUIRED BY CONDITION)

The Applicant is advised that under the dust from construction and / or demolition activities can be judged to be causing a statutory nuisance to neighbouring properties. A legal notice can be served requiring that any dust nuisance is abated, and failure to comply with the requirements of the notice can result in prosecution. The applicant should contact the Council's Environmental Health & Housing Standards Team on healthandhousing@wrexham.gov.uk or 01978 292040 for further advice and information.

A22NA – MINOR DEMOLITION CONSTRUCTION NOISE

All works in relation to the implementation of this permission, including deliveries to and /or leaving the site, should be undertaken only between the hours of 07.30 to 18.00 Monday to Friday, 08.00 to 14.00 on a Saturday, and at no time on a Sunday or a Bank Holiday. Outside these times, any works which are audible beyond the site boundary have the potential to cause unreasonable disturbance to neighbouring premises.

The applicant is advised that the Council has the option to control construction noise by serving a Control of Pollution Act 1974, Section 60 Notice where deemed necessary, and failure to comply with such a Notice can result in prosecution.

The applicant is further advised that any complaints received relating to noise of any type from the development may also be investigated using the Council's Standardised Procedure for Dealing with Noise Nuisance Complaints. This is done under the Statutory Nuisance provisions provided within the Environmental Protection Act 1990, and legal action may be taken where appropriate.

The applicant must adhere to the times given above wherever possible. If, however, there are urgent or unavoidable circumstances requiring work outside of the specified times, permission to proceed may be sought by contacting Environmental Health & Housing Standards at healthandhousing@wrexham.gov.uk or 01978 292040. Please use the same contact details for any other enquiries regarding construction / demolition site noise.

RPT 2 - REPORT REQUIRED

Due to the presence of residential receptors near to the proposal this section is unable to make a recommendation based on potential noise without the submission of a music noise insulation and attenuation scheme:

A scheme of noise insulation and attenuation measures shall be prepared by a suitably qualified and competent acoustic consultant. The scheme shall have regard to the following:

a) The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LAeq) emanating from the application site, as measured 1 metre from any façade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 3dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place.

b) The unweighted equivalent noise level (Leq) in the 63Hz Octave band, measured using the 'fast' time constant, inside any living room of any noise sensitive premises, with the windows open or closed, over any 5 minute period with entertainment taking place, shall show NO increase as compared to the same measure, from the same location(s), and over a comparable period, with no entertainment taking place.

……

Head of Service Public Protection