APPENDIX A

Trial Pit Logs

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP1

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024-17/07/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
					(0.20) 0.20	CONCRETE		
0.40-2.00	B1				0.30	Dense, fine to coarse, angular GRAVEL (Made Ground - Hardcore)		
					(1.70)	Stiff, dark brown mottled grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP1

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP2

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/25

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
					(0.20) 0.20	CONCRETE		
0.20-0.40 0.40-2.00	B1 B2				(0.20) 0.40	Dense, fine to coarse, angular GRAVEL within a matrix of soft, sandy clay (Made Ground - Hardcore)		
					(1.60)	Stiff, dark brown mottled grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 200.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP2

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP3

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40)	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and fine roots (Topsoil)		
0.40-2.00	B2				0.40	Stiff, grey, occasionally brown CLAY with occasional fine to coarse, rounded gravel (Glacial Till0		
					(1.60)			
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP3

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP4

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.20	B1				(0.20) 0.20	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.20-2.00	B2				(1.80)	Stiff, dark brown and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till0		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP4

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP5

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40)	Soft, dark brown CLAYwith occasional fine to medium gravel and roots (Topsoil)		
0.40-2.00	B2				0.40	Stiff, brown and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					(1.60)			
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP5

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP6

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.40-2.00	B2				(1.60) 2.00	Stiff, dark brown and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP6

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP7

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				(1.70)	Stiff, dark brown, and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP7

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP8

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 17/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.40-2.00	B2				(1.60) 2.00	Stiff, dark brown and grey,CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP8

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP9

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft, dark brown CLAY with occasiona; fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				(1.70)	Stiff, brown and grey mottled CLAY with occasional fine to coasre, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP9

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP10

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				(1.70)	Stiff, grey and brown mottled CLAY with occasional fine to coarse, rounded gravel (Glacial Till0		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP10

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP11

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.40)	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				0.40	Stiff, grey and brown mottled CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					(1.60)			
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP11

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP12

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				(1.70) 2.00	Stiff, brown, occasionally grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP12

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP13

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and occasional roots (Topsoil)		
0.40-2.00	B2				(1.60) 2.00	Stiff, dark brown CLAY with occasional fine to coarse, rounded gravel (Glacial Till0		
						Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP13

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP14

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.40-2.00	B2				(1.60) 2.00	Stiff, dark brown CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan



Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP14

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP15

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40)	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.40-2.00	B2				0.40	Stiff, grey CLAY with occasional fine to coarse, rouned gravel (Glacial Till)		
					(1.60)			
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP15

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP16

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, roundedgravel and roots (Topsoil)		
0.40-2.00	B2				(1.60) 2.00	Stiff, grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP16

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP17

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-1.00	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
1.00-2.00	B2				(1.60)	Stiff, dark brown and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP17

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved


SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP18

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	B1				(0.40) 0.40	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.40-2.00	B2				(1.60) 2.00	Stiff, brown and grey mottled CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan



Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP18

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP19

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.20	B1				(0.20) 0.20	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.20-2.00	B2				(1.80)	Stiff, brown CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP19

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved

SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	BH20

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and occasional roots (Topsoil)		
0.30-2.00	B2				(1.70)	Stiff, brown mottled grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan

Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.BH20

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved


SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP21

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft,dark brown CLAY with occasional fine to medium, rounded grave and occasional roots (Topsoil)		
0.30-2.00	B2				(1.70)	Stiff, brown and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					2.00	Complete at 2.00m		

Plan



Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP21

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved


SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	BH22

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30) 0.30	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				(1.70) 2.00	Stiff, brown and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
						Complete at 2.00m		

Plan



Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.BH22

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved


SP ASSOCIATES Geoenvironmental & Geotechnical Servies
1 Market Place, Warwick, CV34 4SA
tel: 01926 494271
email: spassociates@hotmail.co.uk

Site	Trial Pit Number
Kingmoor, Wrexham Industrial Estate	TP23

Excavation Method	Dimensions	Ground Level (mOD)	Client	Job Number
Trial Pit			FI Construction Ltd	S1761
	Location	**Dates** 20/06/2024	**Engineer**	**Sheet** 1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.30	B1				(0.30)	Soft, dark brown CLAY with occasional fine to medium, rounded gravel and roots (Topsoil)		
0.30-2.00	B2				0.30	Stiff, brwon and grey CLAY with occasional fine to coarse, rounded gravel (Glacial Till)		
					(1.70)			
					2.00	Complete at 2.00m		

Plan



Remarks

Scale (approx)	Logged By	Figure No.
1:50	PVC	S1761.TP23

Produced by the GEOtechnical DAtabase SYstem (GEODASY) © all rights reserved