# Environmental Statement

## Appendix 8.3: Hedgerow Assessment

## Land at Lower Berse Farm, Wrexham

On behalf of Redrow Homes Ltd

July 2024



THE ENVIRONMENT PARTNERSHIP



# RUTHIN ROAD

# WREXHAM

# HEDGEROW REGULATIONS ASSESSMENT TECHNICAL REPORT

TEP
Genesis Centre
Birchwood Science Park
Warrington
WA3 7BH

Tel: 01925 844004
Email: tep@tep.uk.com
www.tep.uk.com

Offices in Warrington, Market Harborough, Gateshead, London and Cornwall

| | |
|---|---|
| Document Title | Hedgerow Regulations Assessment Technical Report |
| Prepared for | Redrow Homes |
| Prepared by | TEP - Warrington |
| Document Ref | 8745.008 |

| | |
|---|---|
| Author | Clare Gower |
| Date | October 2022 |
| Checked | Anne Pritchard |
| Approved | Anne Pritchard |

| Amendment History | | | | | |
|---|---|---|---|---|---|
| Version | Date | Modified by | Check / Approved by | Reason(s) issue | Status |
| 2.0 | 01/06/23 | AP | PB | Change of development description | Superceded |
| 3.0 | 05/06/23 | AP | PB | Change of housing description | Superceded |
| 4.0 | 10/08/23 | AP | PB | Change of housing number | Final |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

## CONTENTS PAGE

1.0 Introduction ..... 1
2.0 Methods ..... 2
3.0 Results ..... 4
4.0 Conclusions ..... 8
References ..... 9

## TABLES PAGE

Table 1: Summary of Important Hedgerows ..... 5

## FIGURES PAGE

Figure 1: Site Location Plan ..... 1

## APPENDICES

APPENDIX A: Hedgerow Regulations 1997 Assessment Results

## DRAWINGS

G8745.020 – Important Hedgerows

# 1.0 Introduction

1.1 The Environment Partnership (TEP) Ltd was commissioned by Redrow Homes in April 2021 to carry out an updated hedgerow assessment survey at the site known as Ruthin Road, Wrexham, hereafter referred to as 'the site'. The previous assessment was undertaken in May 2014 following the baseline ecology survey highlighting many of the hedgerows as being species-rich. This updated assessment is required to inform a planning application for development for up to 1,520 dwellings on the Site.

1.2 The site is located off Ruthin Road, to the west of Wrexham (Central Grid Reference: SJ 31500 49800). The Site consists of mainly arable farmland and improved grassland, bordered by native species rich, intact hedgerows. Within the site there are small pockets of dense semi-natural broad-leaved woodland, continuous scrub, and hardstanding/buildings. A wet ditch runs within the northern section and there is one pond within the site.

1.3 The site is bordered by the B5099 to the south, A525 (Ruthin Road) to the north and A483/Berse Lane to the west. Residential and commercial development extends to the north, east and south. Agricultural fields and woodland extend to the west.

1.4 This document reports the findings of this assessment, which records the features and species associated with each hedgerow and assesses whether any of the hedgerows qualify as being “Important” under the wildlife and landscape criteria outlined in the Hedgerow Regulations (1997). For clarity, the scope of the survey and assessment does not cover the archaeology and history criteria set out in the Hedgerow Regulations.

1.5 Figure 1 shows the location of the site in the wider landscape.





*Figure 1: Site Location Plan*

# 2.0 Methods

2.1 The Hedgerow Assessment survey was undertaken by Senior Ecologist Clare Gower (FISC level 4) between 12th and 14th April 2021.

2.2 The hedgerows previously considered to be potentially important and requiring further assessment were subject to a more detailed sampling survey in accordance with the criteria set out in the Hedgerow Regulations (1997) in terms of wildlife and landscape criteria for determining "important" hedgerows. This entailed recording the number of woody species (as listed on Schedule 3 of the Hedgerow Regulations) within 30m sample sections[1] as well as any features within 2m associated with the hedge. These features include the presence of any bank or wall, ditch, standard trees and ground flora species (as listed on Schedule 2 of the Hedgerow Regulations). Also, the number of connections with adjacent hedgerows was recorded. Hedgerow target notes were made on standard data recording forms. For each hedgerow this included a description of the hedge and detailed plant species list. The hedgerow identification number which was assigned in the previous 2014 surveys were used in the detailed assessment in order to maintain continuity.

2.3 For the purposes of this assessment a hedgerow is defined as a boundary line of native shrubs or a mix of native shrubs and trees over 20m long and less than 5m wide, and where any gaps between the trees or shrub species are less than 20m wide. Any bank, wall, ditch or tree within 2m of the centre of the hedgerow is considered to be part of the hedgerow habitat, as is the herbaceous vegetation within 2m of the centre of the hedgerow. Only hedgerows consisting predominantly (80% or more cover) of at least one woody UK native species (listed on Schedule 3 of the Hedgerow Regulations) are considered to be native and covered by this assessment.

2.4 The above definition of a hedgerow is largely based on the UK Biodiversity Action Plan (UKBAP) definition of a hedgerow, but it also takes into account details from the Hedgerow Regulations 1997 and Handbook for Phase 1 Habitat survey (JNCC 2010) in order to ensure all hedgerow features considered native are assessed.

2.5 Further factors which are considered during this assessment include the proximity of public by-ways and footpaths, parallel hedgerows, semi-natural woodland and ponds. The presence of these features adjacent to a hedgerow increases the likelihood that it could qualify as "important".

2.6 In addition, presence of or field signs of any legally protected species or species which are listed on Section 42 of the NERC Act 2006 or are included in the Local BAP were mapped and noted. This includes species which form part of Schedule 1, 5 & 8 of the Wildlife and Countryside Act (WCA), as amended (1981).

2.7 A link to wildlife and landscape criteria for determining "important" hedgerows under the Hedgerow Regulations 1997 is given below:

2.8 http://www.legislation.gov.uk/uksi/1997/1160/schedule/1/made

[1] The length of the hedge determines the number of samples required. For hedgerows 30m-100m in length, species in the central 30m were recorded. For hedgerows 100m-200m, species in the central 30m of each half of the hedge were recorded. For hedgerows >200m species in the central 30m of each third of the hedge were recorded.

Limitations

2.9 The hedgerow assessment survey was undertaken within the optimum period for this type of survey (April - June) and full access to the site was possible, therefore there are no limitations to this survey.

# 3.0 Results

3.1 The hedgerows surveyed, assessed and mapped as a result of this hedgerow assessment are illustrated in Drawing G8745.020. The survey results including species composition and details of further sampling (if identified as having potential importance) are provided in Appendix A.

3.2 The network of hedges is a notable feature of the site with 72 separate sections (counted from node to node) recorded, though for the purposes of assessment some were then paired up as they were a continuation of the same hedgerow, resulting in a total of 67 separate hedgerows being surveyed and recorded. Generally, the hedgerows surveyed were found to have a good mix of species. Hawthorn (*Crataegus monogyna*), elder (*Sambucus nigra*), holly (*Ilex aquifolium*), hazel (*Corylus avellana*) blackthorn (*Prunus spinosa*) and dog rose (*Rosa canina*) were the most frequently recorded woody species. Frequently recorded ground flora species include bluebell (*Hyacinthoides non-scripta*), cleavers (*Galium aparine*), nettle (*Urtica dioica*), ivy (*Hedera helix*), dog's mercury (*Mercurialis perennis*) and lord's and ladies' (*Arum maculatum*).

3.3 A total of 41 hedgerows were assessed to be "important" under the Hedgerow Regulations (1997) in terms of the wildlife and landscape criteria. Eleven of these were assessed to be "important" due only to the presence of the protected plant species (Schedule 8, WCA) bluebell within the ground flora at the base of the hedges. All the other hedges were designated as "important" due to the average number of Schedule 3 woody species present within the sampled sections of the hedges in conjunction with the number of features associated with the hedges, as well as containing bluebell.

3.4 With regard to Schedule 1 (WCA) birds and Schedule 5 (WCA) bat species, these species may use any of the mature trees within the hedgerows as nest or roost sites. Barn owl has been recorded foraging over the site (during bat activity surveys), a hobby was recorded carrying food over the site on a bird survey though no other evidence of them nesting on the site or within 100m of the site, and a single day roost of pipistrelle bats was recorded in T172 (details of this can be found in the Bat Survey Technical report, TEP document ref: 8745.006). If any Schedule 1 species nest or further bat roost sites are confirmed in the future, then the hedgerows with which they are associated would be categorized as "important". It should also be noted that since the use of nest or roost sites can change within and between years that hedgerows can be classed as 'important' even if one of these species is not currently using a known nest or roost site.

3.5 Table 1 provides a summary of the hedgerows assessed as being "important" under the Hedgerow Regulations.

*Table 1: Summary of Important Hedgerows*

| Hedge Number | Reason for Importance |
|---|---|
| 7 | Protected species (Bluebell) present and hedge has an average of 6 woody species per sampled section plus 3 associated features. |
| 10 | Protected species (Bluebell) present, hedge runs alongside a public footpath and has an average of 4 woody species per sampled section, plus 4 associated features. |
| 11 | Protected species (Bluebell) present and hedge has an average 6 woody species per sampled section, plus 5 associated features. |
| 12 | Protected species (Bluebell) present and hedge has an average 5 woody species per sampled sections, plus 2 associated features and public footpath. |
| 13 | Protected species (Bluebell) present and an average 4 woody species noted within the sampled sections, plus 6 features and public footpath. |
| 14 | Protected species (Bluebell) present and an average 6 woody species noted within the sampled sections, plus 6 features and a footpath. |
| 15/23* | Protected species (Bluebell) present and an average 6 woody species noted within the sampled sections, plus 4 features. |
| 16 | Protected species (Bluebell) present and an average 8 woody species per sampled sections, plus 6 associated features and a public footpath. |
| 20 | Protected species (Bluebell) present. |
| 21/22* | Protected species (Bluebell) present and an average 4 woody species noted per sampled sections, plus 5 associated features and a public footpath. |
| 24/25* | Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 4 associated features and a public footpath. |
| 33 | Protected species (Bluebell) present. |
| 34 | Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 6 associated features and a public footpath. |
| 37 | Protected species (Bluebell) present. |
| 38 | Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 6 associated features and a public footpath. |

| Hedge Number | Reason for Importance |
|---|---|
| 39 | Protected species (Bluebell) present and an average 4 woody species noted per sampled sections, plus 6 associated features and a public footpath. |
| 40 | Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 6 associated features and a public footpath. |
| 41 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 3 associated features. |
| 42 | Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 2 associated features. |
| 45 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a footpath. |
| 46 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 3 associated features. |
| 47 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 4 associated features. |
| 48 | Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 5 associated features and a public footpath. |
| 49 | Protected species (Bluebell). |
| 50 | Protected species (Bluebell). |
| 51 | Protected species (Bluebell). |
| 52 | Protected species (Bluebell). |
| 53 | Protected species (Bluebell). |
| 54 | Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 5 associated features and a public footpath. |
| 55 | Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 4 associated features |
| 56 | Protected species (Bluebell). |
| 57 | Protected species (Bluebell). |
| 63/65* | Protected species (Bluebell). |

| Hedge Number | Reason for Importance |
|---|---|
| 64 | Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 4 associated features and a public footpath. |
| 66 | Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 6 associated features and a public footpath. |
| 67 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a public footpath. |
| 68 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a public footpath. |
| 69 | Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 6 associated features and a public footpath. |
| 70 | Protected species (Bluebell) present and an average 4 woody species noted per sampled sections, plus 6 associated features and a public footpath. |
| 71 | Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a public footpath. |
| 72 | Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 2 associated features. |

* Indicates hedgerows identified as forming part of the same feature following further assessment in 2014 which were originally categorised as separate features during the Phase 1 habitat survey.

# 4.0 Conclusions

4.1 An updated survey of all hedgerows identified as having potential to qualify as 'Important' within the site boundary was undertaken in April 2021, within the optimum survey period. All of the hedges surveyed were assessed under the wildlife and landscape criteria outlined in the Hedgerow Regulations (1997).

4.2 Hedgerows are a significant feature of this site. All native hedgerows, including the hawthorn dominated species-poor hedgerows, qualify as an S7 (of the Environment (Wales) Act 2016) priority habitat. Many of the hedgerows around the site have also been classed as 'Important' under the Hedgerow Regulations 1997, due to them being species-rich with respect to woody species and supporting a range of physical features and a diverse groundflora which increases their nature conservation value. Hedgerows are also a priority habitat within the Wrexham LBAP.

4.3 A total of 67 hedgerows were identified, surveyed and assessed; 41 of the hedgerows have been assessed to qualify as "important" under the Hedgerow Regulations 1997.

4.4 Site design should look to retain as much of the native hedge habitat as possible, in particular those qualifying as "important". Where this is not possible, any losses will need to be mitigated through provision of new hedges elsewhere on site. Species used in mitigation should reflect what was present within the lost hedgerows.

4.5 The Schedule 8 protected plant, Bluebell, was also noted within the majority of the hedgerows on site. Bluebells associated with any of the hedgerows requiring removal should be translocated to a suitable receptor site (ideally at the base of new hedge planting).

4.6 Consideration could also be given to the translocation of sections of hedgerow to new locations rather than removal and new hedge planting. This would maintain the diversity and maturity of existing woody species, maintain the diversity of ground flora and reduce lag time for establishment of functional hedgerows which will reduce the impact of loss of foraging, commuting, refuge and nesting/roosting potential for faunal species.

# References

**Legislation and Policy**

Environment (Wales) Act 2016. Gov.wales. Welsh Government. 22 March 2016.

Hedgerow Regulations (1997). London: HMSO

Wildlife and Countryside Act 1981 (c.69). London: HMSO.

**Best Practice and Guidance**

Joint Nature Conservation Committee, (2003), Handbook for Phase 1 Habitat Survey: A technique for environmental audit.

Institute of Ecology and Environmental Management, (2017), Guidelines for Preliminary Ecological Appraisal. IEEM

# APPENDIX A: Hedgerow Regulations 1997 Assessment Results

## LAND SOUTH OF RUTHIN ROAD - HEDGEROW REGULATIONS 1997 ASSESSMENT RESULTS

Hedgerows categorised as “important” or not, based on criteria under Schedule 1, Part 2, paragraphs 6 to 8 only (Wildlife and landscape) of the Hedgerow Regulations 1997.

Key: ****** - denotes woody species listed in Schedule 3 of the Hedgerow Regulations 1997
***** - denotes woodland species listed in Schedule 2 of the Hedgerow Regulations 1997
All hedges were checked for presence of Schedule 8 plant species even if further sampling for Importance was not required, with respect to species diversity

### Hedge 1

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey* |

## Hedge 2

| | |
|---|---|
| *Cirsium arvense* | Creeping Thistle |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Festuca rubra* | Red Fescue |
| *Galium aparine* | Cleavers |
| *Holcus lanatus* | Yorkshire-fog |
| *Lolium perenne* | Ryegrass |
| *Poa trivialis* | Rough Meadow-grass |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rumex obtusifolius* | Broad-leaved Dock |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | 30m | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | N | **Elder** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Dog Rose** | | |
| Ditch along at least half of the hedgerow? | N | **Hazel** | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | 0 | | | |
| Connection (within 10m) broadleaved woodland? | 0 | | | |

| | | |
|---|---|---|
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **NO** | An average of less than 5 woody species was noted within the sampled sections. |

## Hedge 3 (same feature as Hedge 2, see above for details)

## Hedge 4

| | |
|---|---|
| *Crataegus monogyna* | **Hawthorn **** |
| *Rosa* sp. | **Rose species **** |
| *Fraxinus excelsior* | **Ash **** |
| *Holcus lanatus* | Yorkshire-fog |
| *Phragmites australis* | Common Reed |
| *Cirsium arvense* | Creeping Thistle |
| *Galium aparine* | Cleavers |
| *Salix* sp. | **Willow species **** |
| *Poa trivialis* | Rough Meadow-grass |
| *Ranunculus repens* | Creeping Buttercup |
| *Arrhenatherum elatius* | False Oat-grass |
| *Elytrigia repens* | Common Couch |
| *Poa annua* | Annual Meadow-grass |
| *Rubus fruticosus agg.* | Bramble |
| *Silene dioica* | Red Campion |
| *Anisanthera sterilis* | Sterile Brome |
| *Arctium minus* | Lesser Burdock |
| *Sambucus nigra* | **Elder **** |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | 150m | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | **Hawthorn** | |
| Average of at least one standard tree per 50m? | N | **Elder** | **Elder** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | | | |
| Ditch along at least half of the hedgerow? | Y | | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 5 (same feature as Hedge 4, see above for details)

## Hedge 6

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity to warrant further survey |

## Hedge 7

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Bryonia dioica* | White Bryony |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris dilatata* | **Broad Buckler-fern *** |
| *Ficaria verna* | Lesser Celandine |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Holcus lanatus* | Yorkshire-fog |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Poa trivialis* | Rough Meadow-grass |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Ranunculus repens* | Creeping Buttercup |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Rumex obtusifolius* | Broad-leaved Dock |
| *Sambucus nigra* | **Elder **** |
| *Stellaria media* | Chickweed |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | **Yes** |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | 150m | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | **Hawthorn** | |
| Average of at least one standard tree per 50m? | Y | **Hazel** | **Hazel** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Dog Rose** | **Dog Rose** | |
| Ditch along at least half of the hedgerow? | N | **Elder** | **Elder** | |
| Parallel hedge within 15m of the hedgerow? | N | **Blackthorn** | **Blackthorn** | |
| Gaps (% of hedgerow length) | <10% | **English Oak** | **English Oak** | |
| Connection (within 10m) with another hedgerow? | 1 | | | |
| Connection (within 10m) with a pond? | 0 | | | |
| Connection (within 10m) broadleaved woodland? | 0 | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average of 6 woody species present noted plus 3 features. | | |

## Hedge 8

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey. |

## Hedge 9

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arctium minus* | Lesser Burdock |
| *Cirsium arvense* | Creeping Thistle |
| *Crataegus monogyna* | **Hawthorn **** |
| *Festuca rubra* | Red Fescue |
| *Fraxinus excelsior* | **Ash **** |
| *Holcus lanatus* | Yorkshire-fog |
| *Plantago major* | Greater Plantain |
| *Poa trivialis* | Rough Meadow-grass |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Rumex obtusifolius* | Broad-leaved Dock |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | 300m | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Ash** | **English Oak** | **Hawthorn** |
| Average of at least one standard tree per 50m? | Y | **Dog Rose** | **Hawthorn** | **Dog Rose** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Hawthorn** | **Elder** | |
| Ditch along at least half of the hedgerow? | N | **Elder** | **Dog Rose** | |
| Parallel hedge within 15m of the hedgerow? | N | **English Oak** | | |
| Gaps (% of hedgerow length) | >10% | **Field Maple** | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | 0 | | | |
| Connection (within 10m) broadleaved woodland? | 0 | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 10

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Bromopsis ramosus* | Hairy-brome |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Hyacinthoides x massartiana* | **Hybrid Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lonicera periclymenum* | Honeysuckle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Sambucus nigra* | **Elder **** |
| *Silene dioica* | Red Campion |
| *Stachys sylvatica* | Hedge Woundwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | **Yes** |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | **Yes** |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200m | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Holly** | **Hazel** | **Hazel** |
| Average of at least one standard tree per 50m? | N | **Hazel** | **Hawthorn** | **Hawthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | **Elder** | **Holly** |
| Ditch along at least half of the hedgerow? | N | **Ash** | **Holly** | **Blackthorn** |
| Parallel hedge within 15m of the hedgerow? | Y | | **Blackthorn** | **Field Maple** |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **YES** | Protected species (Bluebell) and an average of 4 woody species was noted, hedge runs alongside a footpath plus 4 features | | |

## Hedge 11

| | |
|---|---|
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Salix caprea* | **Goat Willow **** |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Dog Rose** | | |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Elder** | | |
| Ditch along at least half of the hedgerow? | Y | **Holly** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Hazel** | | |
| Gaps (% of hedgerow length) | <10% | **Wych Elm** | | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | Y | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features. | | |

## Hedge 12

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arctium minus* | Lesser Burdock |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Bryonia dioica* | White Bryony |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | English Oak |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Silene dioica* | Red Campion |
| *Solanum dulcamara* | Bittersweet |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Holly** | **Holly** | **Holly** |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | **Hawthorn** | **Hawthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Wych Elm** | **Elder** | **Dog Rose** |
| Ditch along at least half of the hedgerow? | N | **Hazel** | **Blackthorn** | **Hazel** |
| Parallel hedge within 15m of the hedgerow? | N | **Elder** | **Dog Rose** | **Elder** |
| Gaps (% of hedgerow length) | <10% | **Dog Rose** | | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 2 features and footpath. | | |

## Hedge 13

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Aegopodium podagraria* | Ground-Elder |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris dilatata* | **Broad Buckler-fern *** |
| *Dryopteris filix-mas* | Male-fern |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamiastrum galeobdolon* | **Yellow archangel *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Silene dioica* | Red Campion |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Dog Rose** | **Holly** | |
| Average of at least one standard tree per 50m? | Y | **Holly** | **Wych Elm** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Wych Elm** | **Hawthorn** | |
| Ditch along at least half of the hedgerow? | N | **Ash** | **Hazel** | |
| Parallel hedge within 15m of the hedgerow? | Y | **Hawthorn** | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 6 features and footpath. | | |

## Hedge 14

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Bromopsis ramosus* | Hairy-brome |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris dilatata* | **Broad Buckler-fern *** |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Pteridium aquilinum* | Bracken |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria media* | Chickweed |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Elder** | **Hazel** | |
| Average of at least one standard tree per 50m? | Y | **Holly** | **Wych Elm** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hazel** | **Hawthorn** | |
| Ditch along at least half of the hedgerow? | N | **Wych Elm** | **English Oak** | |
| Parallel hedge within 15m of the hedgerow? | Y | **Ash** | **Dog Rose** | |
| Gaps (% of hedgerow length) | <10% | **Hawthorn** | **Blackthorn** | |
| Connection (within 10m) with another hedgerow? | 4 | | **Field Maple** | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 15 (same feature as Hedge 23)

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Adoxa moschatellina* | **Moschatel *** |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Cochlearia officinalis* | Scurvy-grass |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Epilobium hirsutum* | Great Willowherb |
| *Ficaria verna* | Lesser Celandine |
| *Galium aparine* | Cleavers |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lonicera periclymenum* | Honeysuckle |
| *Polystichum setiferum* | Soft Shield-fern |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Salix cinerea* | Grey Willow |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Field Maple** | **Hawthorn** | |
| Average of at least one standard tree per 50m? | Y | **Hazel** | **Elder** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Holly** | **Hazel** | |
| Ditch along at least half of the hedgerow? | N | **Blackthorn** | **Wych Elm** | |
| Parallel hedge within 15m of the hedgerow? | N | **Hawthorn** | **Dog Rose** | |
| Gaps (% of hedgerow length) | <10% | **Elder** | **Blackthorn** | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 4 features. | | |

## Hedge 16

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Geranium robertianum* | **Herb-Robert *** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus avium* | **Wild Cherry **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Stellaria holostea* | Greater Stitchwort |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Field Maple** | | |
| Average of at least one standard tree per 50m? | Y | **English Oak** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hazel** | | |
| Ditch along at least half of the hedgerow? | Y | **Hawthorn** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Dog Rose** | | |
| Gaps (% of hedgerow length) | <10% | **Wild Cherry** | | |
| Connection (within 10m) with another hedgerow? | 4 | **Holly** | | |
| Connection (within 10m) with a pond? | N | **Blackthorn** | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **YES** | Protected species (Bluebell) and an average 8 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 17

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Agrostis stolonifera* | Creeping Bent |
| *Alliaria petiolata* | Garlic Mustard |
| *Anisanthera sterilis* | Sterile Brome |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arrhenatherum elatius* | False Oat-grass |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dactylis glomerata* | Cock's-foot |
| *Elytrigia repens* | Common Couch |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Holcus lanatus* | Yorkshire-fog |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Plantago lanceolata* | Ribwort Plantain |
| *Poa trivialis* | Rough Meadow-grass |
| *Prunus spinosa* | **Blackthorn **** |
| *Ranunculus repens* | Creeping Buttercup |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | No |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | **Wych Elm** | |
| Average of at least one standard tree per 50m?N | N | **Elder** | **Blackthorn** | |
| 3+ woodland grNound flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Wych Elm** | **Hawthorn** | |
| Ditch along at least half of the hedgerow? | N | **Blackthorn** | **Elder** | |
| Parallel hedge within 15m of the hedgerow? | N | **Hazel** | **Ash** | |
| Gaps (% of hedgerow length) | >10% | **Holly** | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of 5 woody species was noted within the sampled sections, and only 1 feature. | | |

## Hedge 18

| | |
|---|---|
| *Abies grandis* | Grand Fir |
| *Acer pseudoplatanus* | Sycamore |
| *Alopecurus pratensis* | Meadow Foxtail |
| *Anisanthera sterilis* | Sterile Brome |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arrhenatherum elatius* | False Oat-grass |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Calystegia sp.* | Bindweed species |
| *Cirsium arvense* | Creeping Thistle |
| *Crataegus monogyna* | **Hawthorn **** |
| *Elytrigia repens* | Common Couch |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Holcus lanatus* | Yorkshire-fog |
| *Ilex aquifolium* | **Holly **** |
| *Poa annua* | Annual Meadow-grass |
| *Poa trivialis* | Rough Meadow-grass |
| *Prunus spinosa* | **Blackthorn **** |
| *Ranunculus acris* | Meadow Buttercup |
| *Ranunculus repens* | Creeping Buttercup |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | No |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Ash** | **Elder** | |
| Average of at least one standard tree per 50m? | N | **Elder** | **Hawthorn** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Hawthorn** | **Wych Elm** | |
| Ditch along at least half of the hedgerow? | N | **Wych Elm** | **Holly** | |
| Parallel hedge within 15m of the hedgerow? | N | **Blackthorn** | | |
| Gaps (% of hedgerow length) | >10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 19

| | |
|---|---|
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Calystegia sp.* | Bindweed species |
| *Crataegus monogyna* | **Hawthorn **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Rosa* sp. | **Rose species**** |
| *Corylus avellana* | **Hazel**** |
| *Hedera helix* | Ivy |
| *Lamium album* | White Dead-nettle |
| *Rubus fruticosus agg.* | Bramble |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | No |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | No |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | **Hawthorn** | |
| Average of at least one standard tree per 50m? | N | | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | | | |
| Ditch along at least half of the hedgerow? | N | | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | >10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 4 woody species was noted within the sampled sections. | | |

## Hedge 20

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Achillea millefolium* | Yarrow |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Cornus sanguinea* | **Dogwood **** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Cruciata laevipes* | Crosswort |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus sp.* | Oak species |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Silene dioica* | Red Campion |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |
| *Vicia cracca* | Tufted Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Blackthorn** | **Hawthorn** | **Blackthorn** |
| Average of at least one standard tree per 50m? | N | **Hawthorn** | **Wych Elm** | **Hawthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Wych Elm** | **Hazel** | **Wych Elm** |
| Ditch along at least half of the hedgerow? | N | **Hazel** | **Holly** | **Hazel** |
| Parallel hedge within 15m of the hedgerow? | N | **Field Maple** | **Elder** | **Field Maple** |
| Gaps (% of hedgerow length) | <10% | **Holly** | **Dog Rose** | **Elder** |
| Connection (within 10m) with another hedgerow? | 2 | | | **Dog Rose** |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 2 features. | | |

## Hedge 21 & 22 (same feature)

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Bromopsis ramosus* | Hairy-brome |
| *Chamerion angustifolium* | Rosebay Willowherb |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris filix-mas* | Male-fern |
| *Fraxinus excelsior* | **Ash **** |
| *Geranium robertianum* | **Herb-Robert *** |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lonicera periclymenum* | Honeysuckle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Pteridium aquilinum* | Bracken |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hazel** | **Holly** | **Hawthorn** |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | **Hazel** | **Blackthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Blackthorn** | **Wych Elm** | **Elder** |
| Ditch along at least half of the hedgerow? | N | | **Hawthorn** | **Hazel** |
| Parallel hedge within 15m of the hedgerow? | Y | | **Blackthorn** | |
| Gaps (% of hedgerow length) | <10% | | **Elder** | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | Y (1) | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 23 (same feature as Hedge 15, see above for details)

## Hedge 24 & 25 (same feature)

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Calystegia sp.* | Bindweed species |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Oenanthe crocata* | Hemlock Water-dropwort |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hazel** | **Hazel** | **Hazel** |
| Average of at least one standard tree per 50m? | N | **Hawthorn** | **Hawthorn** | **Hawthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Blackthorn** | **Blackthorn** | **Blackthorn** |
| Ditch along at least half of the hedgerow? | Y | | **Dog Rose** | **Holly** |
| Parallel hedge within 15m of the hedgerow? | N | | **Elder** | **Wych Elm** |
| Gaps (% of hedgerow length) | <10% | | **Holly** | **Field Maple** |
| Connection (within 10m) with another hedgerow? | 4 | | | **Dog Rose** |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 4 features and a footpath. | | |

## Hedge 26

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Alopecurus pratensis* | Meadow Foxtail |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arrhenatherum elatius* | False Oat-grass |
| *Cirsium arvense* | Creeping Thistle |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dactylis glomerata* | Cock's-foot |
| *Dryopteris filix-mas* | Male-fern |
| *Festuca rubra* | Red Fescue |
| *Galium aparine* | Cleavers |
| *Holcus lanatus* | Yorkshire-fog |
| *Ilex aquifolium* | **Holly **** |
| *Poa trivialis* | Rough Meadow-grass |
| *Quercus robur* | **English Oak **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | No |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Holly** | **English Oak** | |
| Average of at least one standard tree per 50m? | Y | **Elder** | **Hawthorn** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | **Field Maple** | |
| Ditch along at least half of the hedgerow? | N | | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | >10% | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 27

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Salix caprea* | **Goat Willow **** |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | No |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hazel** | | |
| Average of at least one standard tree per 50m? | N | **Hawthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Ash** | | |
| Ditch along at least half of the hedgerow? | N | **Holly** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Elder** | | |
| Gaps (% of hedgerow length) | <10% | **Wych Elm** | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of 6 woody species was noted within the sampled sections, 1 feature and footpath. | | |

## Hedge 28

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 29

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | N | **Elder** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Holly** | | |
| Ditch along at least half of the hedgerow? | N | | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | >10% | | | |
| Connection (within 10m) with another hedgerow? | N | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | Y | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 30

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 31

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Tamus communis* | Black Bryony |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hazel** | **Hazel** | |
| Average of at least one standard tree per 50m? | N | **Hawthorn** | **Hawthorn** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Wych Elm** | **Wych Elm** | |
| Ditch along at least half of the hedgerow? | N | | **Ash** | |
| Parallel hedge within 15m of the hedgerow? | Y | | **Dog Rose** | |
| Gaps (% of hedgerow length) | <10% | | **Holly** | |
| Connection (within 10m) with another hedgerow? | 3 | | **Field Maple** | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of 5 woody species and only 2 features was noted within the sampled sections. | | |

## Hedge 32

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 33

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Alliaria petiolata* | Garlic Mustard |
| *Anisanthera sterilis* | Sterile Brome |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Galium aparine* | Cleavers |
| *Glechoma hederacea* | Ground-ivy |
| *Heracleum sphondylium* | Hogweed |
| *Humulus lupulus* | Hop |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Holly** | **Hazel** | **Hazel** |
| Average of at least one standard tree per 50m? | N | **Hazel** | **Hawthorn** | **Hawthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | **Elder** | **Blackthorn** |
| Ditch along at least half of the hedgerow? | N | **Elder** | **Blackthorn** | **Field Maple** |
| Parallel hedge within 15m of the hedgerow? | N | **Wych Elm** | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 3 features. | | |

## Hedge 34

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Allium ursinum* | **Ramsons *** |
| *Anisanthera sterilis* | Sterile Brome |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arctium minus* | Lesser Burdock |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geranium robertianum* | **Herb-Robert *** |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus sp.* | Cherry species |
| *Pteridium aquilinum* | Bracken |
| *Quercus robur* | **English Oak **** |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Taxus baccata* | **Yew **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hazel** | **Hazel** | **Hawthorn** |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | **Hawthorn** | **Wych Elm** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Wych Elm** | **Wych Elm** | **Elder** |
| Ditch along at least half of the hedgerow? | N | **Elder** | **Elder** | **Holly** |
| Parallel hedge within 15m of the hedgerow? | Y | **Holly** | **Holly** | **English Oak** |
| Gaps (% of hedgerow length) | <10% | | | **Ash** |
| Connection (within 10m) with another hedgerow? | 4 | | | **Yew** |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |

| | | |
|---|---|---|
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 6 features and a footpath. |

## Hedge 35

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 36

| | |
|---|---|
| *Centaurea nigra* | Knapweed |
| *Crataegus monogyna* | **Hawthorn **** |
| *Cruciata laevipes* | Crosswort |
| *Galium aparine* | Cleavers |
| *Quercus robur* | **English Oak **** |
| *Rubus fruticosus agg.* | Bramble |
| *Urtica dioica* | Nettle |
| *Veronica chamaedrys* | Germander Speedwell |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | Y | **English Oak** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | | | |
| Ditch along at least half of the hedgerow? | N | | | |
| Parallel hedge within 15m of the hedgerow? | Y | | | |
| Gaps (% of hedgerow length) | >10% (40%) | | | |
| Connection (within 10m) with another hedgerow? | 0 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 37

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Alliaria petiolata* | Garlic Mustard |
| *Anisanthera sterilis* | Sterile Brome |
| *Anthriscus sylvestris* | Cow Parsley |
| *Bryonia dioica* | White Bryony |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Galium aparine* | Cleavers |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Holly** | **Hawthorn** | **Holly** |
| Average of at least one standard tree per 50m? | N | **Blackthorn** | **Elder** | **Blackthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Hazel** | | **Hazel** |
| Ditch along at least half of the hedgerow? | N | **Hawthorn** | | **Hawthorn** |
| Parallel hedge within 15m of the hedgerow? | N | **Elder** | | **Elder** |
| Gaps (% of hedgerow length) | <10% | | | **Wych Elm** |
| Connection (within 10m) with another hedgerow? | 2 | | | **Field Maple** |
| Connection (within 10m) with a pond? | N | | | **English Oak** |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 1 feature. | | |

## Hedge 38

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Aesculus hippocastanum* | Horse-chestnut |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geranium robertianum* | **Herb-Robert *** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus sp.* | Cherry species |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Schedonorus giganteus* | **Giant Fescue *** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Taxus baccata* | **Yew **** |
| *Ulmus glabra* | **Wych Elm **** |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | **Hawthorn** | **Blackthorn** |
| Average of at least one standard tree per 50m? | Y | **Holly** | **Holly** | **Holly** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Dog Rose** | **Elder** | **Elder** |
| Ditch along at least half of the hedgerow? | N | **Elder** | **Field Maple** | **Field Maple** |
| Parallel hedge within 15m of the hedgerow? | Y | **Blackthorn** | **Ash** | **Ash** |
| Gaps (% of hedgerow length) | <10% | **Wych Elm** | **English Oak** | **English Oak** |
| Connection (within 10m) with another hedgerow? | 4 | | **Hazel** | **Hazel** |
| Connection (within 10m) with a pond? | N | | | **Yew** |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 39

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris dilatata* | **Broad Buckler-fern *** |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Galium palustre* | Marsh Bedstraw |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus avium* | **Wild Cherry **** |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Viola canina* | Heath Dog-violet |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Holly** | **Holly** | **Holly** |
| Average of at least one standard tree per 50m? | Y | **Field Maple** | **Field Maple** | **Field Maple** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Wych Elm** | **Wych Elm** | **Wych Elm** |
| Ditch along at least half of the hedgerow? | N | **Hawthorn** | **Hawthorn** | **Hawthorn** |
| Parallel hedge within 15m of the hedgerow? | Y | | **Ash** | **Ash** |
| Gaps (% of hedgerow length) | >10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 40

| | |
|---|---|
| *Aegopodium podagraria* | Ground-Elder |
| *Allium ursinum* | **Ramsons *** |
| *Arctium minus* | Lesser Burdock |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | Holly |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Quercus robur* | English Oak |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Holly** | | |
| Average of at least one standard tree per 50m? | Y | **English Oak** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | | |
| Ditch along at least half of the hedgerow? | N | **Elder** | | |
| Parallel hedge within 15m of the hedgerow? | Y | **Hazel** | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 41

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Alliaria petiolata* | Garlic Mustard |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | Holly |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | English Oak |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | Y | **English Oak** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Holly** | | |
| Ditch along at least half of the hedgerow? | N | **Hazel** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Elder** | | |
| Gaps (% of hedgerow length) | <10% | **Ash** | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 3 features. | | |

## Hedge 42

| | |
|---|---|
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus rubra* | **Red Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Holly** | | |
| Average of at least one standard tree per 50m? | N | **Blackthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Red Oak** | | |
| Ditch along at least half of the hedgerow? | N | **Dog Rose** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Hazel** | | |
| Gaps (% of hedgerow length) | <10% | **Elder** | | |
| Connection (within 10m) with another hedgerow? | 4 | **Hawthorn** | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 2 features. | | |

## Hedge 43

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 44

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 45

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |
| *Veronica chamaedrys* | Germander Speedwell |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | Y | **Holly** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **English Oak** | | |
| Ditch along at least half of the hedgerow? | N | **Dog Rose** | | |
| Parallel hedge within 15m of the hedgerow? | Y | **Elder** | | |
| Gaps (% of hedgerow length) | <10% | **Wych Elm** | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 46

| | |
|---|---|
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus sp.* | Oak species |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Tamus communis* | Black Bryony |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Dog Rose** | | |
| Average of at least one standard tree per 50m? | Y | **Hazel** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Hawthorn** | | |
| Ditch along at least half of the hedgerow? | N | **Ash** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Blackthorn** | | |
| Gaps (% of hedgerow length) | <10% | **Elder** | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 3 features. | | |

## Hedge 47

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Glechoma hederacea* | Ground-ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Primula vulgaris* | **Primrose *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Pteridium aquilinum* | Bracken |
| *Quercus robur* | English Oak |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hazel** | | |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Holly** | | |
| Ditch along at least half of the hedgerow? | N | **Blackthorn** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Dog Rose** | | |
| Gaps (% of hedgerow length) | <10% | **Elder** | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 4 features. | | |

## Hedge 48

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Aegopodium podagraria* | Ground-Elder |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris filix-mas* | Male-fern |
| *Fraxinus excelsior* | **Ash **** |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Lonicera periclymenum* | Honeysuckle |
| *Pteridium aquilinum* | Bracken |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Wych Elm** | | |
| Average of at least one standard tree per 50m? | Y | **Holly** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Elder** | | |
| Ditch along at least half of the hedgerow? | N | **Hazel** | | |
| Parallel hedge within 15m of the hedgerow? | Y | **Hawthorn** | | |
| Gaps (% of hedgerow length) | <10% | **Field Maple** | | |
| Connection (within 10m) with another hedgerow? | 3 | **Dog Rose** | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 49

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Field Maple** | | |
| Average of at least one standard tree per 50m? | N | **Holly** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Hazel** | | |
| Ditch along at least half of the hedgerow? | N | **Hawthorn** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Elder** | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 2 features. | | |

## Hedge 50

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fagus sylvatica* | **Beech **** |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Elder** | | |
| Average of at least one standard tree per 50m? | N | **Hawthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Beech** | | |
| Ditch along at least half of the hedgerow? | N | **Holly** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Blackthorn** | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 1 feature. | | |

## Hedge 51

| | |
|---|---|
| *Arctium minus* | Lesser Burdock |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | N | **Ash** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Elder** | | |
| Ditch along at least half of the hedgerow? | N | **Holly** | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | >10% (15%) | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections. | | |

## Hedge 52

| | |
|---|---|
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Pteridium aquilinum* | Bracken |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Tamus communis* | Black Bryony |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hazel** | | |
| Average of at least one standard tree per 50m? | N | **Hawthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Elder** | | |
| Ditch along at least half of the hedgerow? | N | **Blackthorn** | | |
| Parallel hedge within 15m of the hedgerow? | N | **Dog Rose** | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 3 features. | | |

## Hedge 53

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Hazel** | **Hazel** | |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | **Hawthorn** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Holly** | **Holly** | |
| Ditch along at least half of the hedgerow? | N | **Dog Rose** | **Ash** | |
| Parallel hedge within 15m of the hedgerow? | N | **Blackthorn** | **Blackthorn** | |
| Gaps (% of hedgerow length) | <10% | | **Dog Rose** | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 3 features. | | |

## Hedge 54

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Aegopodium podagraria* | Ground-Elder |
| *Alliaria petiolata* | Garlic Mustard |
| *Allium ursinum* | **Ramsons *** |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Brachypodium sylvaticum* | False Brome |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Fraxinus excelsior* | **Ash **** |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Tamus communis* | Black Bryony |
| *Ulmus glabra* | **Wych Elm **** |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Holly** | | |
| Average of at least one standard tree per 50m? | Y | **English Oak** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Dog Rose** | | |
| Ditch along at least half of the hedgerow? | N | **Elder** | | |
| Parallel hedge within 15m of the hedgerow? | Y | **Field Maple** | | |
| Gaps (% of hedgerow length) | <10% | **Hawthorn** | | |
| Connection (within 10m) with another hedgerow? | 3 | **Ash** | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 55

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Malus pumila* | **Apple **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Stellaria holostea* | Greater Stitchwort |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Field Maple** | **Blackthorn** | |
| Average of at least one standard tree per 50m? | Y | **Hazel** | **Dog Rose** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | **Hawthorn** | |
| Ditch along at least half of the hedgerow? | N | **Holly** | **Holly** | |
| Parallel hedge within 15m of the hedgerow? | N | **Blackthorn** | **Apple** | |
| Gaps (% of hedgerow length) | <10% | **Dog Rose** | | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 4 features. | | |

## Hedge 56

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Bryonia dioica* | White Bryony |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Hypericum tetrapterum* | Square-stalked St John's-wort |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus avium* | **Wild Cherry **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Tamus communis* | Black Bryony |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Wild Cherry** | **Holly** | |
| Average of at least one standard tree per 50m? | Y | **Blackthorn** | **Dog Rose** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Dog Rose** | **Hazel** | |
| Ditch along at least half of the hedgerow? | N | **Hazel** | **Hawthorn** | |
| Parallel hedge within 15m of the hedgerow? | N | **Hawthorn** | | |
| Gaps (% of hedgerow length) | <10% | **Field Maple** | | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 3 features. | | |

## Hedge 57

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arctium minus* | Lesser Burdock |
| *Artemisia vulgaris* | Mugwort |
| *Conium maculatum* | Hemlock |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Cruciata laevipes* | Crosswort |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geranium dissectum* | Cut-leaved Cranesbill |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Holly** | **Holly** | **Hazel** |
| Average of at least one standard tree per 50m? | N | **Blackthorn** | **Field Maple** | **Holly** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Hazel** | **Hazel** | **Dog Rose** |
| Ditch along at least half of the hedgerow? | N | **Ash** | **Hawthorn** | **Blackthorn** |
| Parallel hedge within 15m of the hedgerow? | Y | **Elder** | **Dog Rose** | **English Oak** |
| Gaps (% of hedgerow length) | <10% | | **Blackthorn** | **Field Maple** |
| Connection (within 10m) with another hedgerow? | 3 | | **English Oak** | **Hawthorn** |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 2 features. | | |

## Hedge 58

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 59

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 60

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Anthriscus sylvestris* | Cow Parsley |
| *Betula pendula* | **Silver Birch **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Galium aparine* | Cleavers |
| *Heracleum sphondylium* | Hogweed |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Pentaglottis sempervirens* | Green Alkanet |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus idaeus* | Raspberry |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **Elder** | | |
| Average of at least one standard tree per 50m? | Y | **Blackthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **English Oak** | | |
| Ditch along at least half of the hedgerow? | N | **Hawthorn** | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 61

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey |

## Hedge 62

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Ilex aquifolium* | **Holly **** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | None noted |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Holly** | | |
| Average of at least one standard tree per 50m? | Y | **Blackthorn** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | | |
| Ditch along at least half of the hedgerow? | N | **Elder** | | |
| Parallel hedge within 15m of the hedgerow? | N | | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | 1 | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **No** | An average of less than 5 woody species was noted within the sampled sections. | | |

## Hedge 63

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arrhenatherum elatius* | False Oat-grass |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Brachypodium sylvaticum* | False Brome |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Ficaria verna* | Lesser Celandine |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | **Hazel** | |
| Average of at least one standard tree per 50m? | Y | **Blackthorn** | **Blackthorn** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **English Oak** | **English Oak** | |
| Ditch along at least half of the hedgerow? | N | | **Hawthorn** | |
| Parallel hedge within 15m of the hedgerow? | N | | **Holly** | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 2 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | 1 | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 64

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Calystegia sp.* | Bindweed species |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Rubus idaeus* | Raspberry |
| *Sambucus nigra* | **Elder **** |
| *Tamus communis* | Black Bryony |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Elder** | **Hazel** | |
| Average of at least one standard tree per 50m? | N | **Hazel** | **Holly** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Holly** | **Elder** | |
| Ditch along at least half of the hedgerow? | N | **Dog Rose** | **Field Maple** | |
| Parallel hedge within 15m of the hedgerow? | N | | **Hawthorn** | |
| Gaps (% of hedgerow length) | <10% | | **Wych Elm** | |
| Connection (within 10m) with another hedgerow? | 3 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | 1 | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 4 features and a footpath. | | |

## Hedge 65 (same feature as Hedge 63, see above for details)

## Hedge 66

| | |
|---|---|
| *Acer pseudoplatanus* | Sycamore |
| *Agrostis gigantea* | Black Bent |
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Malus sylvestris* | **Crab-Apple **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus idaeus* | Raspberry |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Tamus communis* | Black Bryony |
| *Ulmus glabra* | **Wych Elm **** |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Wych Elm** | **Wych Elm** | |
| Average of at least one standard tree per 50m? | Y | **Hazel** | **Hazel** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Hawthorn** | **Hawthorn** | |
| Ditch along at least half of the hedgerow? | N | **Holly** | **Ash** | |
| Parallel hedge within 15m of the hedgerow? | Y | **English Oak** | **English Oak** | |
| Gaps (% of hedgerow length) | <10% | **Dog Rose** | **Dog Rose** | |
| Connection (within 10m) with another hedgerow? | 4 | **Elder** | **Elder** | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | Y | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 67

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Aegopodium podagraria* | Ground-Elder |
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Arum maculatum* | **Lords-and-Ladies *** |
| *Calystegia sp.* | Bindweed species |
| *Cornus sanguinea* | **Dogwood **** |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris filix-mas* | Male-fern |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Glechoma hederacea* | Ground-ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamiastrum galeobdolon* | **Yellow archangel *** |
| *Lonicera periclymenum* | Honeysuckle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Oxalis acetosella* | **Wood sorrel *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Pteridium aquilinum* | Bracken |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Silene dioica* | Red Campion |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Field Maple** | **Hawthorn** | **Field Maple** |
| Average of at least one standard tree per 50m? | Y | **Holly** | **Elder** | **Hawthorn** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **English Oak** | **Hazel** | **Wych Elm** |
| Ditch along at least half of the hedgerow? | N | **Dog Rose** | **Holly** | **Dog Rose** |
| Parallel hedge within 15m of the hedgerow? | Y | **Hazel** | **Hawthorn** | **Hazel** |
| Gaps (% of hedgerow length) | <10% | **Holly** | | **Holly** |
| Connection (within 10m) with another hedgerow? | 1 | | | **Hawthorn** |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 68

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Aegopodium podagraria* | Ground-Elder |
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Galium aparine* | Cleavers |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Pteridium aquilinum* | Bracken |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Urtica dioica* | Nettle |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | **Hazel** | |
| Average of at least one standard tree per 50m? | N | **Blackthorn** | **Elder** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **English Oak** | **Holly** | |
| Ditch along at least half of the hedgerow? | N | **Dog Rose** | **Wych Elm** | |
| Parallel hedge within 15m of the hedgerow? | Y | **Field Maple** | **Hawthorn** | |
| Gaps (% of hedgerow length) | <10% | **Wych Elm** | | |
| Connection (within 10m) with another hedgerow? | 4 | **Hazel** | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 69

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Allium ursinum* | **Ramsons *** |
| *Anthriscus sylvestris* | Cow Parsley |
| *Bromopsis ramosus* | Hairy-brome |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Geum urbanum* | **Wood avens *** |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lamium album* | White Dead-nettle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Primula vulgaris* | **Primrose *** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Silene dioica* | Red Campion |
| *Silene latifolia* | White Campion |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Ulmus glabra* | **Wych Elm **** |
| *Ulmus procera* | English Elm |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Ash** | **Field Maple** | |
| Average of at least one standard tree per 50m? | Y | **Hawthorn** | **Elder** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Dog Rose** | **Holly** | |
| Ditch along at least half of the hedgerow? | N | **Elder** | **Hawthorn** | |
| Parallel hedge within 15m of the hedgerow? | Y | **Wych Elm** | **Dog Rose** | |
| Gaps (% of hedgerow length) | <10% | | **Hazel** | |
| Connection (within 10m) with another hedgerow? | 4 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 70

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Allium ursinum* | **Ramsons *** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Corylus avellana* | **Hazel **** |
| *Galium aparine* | Cleavers |
| *Glechoma hederacea* | Ground-ivy |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Ulmus glabra* | **Wych Elm **** |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes – only 30m sample taken from section along site boundary |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Hawthorn** | | |
| Average of at least one standard tree per 50m? | Y | **Hazel** | | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Wych Elm** | | |
| Ditch along at least half of the hedgerow? | N | **Holly** | | |
| Parallel hedge within 15m of the hedgerow? | Y | | | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 5 | | | |
| Connection (within 10m) with a pond? | N | | | |
| Connection (within 10m) broadleaved woodland? | N | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 6 features and a footpath. | | |

## Hedge 71

| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Alliaria petiolata* | Garlic Mustard |
| *Anthriscus sylvestris* | Cow Parsley |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Dryopteris filix-mas* | Male-fern |
| *Galium aparine* | Cleavers |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | **Holly **** |
| *Lonicera periclymenum* | Honeysuckle |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Rubus fruticosus agg.* | Bramble |
| *Sambucus nigra* | **Elder **** |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | Yes |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | Yes |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | Y | **Blackthorn** | **Blackthorn** | |
| Average of at least one standard tree per 50m? | N | **Dog Rose** | **Dog Rose** | |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | Y | **Field Maple** | **Field Maple** | |
| Ditch along at least half of the hedgerow? | N | **Holly** | **Holly** | |
| Parallel hedge within 15m of the hedgerow? | Y | **Hazel** | **Hazel** | |
| Gaps (% of hedgerow length) | <10% | | | |
| Connection (within 10m) with another hedgerow? | 4 | | **Hawthorn** | |
| Connection (within 10m) with a pond? | N | | **Elder** | |
| Connection (within 10m) broadleaved woodland? | Y | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath. | | |

## Hedge 72


| | |
|---|---|
| *Acer campestre* | **Field Maple **** |
| *Acer pseudoplatanus* | Sycamore |
| *Calystegia sp.* | Bindweed species |
| *Corylus avellana* | **Hazel **** |
| *Crataegus monogyna* | **Hawthorn **** |
| *Fraxinus excelsior* | **Ash **** |
| *Galium aparine* | Cleavers |
| *Hedera helix* | Ivy |
| *Hyacinthoides non-scripta* | **Bluebell *** |
| *Ilex aquifolium* | Holly |
| *Mercurialis perennis* | **Dog's Mercury *** |
| *Prunus spinosa* | **Blackthorn **** |
| *Quercus robur* | **English Oak **** |
| *Rosa canina agg.* | **Dog Rose **** |
| *Sambucus nigra* | **Elder **** |
| *Stellaria holostea* | Greater Stitchwort |
| *Tamus communis* | Black Bryony |
| *Ulmus glabra* | **Wych Elm **** |
| *Ulmus procera* | **English Elm **** |
| *Urtica dioica* | Nettle |
| *Vicia sepium* | Bush Vetch |

| | |
|---|---|
| **Does the hedge have the appearance of being over 30 years old?** | No |
| **Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?** | No |
| **Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)** | Yes |
| **Further assessment (30m sampling) required and undertaken?** | Yes |

| **Features and Connections** | | **Woody species present in 30m samples (listed on Schedule 3 of the *Hedgerow Regulations 1997*) -** *For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.* | | |
|---|---|---|---|---|
| Hedge length (m) | >200 | **Sample 1** | **Sample 2** | **Sample 3** |
| Wall/bank along at least half its length? | N | **English Oak** | **Holly** | **English Elm** |
| Average of at least one standard tree per 50m? | N | **Dog Rose** | **Elder** | **Wych Elm** |
| 3+ woodland ground flora species (***listed on Sch. 2 of the Hedgerow Regulations***) within 1m? | N | **Field Maple** | **Ash** | **Elder** |
| Ditch along at least half of the hedgerow? | N | **Holly** | **Hawthorn** | **English Oak** |
| Parallel hedge within 15m of the hedgerow? | N | **Hazel** | **Wych Elm** | **Dog Rose** |
| Gaps (% of hedgerow length) | <10% | **Wych Elm** | **Dog Rose** | **Ash** |
| Connection (within 10m) with another hedgerow? | 5 | **Hawthorn** | | **Holly** |
| Connection (within 10m) with a pond? | N | **Elder** | | |
| Connection (within 10m) broadleaved woodland? | Y | | | |
| | | | | |
| **Does this hedge meet the wildlife and countryside criteria for Importance?** | **Yes** | Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 2 features. | | |

# DRAWINGS

## G8745.020 – Important Hedgerows




## KEY

Site boundary

**Hedgerow Classification**

- Native species-rich intact hedge
- Species-poor intact hedge
- Native species-rich defunct hedge
- Species-poor defunct hedge
- Native species-rich hedge and trees
- Species-poor hedge and trees

**Hedgerow Importance**


- Hedgerow deemed important
- Hedgerow deemed not important
- Hedgerow not surveyed for importance

**Note:**
The locations of habitats and habitat features are indicative. Hedgerows assessed under The Hedgerow Regulations 1997 statutory instrument.

Reproduced by permission of Ordnance Survey on behalf of Her Majesty's Stationery Office.

Contains OS data © Crown Copyright and database right 2022. All rights reserved.
Contains data from OS Zoomstack
**Basemapping received from the client. Licence number 100022432**

Site Map




| Rev | Description | Drawn | Approved | Date |
|---|---|---|---|---|
| | | | | |
| | | | | |

THE ENVIRONMENT PARTNERSHIP

Genesis Centre, Birchwood Science Park, Warrington WA3 7BH
Tel 01925 844004 e-mail tep@tep.uk.com www.tep.uk.com

Project
Ruthin Road, Wrexham

Title
Hedgerow Assessment

Drawing Number
G8745.020

| Drawn | Checked | Approved | Scale | Date |
|---|---|---|---|---|
| AR | CW | CG | 1:4,500 @ A3 | 27/10/2022 |

**HEAD OFFICE**

Genesis Centre,
Birchwood Science Park,
Warrington
WA3 7BH

Tel: 01925 844004
E-mail: tep@tep.uk.com

**MARKET HARBOROUGH**

The Reynard Suite,
Bowden Business Village,
Market Harborough,
Leicestershire,
LE16 7SA

Tel: 01858 383120
E-mail: mh@tep.uk.com

**GATESHEAD**

Office 26, Gateshead
International Business
Centre,
Mulgrave Terrace,
Gateshead
NE8 1AN

Tel: 0191 605 3340
E-mail: gateshead@tep.uk.com

**LONDON**

8 Trinity Street,
London,
SE1 1DB

Tel: 020 3096 6050
E-mail: london@tep.uk.com

**CORNWALL**

4 Park Noweth,
Churchtown,
Cury,
Helston
Cornwall
TR12 7BW

Tel: 01326 240081
E-mail: cornwall@tep.uk.com