Ein cyf/Our ref: CAS-267549-M3T7
Eich cyf/Your ref: P/2024/1498

Wrexham County Borough Council
The Guildhall
Wrexham
LL11 1AY

Dyddiad/Date: 18 November 2024

Annwyl Syr/Madam/Dear Sir/Madam,

BWRIAD/PROPOSAL: ERECTION OF 2 DWELLINGS

LLEOLIAD/LOCATION: LAND TO THE REAR OF 16 TO 18, BENNIONS ROAD, WREXHAM, LL13 7AW

Thank you for consulting Cyfoeth Naturiol Cymru (CNC)/Natural Resources Wales (NRW) about the above, which we received on 31 October 2024.

We have concerns with the application as submitted. To overcome these concerns, further consideration is required regarding foul drainage. Further details are provided below.

Protected Sites – foul drainage

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). In line with our *Advice to Planning Authorities for Planning Applications Affecting Nutrient Sensitive River Special Areas of Conservation* (28 June 2024), under the Habitats Regulations, Planning Authorities must consider the impact of proposed developments on water quality within SAC river catchments.

This application for the erection of 2 dwellings proposes connection of foul water to the mains sewer. Ultimately, the suitability of foul drainage arrangements for the proposed development is a matter for your Authority to determine. However, we are satisfied that our concerns can be overcome by your Authority following our Advice specifically the section titled '*What does this mean for development proposals involving connection to public wastewater treatment works?*'

We therefore advise you to take the above into account in your determination of whether the development is likely to have a significant effect on the SAC. Should you determine that an Appropriate Assessment is required, the Applicant will then need to submit whatever evidence they deem appropriate (seeking advice from consultants as may be necessary) to demonstrate no adverse effect on site integrity.

Protected Species

We note that the ecological report submitted in support of the application (Ecological Appraisal, 16-18 Bennion Road, Hightown, Wrexham. LL13 7AW, by Ben Jones Ecology, dated 24th October 2024) has identified that protected species are not present at the application site. We therefore have no comments to make on the application as submitted, and advise that you liaise with your own Authority's ecologist.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our website. We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our website for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully,

Rhys Jones
Cynghorydd - Cynllunio Datblygu/Advisor - Development Planning
Cyfoeth Naturiol Cymru/Natural Resources Wales

E-bost/E-mail: northplanning@cyfoethnaturiolcymru.gov.uk

Croesewir gohebiaeth yn Gymraeg a byddwn yn ymateb yn Gymraeg, heb i hynny arwain at oedi./Correspondence in Welsh is welcomed, and we will respond in Welsh without it leading to a delay.