# Biodiversity Enhancement Plan

1 : 500




drawing extract from HAF-STO-00-00-DR-L-0009 drawing

- 2no. vivara swift bird box or similar located on a n/e elevation, in a discrete location under the eaves of the building.

If proposed location is not suitable when reviewed on site, an alternative location should be approved by landscape architect or ecologist.

- Bird boxes should be a minimum four metres up a tree or a wall.
- Unless there are trees or buildings which shade the box during the day, face the box between north and east, thus avoiding strong sunlight and the wettest winds.
- Make sure that the birds have a clear flight path to the nest without any clutter directly in front of the entrance. Tilt the box forward slightly so that any driving rain will hit the roof and bounce clear.



0m 10m 20m 30m 40m

VISUAL SCALE 1:500 @ A2

**Notes**

- Drawing is copyright of fenton+reece
- Only labelled dimensions are to be taken from this drawing. Do not scale from this drawing.
- Contractor is responsible for taking and checking all dimensions, below ground services and setting out.
- All elements of design should be checked on site and conflicts reported to responsible designer..**If in doubt ask**

| Rev. | Revision description | Drawn | Checked | Date |
|---|---|---|---|---|
| P01 | Planning Issue | RF | RF | 240912 |


fenton+reece

www.fentonreece.com | hello@fentonreece.com


Project
Ysgol Yr Hafod
for Wynne Construction

Title
Biodiversity Enhancement Plan

Project Status
Planning Condition

Drawing Number
HAF -FRL -00 -00 -DR -L -0001

Rev.
P01

C:\Users\racha\OneDrive - fenton reece\fenton+reece\001_Projects\070 - Johnstown GIS\02 Design\070-Ysgol Yr Hafod.rvt