



## MEMORANDUM

**From:** Ian Jones  
**Head of Service Public Protection  
Economy and Planning**

**To:** David Fitzsimon  
**Chief Officer**

**Our Ref:**

**Your Ref: P/2023/0050**

**Date:** 22-02-2023

---

### Town and Country Planning Act 1990

### Town and Country Planning (General Development Procedure) Order 1996

### Re: P/2023/0050, LAND AT STANSTY FIELDS MOLD ROAD WREXHAM

### DATBLYGIAD PRESWYL O 96 ANNEDD AC ISADEILEDD CYSYLLTIEDIG / RESIDENTIAL DEVELOPMENT OF 96 NO. DWELLINGS AND ASSOCIATED INFRASTRUCTURE

#### ZP21 - AIR QUALITY - NEW RECPTOR

No part of the development shall commence until an air quality assessment for the pollutants Nitrogen Dioxide and Fine Particles has been carried out and a report of the findings submitted to, and approved in writing by, the Local Planning Authority. The assessment shall:

- Use appropriate modelling methods, as described in 'Local Air Quality Management Technical Guidance LAQM TG (16)', and
- Provide a detailed scheme so as to comply with objective levels in the Air quality (Wales) regulations.

The approved scheme shall be fully implemented prior to first occupation / use of the development and shall thereafter be permanently retained in an effective condition.

#### ZP07A NOISE SURVEY

No part of the development shall commence until a noise survey has been carried out, and a detailed report of the survey findings has been submitted to, and approved in writing by, the Local Planning Authority. The noise survey shall determine noise levels for both Day (07:00 – 23:00 hours) and Night (23:00 – 07:00 hours), having regard to Planning Policy Wales (PPW) Guidance, Technical Advice Note (TAN) 11 – Noise. The report of the noise survey findings shall include:

a) Noise levels arising from day / night time activities in the vicinity of the proposed development site and the impact upon the existing or proposed accommodation, and

b) A detailed scheme of noise insulation and / or attenuation measures so designed to safeguard the amenity of the existing or occupants of the proposed accommodation hereby approved.

The measures as are approved shall be fully implemented prior to the first occupation / use of the development.

## **ZP11 - DUST MANAGEMENT SCHEME**

No part of the development shall commence until an appropriate Dust Management Scheme has been submitted to, and approved in writing by, the Local Planning Authority. The dust mitigation measures as are approved shall be fully implemented for the entire duration of the construction phase.

## **A23N - BURNING OF WASTE**

Burning of waste generated from construction activities is not considered to be an appropriate method of disposal and action may be taken as follows:

- Under the Environmental Protection Act 1990 anyone found disposing of construction site waste by burning is likely to be in breach of their duty of care with regard to waste disposal;
- Under the same Act an abatement notice may be served where smoke is judged to be causing a nuisance to neighbouring properties. Failure to comply with the requirements of the notice can result in prosecution;
- Under the Clean Air Act 1993 it is an offence for a commercial activity to burn anything that gives rise to dark smoke.

To prevent offences under the above named Acts there should be no bonfires on the site, to include the prohibition of the burning of cleared vegetation. The applicant should contact the Council's Environmental Health & Housing Standards Team on [healthandhousing@wrexham.gov.uk](mailto:healthandhousing@wrexham.gov.uk) or 01978 292040 for further advice and information.

## **A22NA – MINOR DEMOLITION CONSTRUCTION NOISE**

All works in relation to the implementation of this permission, including deliveries to and /or leaving the site, should be undertaken only between the hours of 07.30 to 18.00 Monday to Friday, 08.00 to 14.00 on a Saturday, and at no time on a Sunday or a Bank Holiday. Outside these times, any works which are audible beyond the site boundary have the potential to cause unreasonable disturbance to neighbouring premises.

The applicant is advised that the Council has the option to control construction noise by serving a Control of Pollution Act 1974, Section 60 Notice where deemed necessary, and failure to comply with such a Notice can result in prosecution.

The applicant is further advised that any complaints received relating to noise of any type from the development may also be investigated using the Council's Standardised Procedure for Dealing with Noise Nuisance Complaints. This is done under the Statutory Nuisance provisions provided within the Environmental Protection Act 1990, and legal action may be taken where appropriate.

The applicant must adhere to the times given above wherever possible. If, however, there are urgent or unavoidable circumstances requiring work outside of the specified times, permission to proceed may be sought by contacting Environmental Health & Housing Standards at [healthandhousing@wrexham.gov.uk](mailto:healthandhousing@wrexham.gov.uk)

or 01978 292040. Please use the same contact details for any other enquiries regarding construction / demolition site noise.

.....

**Head of Service Public Protection**