





Proposed North East Elevation
1 : 100



Proposed North West Elevation
1 : 100



Proposed South East Elevation



Proposed South West Elevation

Construction (Design and Management) Regulations

Design risk assessments are carried out throughout the design stage of this project in accordance with company procedures and manuals. Where reasonably possible all areas of risk applicable to design and end use of the construction have been identified and then eliminated, mitigated or recorded as a residual risk. Note that general risks of which a competent designer or contractor should be aware are not included. This drawing is to be read in conjunction with the Pre-construction Information and all related documents prepared in accordance with the current Construction (Design and Management) Regulations 2015 and all applicable Health and Safety legislation as currently amended.

REV	DESCRIPTION | DRAWN BY | CHECKED BY | APPROVED BY	DATE
P07	New external lights added to elevation | CB | CB | CB	25/04/2025
P06	Repositioned 800x400mm louvres EF.05 & EF.06 noted on drawing. Images and notes added to discharge LBC conditions 4 & 8 | CB | CB | CB	03/04/2025
P05	External door GL.27-ED.01 removed from scheme | CB | CB | CB	04/02/2025
P04	New external door GL.27-ED.01 added to scheme and automatic door openers added to schedule | CB | CB | CB	17/01/2025
P03	Stage 4 issue | JT | CB | CB	12/11/2024
C00	Stairwell window retained. Louvres amended - See clouded | LP | RE | RE	18/10/2024
P02	Stage 3 Issue | RE | RE | CB	04/09/2024
P01	Draft Stage 3 Issue | AJ | CB | MWR	09/08/2024
P00	Initial input and issue | AJ | CB | MWR	23/07/2024

RIBA PLAN OF WORK WORKSTAGE	LEVEL OF MODEL DEFINITION (LoD)
Stage 4 - Technical Design	LoD 3 - Approximate Model
PURPOSE OF ISSUE - SUITABLE FOR ...	STATUS or SUITABILITY
Tender	NA - Not Applicable

Rainwater Goods Specification Key

Alutec "125mm Traditional Victorian Ogee Aluminium System





Existing cast iron rainwater goods re-painted



Existing cast iron rainwater goods to be retained and re-painted

Existing cast iron rainwater goods replaced with new cast iron to best match existing




Existing asbestos hoppers removed and replaced with new cast iron



New black cast iron rectangular standard hopper
305mm for 65mm downpipe

Mechanical & Ventilation Equipment Key

Air Bricks and Louvres Formed Through Existing Walls



EF.01 & EF.02
Cast iron double air brick
(228mm wide x 152mm high)



EW03
Wall Mounted Condenser Unit
(800mm wide x 285mm deep x 550mm high)

Floor and wall mounted condenser units



EW01 & EW02
Floor Mounted Condenser Units
(920mm wide x 740mm deep x 1860mm high)




EW03
Wall Mounted Condenser Unit
(800mm wide x 285mm deep x 550mm high)

Electrical Equipment Key

External Emergency Lights





DEXTRA Opus Emergency Wall Lights

lawray architects

CARDIFF 029 2052 8140
LONDON 0207 138 3560
WREXHAM 01978 357 887
www.lawray.co.uk

CLIENT
Wrexham County Borough Council

PROJECT TITLE
Wrexham Old Library

DRAWING TITLE
Proposed Elevations

PROJECT No
20045

SCALE @ A1
1 : 100

DRAWING No
(01)=192.2007
=A2.20192.0
(0).EN.DO19502

TYPE Project - Originator - Volume - Level - Type - Role - Number
19500 Project - Originator - Functional - Spatial - Form - Discipline - Number
Breakdown Breakdown

REVISION
WOL-LAW-X-X-DR-**A-062001**
P07

DO NOT SCALE

Any discrepancy or query concerning this drawing should be referred to the Architect

Copyright © LAWRAY LIMITED
Registered Office: Greenmeadow Springs, 1 Cae Gwyrdd, Tongwynlais, CARDIFF CF15 7AB
Reg. Co. No. 2724178, VAT Reg. No. 134 2146 06

Print Date: 25/04/2025 15:02:33

File Name: Autodesk Docs://20045_RefurbOldLibrary/WOL-LAW-X-X-M3-A-000002_Building.rvt