



MEMORANDUM

From: Ian Jones

**Head of Service Public Protection
Service Planning Development**

Our Ref:

Date: 07-05-2024

To: Matthew Phillips

Head of

Your Ref: P/2024/0240

Town and Country Planning Act 1990

Town and Country Planning (General Development Procedure) Order 1996

Re: P/2024/0240, OLD FARM BOWLING BANK WREXHAM

**NEWID DEFNYDD ADEILAD AMAETHYDDOL I DDEFNYDD CYMYSG DOSBARTHADAU
B1/B8 (MICROFRAGDY) A HOLL WAITH CYSYLLTIOL (ÔLWEITHREDOL) / CHANGE OF USE
OF BUILDING FROM AGRICULTURE TO MIXED USE CLASSES B1/B8 (MICRO BREWERY).
AND ALL ASSOCIATED WORKS (IN RETROSPECT).**

ZP05 - NOISE GENERATION - NOISE LEVEL CONDITION

The rating level of any noise generated by reason of this development shall not exceed the pre-existing background level at any time. The noise levels shall be determined at nearby noise sensitive premises, and measurements and assessment shall be made in accordance with BS4142:2014 Methods for Rating and Assessing Industrial and Commercial Sound.

.....

Head of Service Public Protection