

From: Neil Bayliss <neil.bayliss@cpat.org.uk>
Sent: 25 March 2024 15:40
To: Gwyn Humphreys; planning
Subject: FAO: Gwyn Humphreys RE: P/2024/0155 at Land North Of, Bronwylfa Road, Rhostyllen
Attachments: Dec 23 - CPAT - Archaeological Monitoring and Recording.pdf; Nov 23 - CPAT - Geophysics Brief.pdf; Oct 23 - CPAT - Contractors Information.pdf

Good afternoon, Gwyn,

Regarding the planning application referenced above.

The application has been being dealt with on a pre-application consultation and ongoing conversations have been held with the contractor (Archaeology Wales), Ashley Batten (CADW), Mark Walters (CPAT), and the developer. These discussions are currently at a point where there are three potential routes identified, with two of them requiring a section of Offa's Dyke to be damaged. At present the required topographical, and geophysical surveys have not been completed (Requested by CADW), they are due to start on the 8th of April.

From the Clwyd-Powys point of view, Mark has identified the need for an Archaeological Monitoring and Recording (AMaR) recommendation on whichever route is chosen due to the potential for Medieval, or archaeology of any era, being high in the area. The AMaR should also have a strip/map/excavate facility built in should significant archaeology be identified.

In this case we recommend that any groundworks for the proposed cable route are completed with a qualified archaeologist present due to the high potential for sub-surface archaeology. This is in accordance with the Planning Policy Wales (Feb 2021) and TAN 24 (May 2017) guidance, and an appropriate condition is supplied below.

The works should be completed by an archaeologist who is part of a recognised professional archaeological organisation working to the Standard and Guidance of the Chartered Institute for Archaeologists (CIFA) relating to Archaeological Monitoring and Recording. The archaeologist should be working in accordance with an approved project design/written scheme of investigation (WSI) and should preferably be part of a Registered Archaeological Organisation with CIFA accreditation.

A suitable condition to facilitate the archaeological monitoring and recording is provided below along with guidance notes for the applicant on how to commission archaeological works.

The condition in this case would be:

Archaeological Monitoring and Recording (Formerly Watching Brief)

Suggested planning condition to facilitate an Archaeological Monitoring and Recording:

The developer shall ensure that a suitably qualified archaeological contractor is present during any groundworks so that the archaeological monitoring and recording can be conducted. The monitoring and recording must meet the standards laid down by the Chartered Institute for Archaeologists Standard and Guidance for Archaeological Monitoring and Recordings.

A copy of the resulting report should be submitted to the Local Planning Authority and the Development Control Archaeologist, Clwyd-Powys Archaeological Trust (neil.bayliss@cpat.org.uk). On approval by the

Local Planning Authority, project data must be submitted and approved for inclusion in the Clwyd-Powys Archaeological Trust's Historic Environment Record. For any questions regarding this submission process, please contact the HER Team at her@cpat.org.uk. The full digital archive must also be submitted and approved for inclusion within the National Monuments Record, RCAHMW or the Archaeology Data Service, ADS.

Reason: To secure preservation by record of any archaeological remains which may be revealed during ground excavations for the consented development.

I have attached documents for an Archaeological Monitoring and Recording, and guidance on sources of archaeological contractors who may wish to tender for this work.

The chosen archaeological contractor will need to submit a project design/written scheme of investigation (WSI) document to me for approval before they can commence works on site. Please contact me again if you wish to discuss this advice or require more information.

Kind regards,

Neil Bayliss

Mr Neil Bayliss BA, PCIfA
Swyddog Rheoli Datblygiad / Development Control Archaeologist
Ymddiriedolaeth Archaeolegol Clwyd-Powys / Clwyd-Powys Archaeological Trust

<http://www.cpat.org.uk>

Ffôn / Tel: +44 (0)1938 553670

Ffôn / Tel: +44 (0)7496 984393

E-bost / E-mail: neil.bayliss@cpat.org.uk

A Registered Organisation with the Chartered Institute for Archaeologists.

Ymddiriedolaeth Archaeolegol Clwyd-Powys, Y Swyddfeydd, Coed y Dinas, Y Trallwng, SY21 8RP.
Swyddfa Gofrestredig fel yr uchod. Rhif Cwmni 1212455, Rhif Elusen 508301.

Clwyd-Powys Archaeological Trust, The Offices, Coed y Dinas, Welshpool, SY21 8RP.
Registered Office as above. Company No 1212455, Charity No 508301.

[Privacy Notice](#)

From 1 April 2024 the Clwyd Powys Archaeological Trust will merge with 'Heneb: the Trust for Welsh Archaeology' (Charity Number 504616 and Company number 01198990). This will maintain our regional levels of staffing, service and expertise, and provide additional benefits from being part of a larger organisation.

Mae'n bosibl nad yw'r datganiadau a'r safbwyntiau a fynegir yn yr e-bost hwn yn cynrychioli rhai Ymddiriedolaeth Archeolegol Clwyd-Powys.
Statements and opinions expressed in this e-mail may not represent those of the Clwyd-Powys Archaeological Trust.