Y Gwasanaeth Cynllunio
Cyngor Bwrdeistref Sirol Wrecsam
Neuadd Y Dref, Wrecsam, LL11 1AY

Llinell Gymorth: 01978298994
E-bost: planning@wrexham.gov.uk
Gwe: www.wrexham.gov.uk/planning

Planning Service
Wrexham County Borough Council
Guildhall, Wrexham. LL11 1AY

Telephone: 01978298994
E-mail: planning@wrexham.gov.uk
Web: www.wrexham.gov.uk/planning

Application for Consent to Display an Advertisement(s)

Town and Country Planning (Control of Advertisement) Regulations 1992

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Details

If you cannot provide a postcode, the description of site location must be completed. Please provide the most accurate site description you can, to help locate the site - for example "field to the North of the Post Office".

Number

Suffix

Property Name

Mecca Bingo Hall

Address Line 1

Smithfield Road

Address Line 2

Town/city

Wrexham

Postcode

LL13 8EN

Description of site location (must be completed if postcode is not known)

Easting (x)

333915

Northing (y)

350230

Description

Applicant Details

Name/Company

Title

MR

First name

SCOTT

Surname

MORTON

Company Name

MECCA BINGO

Address

Address line 1

Mecca Bingo Hall

Address line 2

Smithfield Road

Address line 3

Wrexham

Town/City

Wrexham

Country

Postcode

LL13 8EN

Are you an agent acting on behalf of the applicant?

- [x] Yes
- [ ] No

Contact Details

Primary number

Secondary number

Email address

Agent Details

Name/Company

Title

Mrs

First name

Gillian

Surname

Shepley

Company Name

Ashleigh Signs

Address

Address line 1

Ashleigh House

Address line 2

Beckbridge Road

Address line 3

Normanton

Town/City

Country

Postcode

WF6 1TE

Contact Details

Primary number

***** REDACTED ******

Secondary number

Email address

***** REDACTED ******

Type of Proposed Advertisement(s)

Please describe the proposed advertisement(s)

Installation of replacement signs to inlclude 5x fascia signs, 3x roundels, 1 set of aluminium panels, 2x sets of window graphics 1x post mounted car park directional sign, 1x strip light, 1x set of cabochon lights to underside of canopy and 2x poster cases

Please specify the type(s) and details of each proposed advertisement

Advertisement Type:
Fascia Sign

Height:
2 metres

Width:
5.5 metres

Depth:
0.235 metres

What is the height from the ground to the base of the advertisement?:
3.985 metres

What is the maximum projection of the advertisement from the face of the building?:
0.235 metres

What is the maximum height of any of the individual letters and symbols?:
104 centimetres

What materials will the advertisement be made of?:
ITEM 01 (Qty 1) MBG 03A Digitally printed flex face (blockout) with 135mm deep frame coated RAL 9002 (gloss) Featuring: • Built up rim/return aluminium roundels with 80mm returns • 5mm opal acrylic faces c/w face applied digitally printed vinyl • Clear PVC backs c/w 20mm stand offs • Internal top hats for fixing roundels • Internal GE 6500k LED cool white face & halo illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
1.75 metres

Width:
4.8 metres

Depth:
0.235 metres

What is the height from the ground to the base of the advertisement?:
3.985 metres

What is the maximum projection of the advertisement from the face of the building?:
0.235 metres

What is the maximum height of any of the individual letters and symbols?:
91 centimetres

What materials will the advertisement be made of?:
ITEM 02A (Qty 1) MBG 03A Digitally printed flex face (blockout) with 135mm deep frame coated RAL 9002 (gloss) Featuring: • Built up rim/return aluminium roundels with 80mm returns • 5mm opal acrylic faces c/w face applied digitally printed vinyl • Clear PVC backs c/w 20mm stand offs • Internal top hats for fixing roundels • Internal GE 6500k LED cool white face & halo illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Externally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
1.75 metres

Width:
4.8 metres

Depth:
0.285 metres

What is the height from the ground to the base of the advertisement?:
6 metres

What is the maximum projection of the advertisement from the face of the building?:
0.235 metres

What is the maximum height of any of the individual letters and symbols?:
91 centimetres

What materials will the advertisement be made of?:
ITEM 02B (Qty 1) MBG 03A Digitally printed flex face (blockout) with 135mm deep frame coated RAL 9002 (gloss) Featuring: • Built up rim/return aluminium roundels with 80mm returns • 5mm opal acrylic faces c/w face applied digitally printed vinyl • Clear PVC backs c/w 20mm stand offs • Internal top hats for fixing roundels • Internal GE 6500k LED cool white face & halo illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
1.75 metres

Width:
4.8 metres

Depth:
0.235 metres

What is the height from the ground to the base of the advertisement?:
3.985 metres

What is the maximum projection of the advertisement from the face of the building?:
0.235 metres

What is the maximum height of any of the individual letters and symbols?:
91 centimetres

What materials will the advertisement be made of?:
ITEM 02C (Qty 1) MBG 03A Digitally printed flex face (blockout) with 135mm deep frame coated RAL 9002 (gloss) Featuring: • Built up rim/return aluminium roundels with 80mm returns • 5mm opal acrylic faces c/w face applied digitally printed vinyl • Clear PVC backs c/w 20mm

stand offs • Internal top hats for fixing roundels • Internal GE 6500k LED cool white face & halo illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
0.55 metres

Width:
5.5 metres

Depth:
0.08 metres

What is the height from the ground to the base of the advertisement?:
2.15 metres

What is the maximum projection of the advertisement from the face of the building?:
0.08 metres

What is the maximum height of any of the individual letters and symbols?:
20 centimetres

What materials will the advertisement be made of?:
ITEM 03 (Qty 1) MBG 04B 2mm formed aluminium panel with 80mm returns coated NCS S 1050 B90G (gloss) Featuring: • Fret cut 3mm opal acrylic backed text • Internal GE 6500k LED cool white face illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
2.5 metres

Width:
2.5 metres

Depth:
0.135 metres

What is the height from the ground to the base of the advertisement?:
3.725 metres

What is the maximum projection of the advertisement from the face of the building?:
0.135 metres

What is the maximum height of any of the individual letters and symbols?:

46 centimetres

What materials will the advertisement be made of?:
ITEMS 04A (Qty 1) MBG 09D Flex face roundel Featuring: • 135mm deep frame coated RAL 4010 (gloss) • Digitally printed flex face skin • Internal GE 6500k cool white LED full face illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
0.25 metres

Width:
0.25 metres

Depth:
0.135 metres

What is the height from the ground to the base of the advertisement?:
4.515 metres

What is the maximum projection of the advertisement from the face of the building?:
0.135 metres

What is the maximum height of any of the individual letters and symbols?:
46 centimetres

What materials will the advertisement be made of?:
ITEMS 04B (Qty) MBG 09D Flex face roundel Featuring: • 135mm deep frame coated RAL 4010 (gloss) • Digitally printed flex face skin • Internal GE 6500k cool white LED full face illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
3.5 metres

Width:
3.5 metres

Depth:
0.135 metres

What is the height from the ground to the base of the advertisement?:
3.4 metres

What is the maximum projection of the advertisement from the face of the building?:
0.135 metres

What is the maximum height of any of the individual letters and symbols?:
64 centimetres

What materials will the advertisement be made of?:
ITEMS 05 (Qty 1) MBG 09F Flex face roundel Featuring: • 135mm deep frame coated RAL 4010 (gloss) • Digitally printed flex face skin • Internal GE 6500k cool white LED full face illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
0.75 metres

Width:
3.57 metres

Depth:
0.08 metres

What is the height from the ground to the base of the advertisement?:
3.4 metres

What is the maximum projection of the advertisement from the face of the building?:
0.08 metres

What is the maximum height of any of the individual letters and symbols?:
25 centimetres

What materials will the advertisement be made of?:
ITEM 06 (Qty 1 set = 5 off) MBG 10D 2mm formed aluminium panels with 80mm returns coated various brand colours Featuring: • Fret cut 3mm opal acrylic backed text • Internal GE 6500k LED cool white face illumination

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
3.5 metres

Width:
5.6 metres

Depth:

0.01 metres

What is the height from the ground to the base of the advertisement?:
0.075 metres

What is the maximum projection of the advertisement from the face of the building?:
0 metres

What is the maximum height of any of the individual letters and symbols?:
350 centimetres

What materials will the advertisement be made of?:
ITEM 07 (Qty as shown) MBG 23 Face applied digitally printed vinyl Featuring: • Matt laminate

The colour of text and background:
as drawing

Will the advertisement be illuminated?:

Advertisement Type:
Fascia Sign

Height:
3.5 metres

Width:
5.6 metres

Depth:
0.01 metres

What is the height from the ground to the base of the advertisement?:
0.075 metres

What is the maximum projection of the advertisement from the face of the building?:
0 metres

What is the maximum height of any of the individual letters and symbols?:
350 centimetres

What materials will the advertisement be made of?:
ITEM 08 (Qty as shown) MBG 23 Face applied digitally printed vinyl Featuring: • Matt laminate

The colour of text and background:
as drawing

Will the advertisement be illuminated?:

Advertisement Type:
Other sign

Height:
0.7 metres

Width:
1.5 metres

Depth:
0.08 metres

What is the height from the ground to the base of the advertisement?:
1.15 metres

What is the maximum projection of the advertisement from the face of the building?:
0 metres

What is the maximum height of any of the individual letters and symbols?:
22 centimetres

What materials will the advertisement be made of?:
ITEM 09 (Qty 1) MBG 22A 3mm aluminium panel coated RAL 7016 (gloss) Featuring: • Face applied digitally printed vinyl c/w matt laminate • Signfix channel to rear • 2no. 76mm posts painted RAL 7016 (gloss)

The colour of text and background:
as drawing

Will the advertisement be illuminated?:

Advertisement Type:
Other sign

Height:
0.05 metres

Width:
0.025 metres

Depth:
0.025 metres

What is the height from the ground to the base of the advertisement?:
6.475 metres

What is the maximum projection of the advertisement from the face of the building?:
0 metres

What is the maximum height of any of the individual letters and symbols?:
0 centimetres

What materials will the advertisement be made of?:
ITEM 10 (Qty 120M approx) Strip light Featuring: • Aluminium channel finished RAL 7016 (gloss) • Opal acrylic face • Cool white LED tubing housed within channel

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Other sign

Height:
0.075 metres

Width:
1.8 metres

Depth:
0.075 metres

What is the height from the ground to the base of the advertisement?:
2.3 metres

What is the maximum projection of the advertisement from the face of the building?:
0.075 metres

What is the maximum height of any of the individual letters and symbols?:
0 centimetres

What materials will the advertisement be made of?:
ITEM 12 (Qty as shown) MBG 12 Lighting to entrance canopy Featuring: • E14 bulbs with Cabochon holder fixed to a foamex track system finished RAL 7016 (gloss)

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

Advertisement Type:
Fascia Sign

Height:
1.72 metres

Width:
1.227 metres

Depth:
0.05 metres

What is the height from the ground to the base of the advertisement?:
0.35 metres

What is the maximum projection of the advertisement from the face of the building?:
0.05 metres

What is the maximum height of any of the individual letters and symbols?:
162 centimetres

What materials will the advertisement be made of?:
ITEM 16 (Qty 2) MBG 29 A0+ back lit LED poster case finished RAL 7016 (gloss)

The colour of text and background:
as drawing

Will the advertisement be illuminated?:
Yes

Will the advertisement be illuminated internally or externally?:
Internally

Illuminance levels:
250 cd/m^2

Will the illumination be static or intermittent?:
Static

If you have selected Other, please describe

ITEM 09 - ONE POST MOUNTED CAR PARK DIRECTIONAL SIGN
ITEM 10 - 120M OF STRIP LIGHT
ITEM 12 - CABOCHON LIGHTS TO UNDERSIDE OF CANOPY

Location of Advertisement(s)

Is the advertisement(s) you are applying for already in place?

◯ Yes
⊘ No

Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal?

⊘ Yes
◯ No
◯ Not Applicable

If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or photograph(s)

PROPOSED AND EXISTING ELEVATIONS

Will the proposed advertisement(s) project over a footpath or other public highway?

◯ Yes
⊘ No

Advertisement(s) Period

Please state the period of time for which consent is sought for the advertisement

From Date

11/06/2025

To Date

11/06/2030

Neighbour and Community Consultation

Have you consulted your neighbours or the local community about the proposal?

◯ Yes
⊘ No

Site Visit

Can the site be seen from a public road, public footpath, bridleway or other public land?

⊘ Yes
◯ No

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? (Please select only one)

⊘ The agent
◯ The applicant
◯ Other person

Pre-application Advice

Has pre-application advice been sought from the local planning authority about this application?

◯ Yes
⊘ No

Authority Employee/Member

With respect to the Authority, is the applicant or agent one of the following:
(a) a member of staff
(b) an elected member
(c) related to a member of staff
(d) related to an elected member

Do any of these statements apply to you?

◯ Yes
⊘ No

Interest In the Land

Does the applicant own the land or buildings where the adverts are to be placed?

⊘ Yes
◯ No

Declaration

I/We hereby apply for Consent to display an advertisement as described in the questions answered, details provided, and the accompanying plans/drawings and additional information.
I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.
I/We also accept that:
- Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be made available as part of a public register and on the authority's website;
- Our system will automatically generate and send you emails in regard to the submission of this application.

☑ I / We agree to the outlined declaration

Signed

Gillian Shepley

Date

11/06/2025