



## YMDDIRIEDOLAETH ARCHAEOLEGOL CLWYD-POWYS CLWYD-POWYS ARCHAEOLOGICAL TRUST

### LEVEL 2 HISTORIC BUILDING SURVEY

#### 1. METHODOLOGY

1.1. The archaeological works will be conducted according to the Chartered Institute for Archaeologists' (CIfA) *Standard and Guidance for the archaeological investigation and recording of standing buildings or structures* (2020b), *Standard and Guidance for Historic Environment Desk-based Assessment* (2020b).

1.2. The Level 2 survey will be completed by an archaeological contractor. The archaeological contractor should preferably be a Registered Archaeological Organization with the Chartered Institute of Archaeologists and should be working in accordance with an approved written scheme of investigation (WSI).

#### Building Survey

1.3. The survey will take the form of a Level 2 building survey as defined by Historic England (May 2016) *Understanding Historic Buildings: a guide to good recording practice*. This level of survey is intended to create a descriptive record of the building, and will include:

- Description and photographic record of the exterior and the interior
- Detailed account of type, construction, form, function
- Phasing
- Past and present use and relationship with setting
- Identification and recording of original fixtures and fittings
- Conclusions regarding the building's development and use

1.4. The drawn record will be created using either annotated accurately measured plans supplied by the architect or conventional measured survey/total station surveying as appropriate. The end result will include:

- Accurate, measured ground plan, elevations and cross-sections as appropriate
- Phase plans showing the development of the structure

## **Photography**

- Views of elevations
- Views of external appearance
- Views of all internal rooms
- Internal and external structural detail
- Fixtures, fittings, machinery, related contents

## **Report**

1.5. Following the on-site work an illustrated report will be prepared containing conventional sections to include:

- Non-technical summary in both Welsh and English
- Location and NGR
- Statutory designations
- Date of record, recorder and archive deposition
- Introduction
- Site location
- Topography and Geology
- Methodology
- Summary of the form, function, date and development of the building
- Desk-based study, including copies of historic maps and photographs where permitted
- Summary description of the building
- Past and present usage
- Evidence for former existence of demolished structures, removed fittings etc
- Site Plans and Elevations (annotated architects plans may be used where they are seen to be an accurate representation of the existing building/s)
- Conclusions
- References

1.6. The resulting digital report will be submitted to the applicant, Local Planning Authority and the Development Control Archaeologist at Clwyd-Powys Archaeological Trust ([neil.bayliss@cpat.org.uk](mailto:neil.bayliss@cpat.org.uk)) On approval the final report should be submitted in high resolution PDF format to the Historic Environment Record Officer ([gary.duckers@cpat.org.uk](mailto:gary.duckers@cpat.org.uk)), Clwyd-Powys Archaeological Trust, The Offices, Coed y Dinas, Welshpool, SY21 8RP for inclusion within the Historic Environment Record.

1.7. The Archaeological Contractor should obtain copies of the HER Deposition Guidance and HER Depositor Licence from the HER Officer

([gary.duckers@cpat.org.uk](mailto:gary.duckers@cpat.org.uk)) before any reports or archives are submitted to the Clwyd-Powys Archaeological Trust Historic Environment Record.

1.8. The overall archive will conform to guidelines described in Management of Research Projects in the Historic Environment (MoRPHE), Historic England 2015a, the CIfA's Standard and Guidance for the creation, compilation, transfer and deposition of archaeological archives (CIfA, 2020b) and The National Standard and Guidance to Best Practice for Collecting and Depositing Archaeological Archives in Wales 2017 (NPAAW, 2017).

1.9. The paper and digital archive will be deposited with the National Monuments Record, RCAHMW including a copy of the final report. This archive will include all written, drawn, survey and photographic records relating directly to the investigations undertaken. NMR Digital archives will follow the standard required by the RCAHMW (RCAHMW, 2015). A copy of the digital archive only will also be lodged with the Historic Environment Record, Clwyd-Powys Archaeological Trust.

1.10. Any artefacts recovered during the recording process should be deposited with the nearest regional or county Museum and the museum should be contacted in advance for their archiving and deposition guidelines. The artefacts should be deposited along with a copy of the site report including a detailed list of all artefacts recovered. Where no regional deposition location exists the archaeological contractor should retain the artefactual archive until such time as the archive can be transferred to an approved deposition location. In the latter case the archive must be available for public and specialist access.