

[planning@wrexham.gov.uk](mailto:planning@wrexham.gov.uk)

Eich Cyf/Your Ref: FP/2425/0080  
Ein Cyf/Our Ref: NU/80/089836/8a  
Dyddiad/Date: 06/08/2024  
Gofynner am/Ask for: Neil Upton  
Rhif Union/Direct Dial: 01286 662999

Annwyl Syr/Fadam

Dear Sir/Madam

**DEDDF CYNLLUNIO GWLAD A THREF 1990 -  
YMGYNGHORIAD**

**THE TOWN AND COUNTRY PLANNING ACT  
1990 – CONSULTATION**

**EIDDO:**

**PREMISES:**

Mewn cysylltiad â'ch ymgynghoriad dyddiedig 25/07/2024, mae adroddiad ein harchwiliad wedi ei atodi ynglŷn â'r cais FP/2425/0080.

With reference to your consultation dated 25/07/2024, in respect of application FP/2425/0080.

Nid oes gan yr Awdurdod Tân unrhyw sylwadau i'w roi ynglŷn â mynedfa i gerbydau Tân a chyflenwad dŵr.

The Fire Authority does not have any observations in regard to access for appliances and water supplies.

Os ydych angen gwybodaeth bellach, cysylltwch â'r Swyddog Cydymffurfiaeth.

If you should require any further information, please do not hesitate to contact the Compliance Officer.

Yn gywir

Yours faithfully



**Ar ran Awdurdod Gwasanaeth Tân ac Achub Gogledd Cymru  
On behalf of North Wales Fire and Rescue Authority**