

Unit 2 Chapel Works, 1 Fruit Street, Keighley, West Yorkshire, BD21 4LE

Customer:

Date: 21/03/2024

Peter Catherall
LL13 9JF**Quotation**Quotation No.: Q17754 REV B
Job Number: 11956

Project: 11956

Thank you for your enquiry regarding aluminium glazing solutions.

We have pleasure in enclosing our estimate for your consideration. If you require any further assistance please contact a member of our friendly team with your quotation number.

In the meantime, if you would like to visit our manufacturing facility to understand more about aluminium glazing or to view our showroom products **please contact the office to arrange an appointment. (01535 603909)**

PLEASE NOTE:



- A **50%** deposit is required to place all orders with the final 50% due upon delivery of goods.
- Please see our terms and conditions for full details.
- Our estimates are valid for 60 days.
- Please note this is not an offer to supply goods but merely an estimate of costs which Marlin Windows Ltd reserve the right to vary, substitute or withdraw without prior notification.




Please contact us for information on supplying our products unglazed if required.


PLEASE NOTE OUR LEAD TIME BEGINS:



- WHEN ALL RELEVANT DOCUMENTS HAVE BEEN RETURNED AND DEPOSIT PAYMENT HAS BEEN RECEIVED.



Position	Quantity	Description
1	1 Pcs	Door Element Double Door
Exterior View Door Element 1351 mm x 2100 mm, Consisting of a Double Door. System: SMA Alitherm Heritage Door Description: Door Double open Out LH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Internal Rail: W20135 DOOR TRANSOME Door Leaf: W20124 DEEP OPEN OUT DOORSH Add-On Profiles: ETD058 47MM PROFILE HEAD EXTENSION, W20038 STILE EXTENSION Door Hardware: 12 x M4 FIXING PLATE + M4 INSERT 12 x 32mm Pozi Screw 4 x M/ROOM KEEP PAS24 HERITAGE DR 2 x TOP SHOOTBOLT 16X150MM 1 x CROFT ART DECO L/L. SATIN NICKEL 2 x BOTTOM SHOOTBOLT 16X150MM 2 x 2 x 45/25 High Security Cylinder 8 x HINGE PROTECTOR HERITAGE KIT 8 x PAS24 Open Out Hinge Kit SEN 014 Vulcan Black 1 x Primary 65mm Backset 2170mm Lock 1 x CROFT ART DECO L/L. SATIN NICKEL 1 x CENTRE LATCH KEEP LH 1 x Secondary 65mm Backset Lock Additional Articles: 2 x Trickle vent 5000mm2 RAL 9005		
2	1 Pcs	Window Element Side Hung Window
Exterior View Window Element 560 mm x 1050 mm, Consisting of a Side Hung Window. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 1 x 2x4mm TGH Low E, Climaguard A+ Duplex Argon filled Thermal black spacer bar Glazing Bars: SMA W20165 Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Window Vent: W20025 INT BEADSH FOR W20015/20035 Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Window Hardware: ALITHERM H47, CROFT Additional Articles:		

Position	Quantity	Description
		1 x Trickle vent 5000mm2 RAL 9005 1 x VERTICAL COUPLER, 1025 mm COUPLED TO RIGHT HAND SIDE OF ITEM 1
3	1 Pcs	Window Element Side Hung Window Exterior View  Window Element 560 mm x 1050 mm, Consisting of a Side Hung Window. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 1 x 2x4mm TGH Low E, Climaguard A+ Duplex Argon filled Thermal black spacer bar Glazing Bars: SMA W20165 Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Window Vent: W20025 INT BEADSH FOR W20015/20035 Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Window Hardware: ALITHERM H47, CROFT Additional Articles: 1 x Trickle vent 5000mm2 RAL 9005 1 x VERTICAL COUPLER, 1025 mm COUPLED TO LEFT HAND SIDE OF ITEM 1
4	1 Pcs	Window Element Window Element Exterior View  Window Element 1500 mm x 1200 mm, Consisting of two Side Hung Windows and a Fixed Field. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 3 x 2x4mm TGH Low E, Climaguard A+ Duplex Argon filled Thermal black spacer bar Glazing Bars: SMA W20165 Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Mullion/Transom: W20035 MULION TRANSOM FOR BEADS+STAYS Window Vent: W20025 INT BEADSH FOR W20015/20035 Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Window Hardware: ALITHERM H47, CROFT Additional Articles: 2 x Trickle vent 4000mm2 RAL 9005

Position	Quantity	Description
		1 x Secondary 65mm Backset Lock Additional Articles: 2 x Trickle vent 4000mm2 RAL 9005
7	1 Pcs	Window Element Fixed Field  Window Element 620 mm x 2100 mm, Consisting of four Fixed Fields. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 4 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Mullion/Transom: W20035 MULION TRANSOM FOR BEADS+STAYS Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Additional Articles: 1 x Trickle vent 5000mm2 RAL 9005
8	1 Pcs	Window Element Window Element  Window Element 1442 mm x 1350 mm, Consisting of two Side Hung Windows and a Fixed Field. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 3 x 2x4mm TGH Low E, Climaguard A+ Duplex Argon filled Thermal black spacer bar Glazing Bars: SMA W20165 Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Mullion/Transom: W20035 MULION TRANSOM FOR BEADS+STAYS Window Vent: W20025 INT BEADSH FOR W20015/20035 Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Window Hardware: ALITHERM H47, CROFT Additional Articles: 2 x Trickle vent 4000mm2 RAL 9005
9	1 Pcs	Door Element Double Door  Door Element 1250 mm x 2100 mm, Consisting of a Double Door. System: SMA Alitherm Heritage Door Description: Door Double open Out LH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles:

Position	Quantity	Description
		Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Internal Rail: W20135 DOOR TRANSOME Door Leaf: W20124 DEEP OPEN OUT DOORSH Add-On Profiles: ETD058 47MM PROFILE HEAD EXTENSION, W20038 STILE EXTENSION Door Hardware: 12 x M4 FIXING PLATE + M4 INSERT 12 x 32mm Pozi Screw 4 x M/ROOM KEEP PAS24 HERITAGE DR 2 x TOP SHOOTBOLT 16X150MM 1 x CROFT ART DECO L/L. SATIN NICKEL 2 x BOTTOM SHOOTBOLT 16X150MM 2 x 2 x 45/25 High Security Cylinder 8 x HINGE PROTECTOR HERITAGE KIT 8 x PAS24 Open Out Hinge Kit SEN 014 Vulcan Black 1 x Primary 65mm Backset 2170mm Lock 1 x CROFT ART DECO L/L. SATIN NICKEL 1 x CENTRE LATCH KEEP LH 1 x Secondary 65mm Backset Lock Additional Articles: 2 x Trickle vent 5000mm2 RAL 9005
10	1 Pcs	Door Element Door Element Exterior View  Door Element 2680 mm x 2060 mm, Consisting of eight Fixed Fields and a Double Door. System: SMA Alitherm Heritage Door Description: Door Double open In LH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 16 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20017 70MM OUTER FRAME, ETC457 150mm CILL Mullion/Transom: W20035 MULION TRANSOM FOR BEADS+STAYS Internal Rail: W20135 DOOR TRANSOME Door Leaf: W20129 OPEN IN DOORSH EURO GROOVE Add-On Profiles: UN3042 70mm x 42mm Head Extension, W20038 STILE EXTENSION Door Hardware: 12 x M4 FIXING PLATE + M4 INSERT 12 x 32mm Pozi Screw 4 x M/ROOM KEEP PAS24 HERITAGE DR 1 x CROFT ART DECO L/L. SATIN NICKEL 1 x CROFT ART DECO L/L. SATIN NICKEL 2 x BOTTOM SHOOTBOLT 16X150MM 2 x Double Door Keep Kit 2 x TOP SHOOTBOLT 16X150MM 4 x HINGE PROTECTOR HERITAGE KIT 4 x OPEN IN HINGE ALI HERITAGE SEN 014 Vulcan Black 4 x HINGE PROTECTOR HERITAGE KIT 4 x OPEN IN HINGE ALI HERITAGE SEN 014 Vulcan Black 1 x CENTRE LATCH KEEP RH 1 x Secondary 65mm Backset Lock 1 x 45/25 High Security Cylinder


Position	Quantity	Description
		1 x Primary 65mm Backset 2170mm Lock Additional Articles: 2 x Trickle vent 5000mm2 RAL 9005
11	1 Pcs	Door Element Double Door Exterior View  Door Element 1450 mm x 2100 mm, Consisting of a Double Door. System: SMA Alitherm Heritage Door Description: Door Double open Out LH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Internal Rail: W20135 DOOR TRANSOME Door Leaf: W20124 DEEP OPEN OUT DOORSH Add-On Profiles: ETD058 47MM PROFILE HEAD EXTENSION, W20038 STILE EXTENSION Door Hardware: 12 x M4 FIXING PLATE + M4 INSERT 12 x 32mm Pozi Screw 4 x M/ROOM KEEP PAS24 HERITAGE DR 2 x TOP SHOOTBOLT 16X150MM 1 x CROFT ART DECO L/L. SATIN NICKEL 2 x BOTTOM SHOOTBOLT 16X150MM 2 x 2 x 45/25 High Security Cylinder 8 x HINGE PROTECTOR HERITAGE KIT 8 x PAS24 Open Out Hinge Kit SEN 014 Vulcan Black 1 x Primary 65mm Backset 2170mm Lock 1 x CROFT ART DECO L/L. SATIN NICKEL 1 x CENTRE LATCH KEEP LH 1 x Secondary 65mm Backset Lock Additional Articles: 2 x Trickle vent 5000mm2 RAL 9005
12	1 Pcs	Door Element Double Door Exterior View  Door Element 1250 mm x 2100 mm, Consisting of a Double Door. System: SMA Alitherm Heritage Door Description: Door Double open Out LH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Internal Rail: W20135 DOOR TRANSOME Door Leaf: W20124 DEEP OPEN OUT DOORSH Add-On Profiles: ETD058 47MM PROFILE HEAD EXTENSION, W20038 STILE EXTENSION Door Hardware:

Position	Quantity	Description
		12 x M4 FIXING PLATE + M4 INSERT 12 x 32mm Pozi Screw 4 x M/ROOM KEEP PAS24 HERITAGE DR 2 x TOP SHOOTBOLT 16X150MM 1 x CROFT ART DECO L/L. SATIN NICKEL 2 x BOTTOM SHOOTBOLT 16X150MM 2 x 2 x 45/25 High Security Cylinder 8 x HINGE PROTECTOR HERITAGE KIT 8 x PAS24 Open Out Hinge Kit SEN 014 Vulcan Black 1 x Primary 65mm Backset 2170mm Lock 1 x CROFT ART DECO L/L. SATIN NICKEL 1 x CENTRE LATCH KEEP LH 1 x Secondary 65mm Backset Lock Additional Articles: 2 x Trickle vent 5000mm2 RAL 9005
13	1 Pcs	Window Element Window Element Exterior View  Window Element 1500 mm x 900 mm, Consisting of two Side Hung Windows and a Fixed Field. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 3 x 2x4mm TGH Low E, Climaguard A+ Duplex, OBS Argon filled, Thermal black spacer bar Glazing Bars: SMA W20165 Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Mullion/Transom: W20035 MULION TRANSOM FOR BEADS+STAYS Window Vent: W20025 INT BEADSH FOR W20015/20035 Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Window Hardware: ALITHERM H47, CROFT Additional Articles: 2 x Trickle vent 4000mm2 RAL 9005
14	1 Pcs	Door Element Door Element Exterior View  Door Element 2500 mm x 2100 mm, Consisting of eight Fixed Fields and a Double Door. System: SMA Alitherm Heritage Door Description: Door Double open Out LH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 16 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Mullion/Transom: W20035 MULION TRANSOM FOR BEADS+STAYS, W20135 DOOR TRANSOME Door Leaf: W20124 DEEP OPEN OUT DOORSH

Position	Quantity	Description
		Add-On Profiles: ETD056 20MM ADD ON FOR ETD012, ETD058 47MM PROFILE HEAD EXTENSION, W20038 STILE EXTENSION Door Hardware: 12 x M4 FIXING PLATE + M4 INSERT 12 x 32mm Pozi Screw 4 x M/ROOM KEEP PAS24 HERITAGE DR 2 x TOP SHOOTBOLT 16X150MM 1 x CROFT ART DECO L/L. SATIN NICKEL 2 x BOTTOM SHOOTBOLT 16X150MM 2 x 2 x 45/25 High Security Cylinder 8 x HINGE PROTECTOR HERITAGE KIT 8 x PAS24 Open Out Hinge Kit SEN 014 Vulcan Black 1 x Primary 65mm Backset 2170mm Lock 1 x CROFT ART DECO L/L. SATIN NICKEL 1 x CENTRE LATCH KEEP LH 1 x Secondary 65mm Backset Lock Additional Articles: 2 x Trickle vent 4000mm2 RAL 9005
15	1 Pcs	Door Element Double Door Exterior View Door Element 1800 mm x 2100 mm, Consisting of a Double Door. System: SMA ALUSPACE Standard, Glazing Bead List: Standard Door Description: Door Double open In RH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 6mm 6mm single pane TGH Profiles: Frame: INT210 OUTER FRAME FOR ALUSPACE Mullion/Transom: INT230 TRANSOM FOR INT218 & INT220 ALUSPACE Door Leaf: INT220 SASH HERITAGE ALUSPACE Add-On Profile: INT238 DOOR LOCK HOUSING ALUSPACE Door Hardware: 1 x COVER TRAY ADJUSTABLE EASY FIX MATT ALUSPACE Matt Black 1 x LEVER ROUND ROSE HANDLE VELINO MATT ALUSPACE Matt Black 2 x LEVER BOLT 16MM FOREND 202.5MM ENAMEL BRASS ALUSP Nickel Plated 1 x Packer 6 x Open In Hinge Kit BL 1 x MORTICE LOCK KIT REV XT KEY 70.5 MM ENAMEL Nickel Plated 1 x COVER REV XT FOREND ENAMEL BRASS ALUSPACE Nickel Plated 1 x ADJUSTABLE EASY FIX 2.2MM ENAMEL BRASS ALUSPACE Nickel Plated Bottom Configuration: SMA 001 ART DECO CROFT HANDLE ON ROUND ROSE SATIN NICKEL

Position	Quantity	Description
16	1 Pcs	Door Element Double Door
Exterior View Door Element 1800 mm x 2100 mm, Consisting of a Double Door. System: SMA ALUSPACE Standard, Glazing Bead List: Standard Door Description: Door Double open In RH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 6mm 6mm single pane TGH Profiles: Frame: INT210 OUTER FRAME FOR ALUSPACE Mullion/Transom: INT230 TRANSOM FOR INT218 & INT220 ALUSPACE Door Leaf: INT220 SASH HERITAGE ALUSPACE Add-On Profile: INT238 DOOR LOCK HOUSING ALUSPACE Door Hardware: 1 x COVER TRAY ADJUSTABLE EASY FIX MATT ALUSPACE Matt Black 1 x LEVER ROUND ROSE HANDLE VELINO MATT ALUSPACE Matt Black 2 x LEVER BOLT 16MM FOREND 202.5MM ENAMEL BRASS ALUSP Nickel Plated 1 x Packer 6 x Open In Hinge Kit BL 1 x MORTICE LOCK KIT REV XT KEY 70.5 MM ENAMEL Nickel Plated 1 x COVER REV XT FOREND ENAMEL BRASS ALUSPACE Nickel Plated 1 x ADJUSTABLE EASY FIX 2.2MM ENAMEL BRASS ALUSPACE Nickel Plated Bottom Configuration: SMA 001 ART DECO CROFT HANDLE ON ROUND ROSE SATIN NICKEL		
17	1 Pcs	Door Element Double Door
Exterior View Door Element 1800 mm x 2100 mm, Consisting of a Double Door. System: SMA ALUSPACE Standard, Glazing Bead List: Standard Door Description: Door Double open In RH Master Leaf Colours: Profiles: SEN 014 Vulcan Black Glazing: 8 x 6mm 6mm single pane TGH Profiles: Frame: INT210 OUTER FRAME FOR ALUSPACE Mullion/Transom: INT230 TRANSOM FOR INT218 & INT220 ALUSPACE Door Leaf: INT220 SASH HERITAGE ALUSPACE Add-On Profile: INT238 DOOR LOCK HOUSING ALUSPACE Door Hardware: 1 x COVER TRAY ADJUSTABLE EASY FIX MATT ALUSPACE Matt Black 1 x LEVER ROUND ROSE HANDLE VELINO MATT ALUSPACE Matt Black 2 x LEVER BOLT 16MM FOREND 202.5MM ENAMEL BRASS ALUSP Nickel Plated 1 x Packer		

Position	Quantity	Description
		6 x Open In Hinge Kit BL 1 x MORTICE LOCK KIT REV XT KEY 70.5 MM ENAMEL Nickel Plated 1 x COVER REV XT FOREND ENAMEL BRASS ALUSPACE Nickel Plated 1 x ADJUSTABLE EASY FIX 2.2MM ENAMEL BRASS ALUSPACE Nickel Plated Bottom Configuration: SMA 001 ART DECO CROFT HANDLE ON ROUND ROSE SATIN NICKEL
18	1 Pcs	Door Element Single Door Exterior View Door Element 900 mm x 2100 mm, Consisting of a Single Door. System: SMA ALUSPACE Standard, Glazing Bead List: Standard Door Description: Door Single open In Right Hinged Colours: Profiles: SEN 014 Vulcan Black Glazing: 4 x 6mm 6mm single pane TGH Profiles: Frame: INT210 OUTER FRAME FOR ALUSPACE Mullion/Transom: INT230 TRANSOM FOR INT218 & INT220 ALUSPACE Door Leaf: INT220 SASH HERITAGE ALUSPACE Add-On Profile: INT238 DOOR LOCK HOUSING ALUSPACE Door Hardware: 1 x ADJUSTABLE EASY FIX 2.2MM ENAMEL BRASS ALUSPACE Nickel Plated 1 x COVER TRAY ADJUSTABLE EASY FIX MATT ALUSPACE Matt Black 1 x LEVER ROUND ROSE HANDLE VELINO MATT ALUSPACE Matt Black 3 x Open In Hinge Kit BL 1 x MORTICE LOCK KIT REV XT KEY 70.5 MM ENAMEL Nickel Plated 1 x COVER REV XT FOREND ENAMEL BRASS ALUSPACE Nickel Plated Bottom Configuration: SMA 001 ART DECO CROFT HANDLE ON ROUND ROSE SATIN NICKEL
19	1 Pcs	Door Element Single Door Exterior View Door Element 900 mm x 2100 mm, Consisting of a Single Door. System: SMA ALUSPACE Standard, Glazing Bead List: Standard Door Description: Door Single open In Right Hinged Colours: Profiles: SEN 014 Vulcan Black Glazing: 4 x 6mm 6mm single pane TGH Profiles: Frame: INT210 OUTER FRAME FOR ALUSPACE Mullion/Transom: INT230 TRANSOM FOR INT218 & INT220 ALUSPACE Door Leaf: INT220 SASH HERITAGE ALUSPACE

Position	Quantity	Description
		Add-On Profile: INT238 DOOR LOCK HOUSING ALUSPACE Door Hardware: 1 x ADJUSTABLE EASY FIX 2.2MM ENAMEL BRASS ALUSPACE Nickel Plated 1 x COVER TRAY ADJUSTABLE EASY FIX MATT ALUSPACE Matt Black 1 x LEVER ROUND ROSE HANDLE VELINO MATT ALUSPACE Matt Black 3 x Open In Hinge Kit BL 1 x MORTICE LOCK KIT REV XT KEY 70.5 MM ENAMEL Nickel Plated 1 x COVER REV XT FOREND ENAMEL BRASS ALUSPACE Nickel Plated Bottom Configuration: SMA 001 ART DECO CROFT HANDLE ON ROUND ROSE SATIN NICKEL
20	1 Pcs	Window Element Side Hung Window Exterior View  Window Element 550 mm x 900 mm , Consisting of a Side Hung Window. System: SMA Alitherm Heritage Colours: Profiles: SEN 014 Vulcan Black Glazing: 1 x 2x4mm TGH Low E, Climaguard A+ Argon filled Thermal black spacer bar Profiles: Frame: W20015 OUTERFRAME BEAD + STAYS, ETC457 150mm CILL Window Vent: W20025 INT BEADSH FOR W20015/20035 Add-On Profile: ETD058 47MM PROFILE HEAD EXTENSION Window Hardware: ALITHERM H47, CROFT Additional Articles: 1 x Trickle vent 4000mm2 RAL 9005

Grand Total Net		£ 35,928.09
Value Added Tax	20.00 %	£ 7,185.62
Total Price		£ 43,113.71

SUPPLY ONLY
DELIVERY INCLUDED

PLEASE REFER TO OUR QUOTATION NUMBER WHEN ORDERING

Our current manufacturing lead times are 6-7 weeks from sign off for stock black (RAL 9005 matt).

Alternative colours are available with a 7-8 week lead time.

Note: Our 6-7 week lead time only applies to our heritage windows and french doors with standard hardware. All other products are subject to the standard lead time of 7-8 weeks. The above lead-in times are offered as a guide only. Timescales fluctuate depending on the volume of work in production at any given time. Please contact us at order stage for an update on these forecasts. Please note our lead times can only begin when all necessary documents have been signed and returned.

TERMS AND CONDITIONS

1. Payment:

To place all orders we require a 50% deposit, and the balance payable with cleared funds 48 hours prior to delivery. We require details and sizes to be provided for all orders (for any assistance please contact our helpful team or book in a visit to see us). All products remain the property of Marlin Windows Ltd until paid for in full. Our estimates are subject to final survey, designs, specifications and structural calculations.

2. Cancellation Policy

Please see the following link:

www.marlinwindows.co.uk/terms-and-conditions.html

3. Amendments to Order Acknowledgements

Once an order acknowledgement has been signed and returned to us, any amendments/alterations to the paperwork after 48 hours will incur an admin fee of £75 + VAT to be payable on receipt of reissued documentation.

4. Delivery

All of our quotations include for delivery unless stated otherwise.

Please make sure that there is adequate site help/lifting equipment to assist in the off loading of heavy frames and glazing with appropriate access for large vehicles. If our delivery cannot be completed for any reason, (e.g. inadequate site assistance) we will have to return the products to our factory and a reasonable fee will be charged for storage and a re-arranged delivery.

5. Replacements/returns

Whilst our aim is to provide a product of the highest standard we do however have some cases where part of a product may need to be replaced or is faulty. This relates mainly but not limited to glass units or hardware. If you have received something that is not fit for purpose, please contact the office within 48 hours of receiving the delivery and we will do our best to replace the faulty item as quickly as possible. Please note we cannot be held responsible for any additional costs incurred (i.e. return visits to site for installers/contractors, extension periods on scaffolding, other ongoing works/trades etc.

6. Amendments and revisions

We reserve the right to re-price should any of the details or sizes change within an order. Please note if an amendment is made to an order that has already been placed, or for an installation that has been surveyed and agreed, then the costs already incurred for these items will be charged accordingly.

7. Colours

All of the aluminium sections have a single non-metallic polyester powder finish, from the extensive standard RAL matt colour range available to our company. Please note that all metallic colours and infrequently specified colours which are not stocked by our applicators incur an additional charge. Dual colour options are available at an additional cost.

8. Ancillary parts

Frame build ups, trickle vents, add-ons, extensions and aluminium pressings etc are not included in this estimate. (Unless specified otherwise). All curtain wall items do not include fixing brackets as they have to be calculated and surveyed on site.

9. Warranty

We provide a manufacturers guarantee for a full 10 years, with 5 years on glazing and 1 year on hardware. Standard powder coated paint finishes are guaranteed up to 25 years against the following faults:

- Peeling, powdering and blistering
- Corrosion except due to bending or folding after the application of the paint
- Chalking, fading and loss of sheen out of the qualicoat regulation
- Filiform corrosion

Coastal or hazardous environment projects are subject to an application to the paint manufacturer.

Note: All warranties will become invalid if products are taken overseas.

10. Discounts

Volume discounts and MCD's have been applied to our estimate.



11. Finance

We can provide a finance option that is available on our heritage products only over a 12 month period. The deposit is to be paid in full with the remaining balance available on finance. Please note the amount to be borrowed can be no less than £1,000 and no greater than £5,000. Please also note the finance has to be fully accepted before the delivery can be organised. If this is something you require please let your sales advisor know at the beginning of your order.

12. Location/Weather

Our offer is based on historic weather information that is available from the Met Office. It is vital that you inform us of known geographical weather conditions that are not on record but are specific to your location. This is so that we can advise you on product suitability for the purposes of weather performance.