

Ein cyf/Our ref: CAS-243222-W5J3
Eich cyf/Your ref: P/2023/0713

Wrexham County Borough Council
The Guildhall
Wrexham
LL11 1AY

Dyddiad/Date: 04 December 2023

Annwyl Syr/Madam/Dear Sir/Madam,

**BWRIAD/PROPOSAL: MATERION WEDI'U CADW'N ÔL YN PERTHYN I
BENDERFYNIAD APÊL APP/H6955/A/20/3265186 (P/2020/0267) (MYNEDIAD,
YMDDANGOSIAD, TIRWEDDU, CYNLLUN A GRADDFA) – CODI ANNEDD / RESERVED
MATTERS PERSUANT TO APPEAL DECISION APP/H6955/A/20/3265186 (P/2020/0267)
(ACCESS, APPEARANCE, LANDSCAPING, LAYOUT AND SCALE) – ERECTION
OF DWELLING**

**LLEOLIAD/LOCATION: ADJACENT TO THE OLD POST OFFICE HALTON CHIRK LL14
5BG**

Thank you for consulting Cyfoeth Naturiol Cymru (CNC)/Natural Resources Wales (NRW) about the above, which we received on 14 November 2023.

We have concerns with the application as submitted because inadequate information has been provided in support of the proposal. To overcome these concerns, further consideration is required regarding foul drainage. Further details are provided below.

Foul Drainage and Protected Sites

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. In line with our [Planning Advice](#) (August 2023), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

This reserved matters application for the erection of a dwelling proposes the discharge of foul water to a new private drainage system. The information set out in the section titled 'What does this mean for development proposals involving private sewage treatment systems' has not been submitted with the application.

Your Authority will need to take the above into account in your determination of whether the development is likely to have a significant effect on the SAC. Should you determine that an Appropriate Assessment is required, the Applicant will then need to submit whatever evidence they deem appropriate (seeking advice from consultants as may be necessary) to demonstrate no adverse effect on site integrity. You should then consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Ultimately, the suitability of foul drainage arrangements for the proposed development is a matter for your Authority to determine.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully

Rachael Burke

Cynghorydd - Cynllunio Datblygu/Advisor - Development Planning
Cyfoeth Naturiol Cymru/Natural Resources Wales

E-bost/E-mail: northplanning@cyfoethnaturiolcymru.gov.uk

Croesewir gohebiaeth yn Gymraeg a byddwn yn ymateb yn Gymraeg, heb i hynny arwain at oedi./Correspondence in Welsh is welcomed, and we will respond in Welsh without it leading to a delay.