



- Drop kerb required
- Gully and soakaway required
- Install soakaway in grass area
- New path required to link the parking to the existing path
- Planning permission required
- SuDS Approval Body (SAB) application required

 Railing Fence
 Precast Concrete BN Kerb 125 x 150mm
 Precast Concrete DL1/DR1 Kerb
 Precast Concrete Flat Top Edging Kerb 150x50mm

Surface Course, Dense Bitumen Macadam,
10mm nominal size, depth 40mm
Binder Course, Dense Bitumen Macadam,
20mm nominal size, depth 60mm
Sub-base, Granular Sub-base Type I, depth 300mm

Surface Course, Dense Bitumen Macadam, 10mm nominal size, depth 20mm
Binder Course, Dense Bitumen Macadam, 20mm nominal size, depth 60mm
Sub-base, Granular Sub-base Type I, depth 150mm

All setting out to be agreed with WCBC prior to commencing works on site

Play Area

	WREXHAM COUNTY BOROUGH COUNCIL Housing Services, Housing and Public Protection Department, Ruthin Road, Wrexham, LL13 7TU	
	Tel: (01978) 315300	Fax: (01978) 315355

Project: Adj 78-86 Heol Celyn, Coedpoeth, Wrexham, Wales, LL11 3HT
Detail: Proposed Parking Spaces

Drawn By: RS	Date: Sept 2023	Checked By:		
Scale: 1:250	Project No: HBS1022/COEDPOETH23/01	<table border="1"> <tr> <td> Dwg No: 01 </td> <td> Rev: Preliminary </td> </tr> </table>	Dwg No: 01	Rev: Preliminary
Dwg No: 01	Rev: Preliminary			