

Heritage Court, AcrefairWindows that require 6mm glass/16-20mm cavity/6.8mm acoustic laminate
& mechanical ventilation for cooling

Plot 17 – Ewloe – Main kitchen window, Bed 1	2No
Plot 18 – Ewloe – Main kitchen window, Bed 1	2No
Plot 19 – Ewloe – Main kitchen window, Bed 1	2No
Plot 20 – Ewloe – Main kitchen window, Bed 1	2No
Plot 21 – Rhuddlan – Lounge, Beds 1 & 2	3No
Plot 1 – Harlech – Lounge, Bed 1 & 2	3No
Plot 2 – Rhuddlan – Lounge, Beds 1 & 2	3No
Plot 3 – Conwy – Dining room, Lounge, Bed 3 & 4	4No
Plot 4 – Harlech – Lounge, Beds 1 & 2	3No
Plot 5 – Conwy – Kitchen, Lounge, Bed 1 & 2	<u>4No</u>
	28No

Windows that require “Acoustic” trickle vents that perform to 41dB
with 4mm glass/16-20mm cavity/4mm glass

Plot 15 – Conwy – Kitchen, Dining, Lounge x 2 & all 4 Bedrooms	8No
Plot 16 – Beaumaris – Kitchen, Bed 2	2No
Plot 6 – Beaumaris – Dining, Lounge, Bed 1 & 3	4No
Plot 8 – Conwy – Dining room, Living room, Bed 3 & 4	4No
Plot 9 – Flint – Lounge, Bed 1, 2 & 3	4No
Plot 10 – Beaumaris – Kitchen & Bed 2	2No
Plot 11 – Rhuddlan – Lounge, Bed 1 & 2	<u>3No</u>
	27No