



The Coal
Authority



INVESTOR IN PEOPLE



RTPI
Learning Partner

200 Lichfield Lane
Berry Hill
Mansfield
Nottinghamshire
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: planningconsultation@coal.gov.uk

Web: www.gov.uk/coalauthority

For the Attention of: JENNI PERKINS

Wrexham County Borough Council

[By Email: planning@wrexham.gov.uk]

05 December 2023

Dear JENNI PERKINS

PLANNING APPLICATION: P20230781

**OUTLINE APPLICATION FOR 2 NO. APARTMENTS
(APPEARANCE, LANDSCAPING, LAYOUT AND SCALE RESERVED); LAND ON
WEST SIDE OF, 12 HIGH STREET, JOHNSTOWN, WREXHAM**

Thank you for your consultation notification of the 29 November 2023 seeking the views of The Coal Authority on the above planning application.

The Coal Authority Response: **Material Consideration**

I can confirm that the above planning application has been sent to us incorrectly for consultation.

The application site **does not** fall within the defined Development High Risk Area and is located instead within the defined Development Low Risk Area. This means that there is no requirement under the risk-based approach that has been agreed with the LPA for a Coal Mining Risk Assessment to be submitted or for The Coal Authority to be consulted.

The Coal Authority Recommendation to the LPA

In accordance with the agreed approach to assessing coal mining risks as part of the development management process, if this proposal is granted planning permission, it will be necessary to include The Coal Authority's Standing Advice within the Decision Notice as an informative note to the applicant in the interests of public health and safety.

Yours sincerely

**Christopher Telford BSc(Hons) DipTP MRTPI
Principal Development Manager**