

Ein cyf/Our ref: CAS-234139-K8B9
Eich cyf/Your ref: P/2023/0354

Wrexham County Borough Council
The Guildhall
Wrexham
LL11 1AY

Dyddiad/Date: 03 August 2023

Annwyl Syr/Madam/Dear Sir/Madam,

BWRIAD/PROPOSAL: ADEILADU TR SLYRI A GWAITH CYSYLLTIEDIG / ERECTION OF SLURRY TOWER AND ASSOCIATED WORKS

LLEOLIAD/LOCATION: Carreg Y Ffranc, Bangor Road, Overton, Wrexham, LL13 0HL

Thank you for consulting Cyfoeth Naturiol Cymru (CNC)/Natural Resources Wales (NRW) about the above, which we received on 31 July 2023.

We have no objection to the proposed development as submitted and provide the following advice.

Pollution of Controlled Waters

We understand this proposal is to improve the existing slurry management system on the farm to conform with the requirements of The Water Resources (Control of Agricultural Pollution) (Wales) Regulations 2021. The storage requirements of these Regulations come into force on 1 August 2024. The structure is not to accommodate an increase in stock number.

Provided the structure is designed and built by a suitably qualified engineer to meet the standards set in the Regulations and BS 5502 (Building and Structures for Agriculture Code of Practice for Design, Construction and Loading), we have no objection to the proposal.

We should be informed of any substantial changes at least 14 days before construction begins. Further information on what we require is available on our website at [Natural Resources Wales / Silage and slurry storage](#).

The slurry should be applied to land in accordance with a suitable manure management plan (MMP) based on an underlying nutrient management plan (NMP). The Code of Good Agricultural Practice (COGAP) has standard formats for the MMP and associated NMP.

Foul Drainage and Protected Sites

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. In line with our [Planning Advice](#) (July 2022), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

We note from the information submitted that a new slurry tank is to be installed to comply with storage requirements as laid down in the Water Resources (Control of Agricultural Pollution)(Wales) Regulations 2021. We understand from the additional information provided to us on the 31 July 2023 that this proposal is not linked to an increase in livestock numbers (and would not provide the capacity for an increase in livestock numbers in the future), and is designed and built by a suitably qualified engineer, to meet the standards set in the Regulations and BS 5502 (Building and Structures for Agriculture Code of Practice for Design, Construction and Loading), it is unlikely to increase the amount of phosphorus entering the catchment and therefore, it is not likely to have a significant effect on the River Dee and Bala Lake SAC.

The slurry should be applied to land in accordance with a suitable manure management plan (MMP) based on an underlying nutrient management plan (NMP).

We refer you to our Planning Advice. Provided this guidance is followed and you are able to conclude that the development is not likely to have a significant effect on the SAC, we have no objection to the proposal. However, should you conclude that the proposed development is likely to have a significant effect on the SAC, please consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Protected Species

We note that there is no information about protected species with the application and, therefore, are assuming that your Authority has screened the application and concluded that there is not a reasonable likelihood of protected species being present.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully

Rachael Burke

Cynghorydd - Cynllunio Datblygu/Advisor - Development Planning
Cyfoeth Naturiol Cymru/Natural Resources Wales

E-bost/E-mail: northplanning@cyfoethnaturiolcymru.gov.uk

Croesewir gohebiaeth yn Gymraeg a byddwn yn ymateb yn Gymraeg, heb i hynny arwain at oedi./Correspondence in Welsh is welcomed, and we will respond in Welsh without it leading to a delay.