

Maes Y Ffynnon,
Penrhosgarnedd,
Bangor,
Gwynedd
LL572DW

Wrexham County Borough Council,
The Guildhall,
Wrexham,
LL11 1AY

ebost/email:
northplanning@cyfoethnaturiolcymru.gov.uk

06/06/2023

Dear Sir/Madam,

**BWRIAD / PROPOSAL: RHYDDHAU AMOD 15 (CYNLLYN CARTHFFOSIAETH)
CANIATAD CYNLLUNIO P/2018/0674 / DISCHARGE OF CONDITION 15 (SEWAGE
SCHEME) OF PLANNING PERMISSION P/2018/0674**

**LLEOLIAD / LOCATION: LAND NORTH OF, GATEWEN ROAD, NEW BROUGHTON,
WREXHAM, LL11 6YA**

Thank you for consulting Cyfoeth Naturiol Cymru / Natural Resources Wales about the above, which we received on 19th May 2023.

We have concerns with the application as submitted. We do not recommend your Authority discharges condition 15 for the following reasons.

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. In line with our [Planning Advice](#) (July 2022), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

The application for the construction of 112 dwellings that this discharge of conditions relates to, proposes connection of foul water to the mains sewer. The information set out in the section titled 'What does this mean for development proposals involving connection to public wastewater treatment works' has been submitted with the application.

Your Authority will need to take the above into account in your determination of whether the development is likely to have a significant effect on the SAC. Should you determine that an Appropriate Assessment is required, the Applicant will then need to submit whatever evidence they deem appropriate (seeking advice from consultants as may be necessary) to

demonstrate no adverse effect on site integrity. You should then consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Ultimately, the suitability of foul drainage arrangements for the proposed development is a matter for your Authority to determine.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully

Rachael Burke

Cynghorydd - Cynllunio Datblygu / Advisor - Development Planning
Cyfoeth Naturiol Cymru / Natural Resources Wales