



**Cyfoeth
Naturiol
Cymru
Natural
Resources
Wales**

Ein cyf/Our ref: CAS-209498-N6M4
Eich cyf/Your ref: P/2022/1054

Maes Y Ffynnon,
Penrhosgarnedd,
Bangor,
Gwynedd
LL572DW

Wrexham County Borough Council,
The Guildhall,
Wrexham,
LL11 1AY

ebost/email:
northplanning@cyfoethnaturiolcymru.gov.uk

23/02/2023

Annwyl Syr/Madam / Dear Sir/Madam,

**BWRIAD / PROPOSAL: TRAWSNEWID ADEILAD AMAETHYDDOL I ANNEDD /
CONVERSION OF AGRICULTURAL BUILDING TO DWELLING**

**LLEOLIAD / LOCATION: ODDI AR Y TWMPATH, GARTH, GLYN CEIRIOG, WREXHAM,
LL20 7LY**

Thank you for consulting Cyfoeth Naturiol Cymru / Natural Resources Wales about the above, which we received on 14/02/2023.

We continue to have concerns with the application as submitted because inadequate information has been provided in support of the proposal. To overcome these concerns, further consideration is required regarding foul drainage. Further details are provided below.

We also advise that based on the information submitted to date, the documents identified below should be included in the approved plans and documents condition on the decision notice. Without the inclusion of these documents we would object to this planning application.

- **Dunelm Ecology 'Oddi Ar y Twmpath, Glyn Ceiriog Protected Species Survey' March 2020'.**
- **'Susan Worsfold October 2022 'Bat Activity Surveys at Barn 1, Oddi ar y Twmpath, Garth, Glyn Ceiriog, Wrexham, LL20 7LY SJ 20210 38184 on 19th August and 21st September 2022'.'**

Protected Sites and Foul Drainage

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphate levels for all river SACs across Wales. In line with

our [Planning Advice](#) (July 2022), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

We note from the information submitted that a private sewage treatment system discharging domestic wastewater to ground is proposed. The information set out in the section titled 'What does this mean for development proposals involving private sewerage treatment systems' has been submitted with the application.

We therefore advise your Authority to undertake a Habitats Regulations Assessment (HRA). Should you determine that an Appropriate Assessment is required, the Applicant will then need to submit whatever evidence they deem appropriate (seeking advice from consultants as may be necessary) to demonstrate no adverse effect on site integrity. You should then consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

We advise the Applicant make use of our [pre-application advice service prior to applying for an Environmental Permit](#), to try to ensure that there is no conflict between any planning permission granted and the permit requirements. It is important to note that a grant of planning permission does not guarantee that a permit will be granted, should a proposal be deemed to be unacceptable (either because of environmental risk or because upon further investigation, a connection to mains sewer was feasible). The Applicant should ensure that they have all the required permissions, consents, permits and any other approvals in place prior to commencement of works on the site.

More information, including a step by step guide to registering and the relevant application forms are available on our [website](#). Where private sewage treatment/disposal facilities are utilised, they must be installed and maintained in accordance with British Standard 6297 and Approved Document H of the Building Regulations. We also refer the Applicant to Guidance for Pollution Prevention 4 on the [NetRegs website](#), which provides further information.

Protected Species

We note that the bat report submitted in support of the above application ('Susan Worsfold October 2022 'Bat Activity Surveys at Barn 1, Oddi ar y Twmpath, Garth, Glyn Ceiriog, Wrexham, LL20 7LY SJ 20210 38184 on 19th August and 21st September 2022'.') has identified that bats are present at the application site (a roost for three common pipistrelle bats). From the information submitted, we consider that the proposed development represents a lower risk for bats, as defined in our guidance document '*Natural Resources Wales Approach to Bats and Planning (2015)*'.

Bats and their breeding and resting places are protected under the Conservation of Habitats and Species Regulations 2017 (as amended). Where bats are present and a development proposal is likely to contravene the legal protection they are afforded, the development may only proceed under licence issued by Natural Resources Wales, having satisfied the three tests set out in the Regulations (Please also refer to Paragraph 6.3.7 of Technical Advice

Note 5: Nature Conservation and Planning). Please note, for the purposes of providing advice at the planning application stage, our comments are limited to the test relating to “*demonstration of no detriment to the maintenance of the favourable conservation status of European protected species*”.

As this is a lower risk case for bats, we consider that the development is not likely to be detrimental to the maintenance of the population of the species concerned at a favourable conservation status in its natural range. However, we advise that the proposed development is likely to harm or disturb the bats or their breeding sites and resting places at this site and, therefore, we advise that all avoidance and mitigation measures described in the bat report must be undertaken.

The report must be included in the ‘approved list of plans / documents’ condition within the decision notice should consent for the project be granted.

Please consult us again if any further information shows that this is no longer a lower risk case.

NRW would refer the Local Authority to the Chief Planning Officer’s letter dated 01 March 2018 which advises Local Planning Authorities to attach an informative regarding licence requirements to all consents and notices where European Protected Species are likely to be present on site.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully

Pauline Gallagher Brown

Cynghorydd - Cynllunio Datblygu / Advisor - Development Planning
Cyfoeth Naturiol Cymru / Natural Resources Wales