

Retail Survey Report

Order no. S130367522

Customer Graves A/C No. [DEFAULT]

Address BASSETT HOUSE
STATION ROAD
ROSSETT
WREXHAM, CLWYD
LL12 0HE

Surveyor David Walker Surveyor no.

Salesperson Ben

Report Date 29-11-22

Survey Date 28-11-22

Provisional installation date between 28-11-22 and 12-12-22

Notes Items 1 and 3 - Please supply and fit Black handles on install.

**BEFORE USING THE INFORMATION ON THIS REPORT
PLEASE ENSURE THAT IT RELATES TO THE LATEST SURVEY**

Designs or options changed from contract?

If Yes a VOC must be completed for the changes and signed by the customer

Residential Installation?

SURVEY \ HEALTH AND SAFETY NOTES

28/11/22 - Bathroom VE unit input on MPL.

28/11/22 - Items 1 and 3 - Input with Chrome handles to achieve Silver threshold.

28/11/22 - 12.30pm - Surveyor confirms the following -

Customer does not require a Geo Report for approval.

Items 1 and 3 - Silver thresholds required.

ITEM 1 Utility
 Product Type UN Retail Residential Door
 Design UN0502
 Frame Colour Grey/White

Cill Colour Grey/White
 Cill Type 150mm x 35mm

Cill Length 1040

Question
 Door Threshold
 Reinforcing
 Door Opening
 Door Hung
 Lead Colour
 Restrictor 90
 Floor Level
 Door Hinges
 Door Locking
 Cylinder Type
 Handles


Selection
 Mobility Open In
 Rules
 In
 Left
 Antique Lead 9mm
 No
 Ground
 Laird Black
 ERA Lock
 Standard Nickel Open In
 Chrome Straight

Vent 1

Input Width 890
 Input Height 2,025

Man Width 890
 Man Height 1990

Comment 3w x 3h vent calc



890

1155
835

GLASS MANUFACTURED MAY DIFFER FROM THAT DISPLAYED DUE TO ACOUSTIC/THERMAL UPGRADE, GLASS AREA, TRIPLE, ETC

Pane	wd	ht	Size Inner Pane		Size	Outer Pane	Effect	Panel	Spacer	Spacer Type
			wd	ht						
1	612	970	4.00	Sgl Tgh PLT	4.00	Sgl Tgh Clear Float	Calc Georgian Lead - L		16.00	Black
2	612	677		White		Vert Grey	GB-Flat Panel Vert W/G			

ITEM 2 Utility
 Product Type UH Retail Casement
 Design UH0039
 Frame Colour Foil White

Cill Colour Foil White
 Cill Type 150mm x 35mm

Cill Length 1390


Question
 Reinforcing
 WER Rating
 Floor Level
 Handles
 Handles
 Friction Stay
 Friction Stay
 Gear
 Gear
 Sash Vent
 Sash Vent

Selection
 Rules
 A
 Ground
 Gold Locking
 Gold Locking
 Defender
 Defender
 Schlegel Shootbolt
 Schlegel Shootbolt
 4000 Select S13 Controllable
 4000 Select S13 Controllable

Vent 2
 Vent 1
 Vent 2
 Vent 1
 Vent 2
 Vent 1
 Vent 2
 Vent 1

Input Width 1240
 Input Height 950

Man Width 1240
 Man Height 915



620 620

457
458

GLASS MANUFACTURED MAY DIFFER FROM THAT DISPLAYED DUE TO ACOUSTIC/THERMAL UPGRADE, GLASS AREA, TRIPLE, ETC

Pane	wd	ht	Size Inner Pane		Size	Outer Pane	Effect	Panel	Spacer	Spacer Type
			wd	ht						
1	472	309	4.00	Sgl Annealed PLT	4.00	Sgl Clear Float	None		16.00	Black
2	472	309	4.00	Sgl Annealed PLT	4.00	Sgl Clear Float	None		16.00	Black
3	558	396	4.00	Sgl Annealed PLT	4.00	Sgl Clear Float	None		16.00	Black
4	558	396	4.00	Sgl Annealed PLT	4.00	Sgl Clear Float	None		16.00	Black

Name : David Walker

Signature : _____

Total items on order:	7	Total Products on order:	3
-----------------------	---	--------------------------	---