



GENERAL NOTE:
1. UNDER NO CIRCUMSTANCES SHOULD DIMENSIONS BE SCALED FROM THE DRAWING. IF DOUBT ARISE.
2. THE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS/SPECIFICATION. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF 'd2 architects'.
3. ALL DIMENSIONS ARE TO BE CHECKED PRIOR TO COMMENCEMENT.
4. THIS DRAWING IS THE PROPERTY OF 'd2 architects' AND MUST NOT BE COPIED OR REPRODUCED EITHER IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION.

Rev	Revision	Date
X	First Issue	14.04.21
A	Bld Regs	25.11.21
B	Annotation Added	09.02.23

LEGEND

-  Fire protected lobbies. Area to remain sterile areas.
-  Install 1100mm High metal guarding to face of window opening. Vertical balustrade to be installed a maximum gaps of 99mm. Guarding to be fixed to existing masonry walls in accordance with building regulations.
-  Install new metal guarding to inner face to existing staircase, 900mm on the rise to the step going ro 1100mm high on landings. Vertical balustrade to be installed a maximum gaps of 99mm. Guarding to be fixed to existing masonry walls in accordance with building regulations.
-  One hour fire walls
-  30 Minute fire walls



Install new metal guarding to inner face to existing staircase, 900mm on the rise to the step going ro 1100mm high on landings. Vertical balustrade to be installed a maximum gaps of 99mm. Guarding to be fixed to existing masonry walls in accordance with building regulations.

SVP's to apartments 1, 2, 3, 11, 12, and 13 run vertically down into restaurant ceiling and across into manhole at the rear of the building.

The Bank

1100mm high metal guarding to be fitted to internal face of opening.

HIGH STREET

Tender

Scheme Title:
38-41 High Street, Wrexham
Drawing Ref:
Proposed Second Floor Plan
Scale: 1:50 @A1
Drawn by: LOJ
Checked by: MOH

Job: 5711 Drawings No: PO 02 Rev: A

d2 architects

Saughton House
2 Nicholas Street Mews
Chester
Cheshire
CH1 2NS
Hirdir Studio
Pentire Celyn
Ruthin
Denbighshire
LL15 2JF

T: 01244 326 347
E: admin@d2architects.co.uk
W: www.d2architects.co.uk