

Maes Y Ffynnon,
Penrhosgarnedd,
Bangor,
Gwynedd
LL572DW

Wrexham County Borough Council,
The Guildhall,
Wrexham,
LL11 1AY

ebost/email:
northplanning@cyfoethnaturiolcymru.gov.uk

20/06/2023

Annwyl Syr/Madam / Dear Sir/Madam,

**BWRIAD / PROPOSAL: TROSI'R CYFLEUSTER CERDDORIAETH PRESENNOL YN 2
ANNEDD / CONVERSION OF EXISTING MUSIC FACILITY TO
2 NO DWELLINGS**

LLEOLIAD / LOCATION: BLACK PARK CHAPEL HALTON CHIRK WREXHAM

Thank you for consulting Cyfoeth Naturiol Cymru / Natural Resources Wales about the above, which we received on 01.06.2023.

We have concerns with the application as submitted because inadequate information has been provided in support of the proposal. To overcome these concerns, you should seek further information from the applicant regarding foul drainage. If this information is not provided, we would object to this planning application. Further details are provided below.

Protected Sites - Foul Drainage

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. In line with our [Planning Advice](#) (July 2022), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

We note from the information submitted that the development for the conversion of the building into two dwellings has the potential to increase the amount of phosphorus being discharged from the site. No information has been provided in relation to the discharge of foul flows from the proposed development, however according to our records, the proposed development is within a publicly sewered area. We therefore refer you to Welsh Government Circular 008/2018 on private drainage, and specifically paragraphs 2.3-2.5, which stress the first presumption must be to provide a system of foul drainage discharging into a public sewer.

We also refer you to our Planning Advice and advise you to seek further information from the applicant as identified in the section titled 'What does this mean for development proposals involving connection to public wastewater treatment works' of that advice.

Should you conclude that the proposed development is likely to have a significant effect on the SAC, please consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Protected Species

We note that there is no information about protected species with the application and, therefore, are assuming that your Authority has screened the application and concluded that there is not a reasonable likelihood of protected species being present.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully

Sara Thomas

Cynghorydd - Cynllunio Datblygu / Advisor - Development Planning
Cyfoeth Naturiol Cymru / Natural Resources Wales