

In pursuance of its powers under the Acts and Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

|                  |                                                                     |                      |                 |
|------------------|---------------------------------------------------------------------|----------------------|-----------------|
| <b>Applicant</b> | EPIC NO1 LTD                                                        | <b>Code Number</b>   | WRR P/2022/0102 |
| <b>Agent</b>     | QUOD<br>MR TIM RAINBIRD<br>8 - 14 MEARD STREET<br>LONDON<br>W1F 0EQ | <b>Date Received</b> | 01/02/2022      |
|                  |                                                                     | <b>Decision Date</b> | 29/06/2022      |

---

### **Town and Country Planning Act, 1990**

#### **Location of application**

FORMER FRANKIE AND BENNY'S RESTAURANT, PLAS COCH RETAIL PARK, WREXHAM, LL11 2BA

#### **Description of application**

DYMCHWEL UNED G A GWNEUD MAES PARCIO YCHWANEGOL I GWSMERIAID YN EI LE / DEMOLITION OF UNIT G AND REPLACEMENT WITH ADDITIONAL CUSTOMER PARKING

In reaching this decision the Council has had regard to the relevant policies in the Wrexham Unitary Development Plan which are as follows:-

| Revision | Date       | Description of Decision    |
|----------|------------|----------------------------|
| 0        | 29/06/2022 | Planning permission issued |

#### **Particulars of decision that permission be GRANTED Subject to the following:-**

##### **Condition(s)**

1. The development hereby permitted shall be commenced before the expiry of five years from the date of this permission.
2. The vehicular parking and turning areas as shown on approved drawing no. SK220126\_03 shall be fully laid out, surfaced and drained prior to first use of the development. These areas shall thereafter be permanently retained and kept free of any obstruction, and made available solely for the parking and turning of motor vehicles at all times.
3. Within six months of the first use of the development, trees and shrubs shall be planted on the site in accordance with a scheme which has been submitted to and approved in writing by the Local Planning Authority.

|                  |                                                                     |                                                 |                 |
|------------------|---------------------------------------------------------------------|-------------------------------------------------|-----------------|
| <b>Applicant</b> | EPIC NO1 LTD                                                        | <b>Code</b>                                     | WRR P/2022/0102 |
| <b>Agent</b>     | QUOD<br>MR TIM RAINBIRD<br>8 - 14 MEARD STREET<br>LONDON<br>W1F 0EQ | <b>Number</b><br><b>Date</b><br><b>Received</b> | 01/02/2022      |
|                  |                                                                     | <b>Decision</b><br><b>Date</b>                  | 29/06/2022      |

### Reason(s)

1. To comply with Section 91(3) of the Town and Country Planning Act, 1990.
2. To provide for the parking and turning of vehicles clear of the highway and to ensure that reversing by vehicles into or from the highway is rendered unnecessary in the interest of traffic safety in accordance with Policies GDP1 and T8 of the Wrexham Unitary Development Plan
3. To ensure a satisfactory standard of appearance of the development in the interests of the visual amenities of the area, and to achieve Net Biodiversity Benefit (NBB) in accordance with Policies GDP1, EC6, EC4 and PS2 of the Wrexham Unitary Development Plan.

### Note(s) to applicant

The Applicant is advised that under the Environmental Protection Act 1990, dust from construction and/or demolition activities can be judged to be causing a statutory nuisance to neighbouring properties. A legal notice can be served requiring that any dust nuisance is abated and failure to comply with the requirements of the notice can result in prosecution. The applicant should contact the Council's Environmental Health & Housing Standards Team on 01978 292040 for further advice and information.

All works relating to this development which are audible beyond the site boundary should be carried out only between 7.30 and 18.00 hrs Monday to Friday, and 08.00 to 14.00 hrs on a Saturday, and at no time on a Sunday or a Bank Holiday. Outside these times, any works which are audible beyond the site boundary have the potential to cause unreasonable disturbance to neighbouring premises.

The applicant is advised that the Council has the option to control construction noise by serving a Control of Pollution Act 1974, Section 60, Notice where deemed necessary, and failure to comply with such a Notice can result in prosecution.


The applicant is further advised that any complaints received relating to noise of any type from the development may also be investigated using the Council's Standardised Procedure for Dealing with Noise Nuisance Complaints. This is done under the Statutory Nuisance provisions provided within the Environmental Protection Act 1990, and legal action may be taken where appropriate.

|                  |                                                                     |                                                 |                 |
|------------------|---------------------------------------------------------------------|-------------------------------------------------|-----------------|
| <b>Applicant</b> | EPIC NO1 LTD                                                        | <b>Code</b>                                     | WRR P/2022/0102 |
| <b>Agent</b>     | QUOD<br>MR TIM RAINBIRD<br>8 - 14 MEARD STREET<br>LONDON<br>W1F 0EQ | <b>Number</b><br><b>Date</b><br><b>Received</b> | 01/02/2022      |
|                  |                                                                     | <b>Decision</b><br><b>Date</b>                  | 29/06/2022      |

The applicant must adhere to the times given above wherever possible. If however there are urgent or unavoidable circumstances requiring works outside of the specified times, permission to proceed may be sought by contacting the Council's Environmental Health and Housing Standards at: healthandhousing@wrexham.gov.uk or on 01978 292040. Please use the same contact details for any other enquiries regarding construction / demolition site noise.

In line with the Welsh Government's decarbonisation targets, Welsh Government published the Electric Vehicle Charging Strategy, setting out its plans for charging electric cars and vans in Wales. In the interest of supporting and encouraging low emission vehicles, in the interest of air quality enhancement, and to comply with the aims and objectives of the Electric Vehicle Charging Strategy, we encourage the provision of electric vehicle charge points and recommend the following minimum standard for numbers and power output:

- One Standard Electric Vehicle Charging Point providing a continuous supply of at least 16A (3.5kW) for at least 10% of parking spaces;
- A Standard Electric Vehicle Charging Point is one which is capable of providing a continuous supply of at least 16A (3.5kW) and up to 32A (7kW). The higher output is more likely to be futureproof;
- The electrical supply of the final installation should allow the charging equipment to operate at full rated capacity;
- The installation must comply with all applicable electrical requirements in force at the time of installation.



Ian Jones

Prif Swyddog Cynllunio a Rheoleiddio Dros Dro / Interim Chief Officer  
Planning & Regulatory

Refer to Statement of Applicant's Rights and General Information on our planning web site at:-

[http://www.wrexham.gov.uk/english/planning\\_portal/publications/info\\_sheets.htm](http://www.wrexham.gov.uk/english/planning_portal/publications/info_sheets.htm)