

From: [North Planning](#)
To: [planning_admin](#)
Subject: P/2023/0390 - The Squire Yorke, Sontley Road, Wrexham, LL13 7EN (Minor) - NRW Response
NRW:08542549
Date: 11 July 2023 17:17:33

Dear Sir / Madam,

We refer to your consultation dated 06/07/2023. We have no objection to the proposed development as submitted and provide the following advice.

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. In line with our [Planning Advice](#) (July 2022), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

However, recognising the specific nature of the application submitted, we are satisfied that it is unlikely to increase the amount of phosphorus entering the catchment. Therefore, we are satisfied that the proposal is not likely to have a significant effect on the River Dee and Bala Lake SAC.

If you have any queries please do not hesitate to contact me.

Kind Regards
Rachel Burke

Tîm Cynllunio Datblygu / Development Planning Team
Cyfoeth Naturiol Cymru / Natural Resources Wales

Ffôn / Tel: +443000653497
www.cyfoethnaturiolcymru.gov.uk / www.naturalresourceswales.gov.uk

Yn falch o arwain y ffordd at ddyfodol gwell i Gymru trwy reoli'r amgylchedd ac adnoddau naturiol yn gynaliadwy / Proud to be leading the way to a better future for Wales by managing the environment and natural resources sustainably.

Croesewir gohebiaeth yn Gymraeg a byddwn yn ymateb yn Gymraeg, heb i hynny arwain at oedi / Correspondence in Welsh is welcomed, and we will respond in Welsh without it leading to a delay.