

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

<i>Customer</i>	Gerrard Jones	<i>Job No</i>	N1143	<i>Item No</i>	2	<i>Sheet</i>	1 of 1
-----------------	----------------------	---------------	--------------	----------------	----------	--------------	---------------

<i>Diagram</i>	<i>Sectional Details</i>
	Sash Head 50 mm Sash Stile 50 mm Sash Btm Rail (ext) 90 mm Chamfered Sash Midrail 35 mm Sash Thickness 45 mm Top Sash Horn No horn Btm Sash Horn No horn

<i>Location</i>	First Floor RHS Master Bedroom	<i>Quantity</i>	1 of shown on drawing	Glazing Bar 24 mm Profile Ovolo Glazing Rebate 9 x 30 mm
-----------------	---------------------------------------	-----------------	---------------------------------	---

<i>Ironmongery</i>	<i>Glazing - HERITAGE UNITS</i>			
1 x Restrictor Strike Plates - TBC		Internal Pane	Spacer	External Pane
1 x Sash Fastener - TBC	Top	4mm Thermaglass	6mm	4mm Float
2 x Sash Lift - TBC	Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
4 x Standard Pulley - TBC				
1 x Ventlock Restrictors - TBC	Qwood	Black Tape, Black Spacer		Argon Filled
	<i>Paint Finish</i>			
	Internal	Farrow & Ball - All White		
	External	Farrow & Ball - All White		
	Cill	Farrow & Ball - All White		

<i>Production Notes</i>	<i>Installation Notes</i>
	Installed: Internally
2 13 0 30	
<i>Job Tracking</i>	
Order received: 21-04-2022	Print date: 02-06-2022
Sold by: Robin Partridge	Last modified by: Kieran Fyfe
Surveyed by: Kieran Fyfe	Last modified date: 06-05-2022

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

<i>Customer</i>	Gerrard Jones	<i>Job No</i>	N1143	<i>Item No</i>	3	<i>Sheet</i>	1 of 1
-----------------	----------------------	---------------	--------------	----------------	----------	--------------	---------------

<i>Diagram</i>	<i>Sectional Details</i>
	Sash Head 50 mm Sash Stile 50 mm Sash Btm Rail (ext) 90 mm Chamfered Sash Midrail 35 mm Sash Thickness 45 mm Top Sash Horn No horn Btm Sash Horn No horn

<i>Location</i>	First Floor Front Master Bedroom	<i>Quantity</i>	1 of shown on drawing	Glazing Bar 24 mm Profile Ovolo Glazing Rebate 9 x 30 mm
-----------------	---	-----------------	---------------------------------	---

<i>Ironmongery</i>	<i>Glazing - HERITAGE UNITS</i>			
1 x Restrictor Strike Plates - TBC	<u>Internal Pane</u>		<u>Spacer</u>	<u>External Pane</u>
1 x Sash Fastener - TBC	Top	4mm Thermaglass Toughened	6mm	4mm Float Toughened
2 x Sash Lift - TBC	Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
4 x Standard Pulley - TBC				
1 x Ventlock Restrictors - TBC	Qwood	Black Tape, Black Spacer		Argon Filled
	<i>Paint Finish</i>			
	Internal	Farrow & Ball - All White		
	External	Farrow & Ball - All White		
	Cill	Farrow & Ball - All White		

<i>Production Notes</i>	<i>Installation Notes</i>
	Installed: Internally
2 13 0 30	
<i>Job Tracking</i>	
Order received: 21-04-2022	Print date: 02-06-2022
Sold by: Robin Partridge	Last modified by: Kieran Fyfe
Surveyed by: Kieran Fyfe	Last modified date: 02-06-2022

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

<i>Customer</i>	Gerrard Jones	<i>Job No</i>	N1143	<i>Item No</i>	7	<i>Sheet</i>	1 of 1
-----------------	----------------------	---------------	--------------	----------------	----------	--------------	---------------

Diagram

Diagram showing a 1x1 pair of sashes to a cord hung sash window. The overall height is 1752 and the overall width is 1224. The sash height is 873.5 and the sash width is 913.5. The sash is divided into a 3x3 grid of panes. The top sash is labeled 'Cord Hung A1' and the bottom sash is labeled 'Cord Hung A2'. Arrows indicate the sashes are to be hung. A dimension of -7 is shown at the bottom left corner.

Sectional Details

Sash Head	50 mm	
Sash Stile	50 mm	
Sash Btm Rail (ext)	90 mm	Chamfered
Sash Midrail	35 mm	
Sash Thickness	45 mm	
Top Sash Horn	No horn	
Btm Sash Horn	No horn	

<i>Location</i>	First Floor LHS Family Bedroom 1	<i>Quantity</i>	1 of shown on drawing
<i>Material</i>	Solid Sapele Hardwood	<i>Glazing Bar</i>	24 mm
		<i>Profile</i>	Ovolo
		<i>Glazing Rebate</i>	9 x 30 mm

<i>Ironmongery</i>	<i>Glazing - HERITAGE UNITS</i>			
1 x Restrictor Strike Plates - TBC		Internal Pane	Spacer	External Pane
1 x Sash Fastener - TBC	Top	4mm Thermaglass	6mm	4mm Float
2 x Sash Lift - TBC	Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
4 x Standard Pulley - TBC	Qwood		Black Tape, Black Spacer	
1 x Ventlock Restrictors - TBC	Argon Filled			
	<i>Paint Finish</i>			
	Internal	Farrow & Ball - All White		
	External	Farrow & Ball - All White		
	Cill	Farrow & Ball - All White		

<i>Production Notes</i>	<i>Installation Notes</i>
	Installed: Internally Remove weather bar from cill
2 13 0 30	
<i>Job Tracking</i>	
Order received: 21-04-2022	Print date: 02-06-2022
Sold by: Robin Partridge	Last modified by: Kieran Fyfe
Surveyed by: Kieran Fyfe	Last modified date: 06-05-2022

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

<i>Customer</i>	Gerrard Jones	<i>Job No</i>	N1143	<i>Item No</i>	8	<i>Sheet</i>	1 of 1
-----------------	----------------------	---------------	--------------	----------------	----------	--------------	---------------

Diagram

Diagram showing a 1x1 pair of sashes to a cord hung sash window. The diagram illustrates the dimensions and components of the window assembly.

Dimensions:

- Total Height: 1297
- Top Sash Height: 451
- Bottom Sash Height: 881
- Total Width: 1070
- Offset: -7

Labels:

- Fix A1 (Top Sash)
- Cord Hung A2 (Bottom Sash)

Sectional Details

Sash Head	50 mm	
Sash Stile	50 mm	
Sash Btm Rail (ext)	90 mm	Chamfered
Sash Midrail	35 mm	
Sash Thickness	45 mm	
Top Sash Horn	No horn	
Btm Sash Horn	No horn	

<i>Location</i>	First Floor LHS Single Family Bedroom	<i>Quantity</i>	1 of shown on drawing
<i>Material</i>	Solid Sapele Hardwood		

<i>Ironmongery</i>	<i>Glazing - HERITAGE UNITS</i>			
1 x Restrictor Strike Plates - TBC	Internal Pane		Spacer	External Pane
1 x Sash Fastener - TBC	Top	4mm Thermaglass Toughened	6mm	4mm Float Toughened
2 x Sash Lift - TBC	Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
4 x Standard Pulley - TBC	Qwood		Black Tape, Black Spacer	
1 x Ventlock Restrictors - TBC	Argon Filled			
	<i>Paint Finish</i>			
	Internal	Farrow & Ball - All White		
	External	Farrow & Ball - All White		
	Cill	Farrow & Ball - All White		

<i>Production Notes</i>	<i>Installation Notes</i>
Repair piece = 1200 x 120 x 20	Installed: Internally No pulleys for top sash. Fit new head to box and move bottom sash pulley lower?
2 13 0 30	
<i>Job Tracking</i>	
Order received: 21-04-2022	Print date: 02-06-2022
Sold by: Robin Partridge	Last modified by: Kieran Fyfe
Surveyed by: Kieran Fyfe	Last modified date: 06-05-2022

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

<i>Customer</i>	Gerrard Jones	<i>Job No</i>	N1143	<i>Item No</i>	9	<i>Sheet</i>	1 of 1
-----------------	----------------------	---------------	--------------	----------------	----------	--------------	---------------

Diagram

Diagram illustrating the dimensions and configuration of a 1x1 pair of sashes to a cord hung sash window. The window is divided into a 3x3 grid of panes. The top row is labeled "Fix A1" and the bottom row is labeled "Cord Hung A2". The dimensions are as follows:

- Total height: 1297
- Top sash height: 451
- Bottom sash height: 881
- Total width: 1070
- Bottom sash height offset: -7

A small arrow points to the center of the bottom sash.

Sectional Details

Sash Head	50 mm	
Sash Stile	50 mm	
Sash Btm Rail (ext)	90 mm	Chamfered
Sash Midrail	35 mm	
Sash Thickness	45 mm	
Top Sash Horn	No horn	
Btm Sash Horn	No horn	

<i>Location</i>	First Floor LHS Family Bedroom 2	<i>Quantity</i>	1 of shown on drawing
<i>Material</i>	Solid Sapele Hardwood		

<i>Ironmongery</i>	<i>Glazing - HERITAGE UNITS</i>			
1 x Restrictor Strike Plates - TBC	Internal Pane		Spacer	External Pane
1 x Sash Fastener - TBC	Top	4mm Thermaglass Toughened	6mm	4mm Float Toughened
2 x Sash Lift - TBC	Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
4 x Standard Pulley - TBC	Qwood		Black Tape, Black Spacer	
1 x Ventlock Restrictors - TBC	Argon Filled			
	<i>Paint Finish</i>			
	Internal	Farrow & Ball - All White		
	External	Farrow & Ball - All White		
	Cill	Farrow & Ball - All White		

<i>Production Notes</i>	<i>Installation Notes</i>
Repair piece = 1200 x 120 x 20	Installed: Internally No pulleys for top sash. Fit new head to box and move bottom sash pulley lower?
2 13 0 30	
<i>Job Tracking</i>	
Order received: 21-04-2022	Print date: 02-06-2022
Sold by: Robin Partridge	Last modified by: Kieran Fyfe
Surveyed by: Kieran Fyfe	Last modified date: 06-05-2022

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

<i>Customer</i>	Gerrard Jones	<i>Job No</i>	N1143	<i>Item No</i>	11	<i>Sheet</i>	1 of 1
-----------------	----------------------	---------------	--------------	----------------	-----------	--------------	---------------

<i>Diagram</i>	<i>Sectional Details</i>
	Sash Head 50 mm Sash Stile 50 mm Sash Btm Rail (ext) 90 mm Chamfered Sash Midrail 35 mm Sash Thickness 45 mm Top Sash Horn No horn Btm Sash Horn No horn

<i>Location</i>	Half Landing RHS Stair	<i>Quantity</i>	1 of shown on drawing
<i>Material</i>	Solid Sapele Hardwood	<i>Glazing Bar</i>	24 mm
		<i>Profile</i>	Ovolo
		<i>Glazing Rebate</i>	9 x 30 mm

<i>Ironmongery</i> 1 x Restrictor Strike Plates - TBC 1 x Sash Fastener - TBC 2 x Sash Lift - TBC 4 x Standard Pulley - TBC 1 x Ventlock Restrictors - TBC	<i>Glazing - HERITAGE UNITS</i>			
		Internal Pane	Spacer	External Pane
	Top	4mm Thermaglass Toughened	6mm	4mm Float Toughened
	Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
	Qwood	Black Tape, Black Spacer		Argon Filled
	<i>Paint Finish</i>			
	Internal	Farrow & Ball - All White		
External	Farrow & Ball - All White			
Cill	Farrow & Ball - All White			

<i>Production Notes</i>	<i>Installation Notes</i>
	Installed: Internally
	High hop-up / step ladders and bar brace required. Window is over stairway landing with stepped footing.

2 | 13 | 0 | 30

<i>Job Tracking</i>	<i>Internal Access:</i>
Order received: 21-04-2022	High Hop-Up Required
Sold by: Robin Partridge	
Print date: 02-06-2022	
Surveyed by: Kieran Fyfe	
Last modified by: Kieran Fyfe	
Last modified date: 06-05-2022	

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

Customer

Gerrard Jones

Job No

N1143


Item No	Item Description	Unit	Quantity	Unit Price	Total Price
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...
11	...	...	...	...	...
12	...	...	...	...	...
13	...	...	...	...	...
14	...	...	...	...	...
15	...	...	...	...	...
16	...	...	...	...	...
17	...	...	...	...	...
18	...	...	...	...	...
19	...	...	...	...	...
20	...	...	...	...	...
21	...	...	...	...	...
22	...	...	...	...	...
23	...	...	...	...	...
24	...	...	...	...	...
25	...	...	...	...	...
26	...	...	...	...	...
27	...	...	...	...	...
28	...	...	...	...	...
29	...	...	...	...	...
30	...	...	...	...	...
31	...	...	...	...	...
32	...	...	...	...	...
33	...	...	...	...	...
34	...	...	...	...	...
35	...	...	...	...	...
36	...	...	...	...	...
37	...	...	...	...	...
38	...	...	...	...	...
39	...	...	...	...	...
40	...	...	...	...	...
41	...	...	...	...	...
42	...	...	...	...	...
43	...	...	...	...	...
44	...	...	...	...	...
45	...	...	...	...	...
46	...	...	...	...	...
47	...	...	...	...	...
48	...	...	...	...	...
49	...	...	...	...	...
50	...	...	...	...	...
51	...	...	...	...	...
52	...	...	...	...	...
53	...	...	...	...	...
54	...	...	...	...	...
55	...	...	...	...	...
56	...	...	...	...	...
57	...	...	...	...	...
58	...	...	...	...	...
59	...	...	...	...	...
60	...	...	...	...	...
61	...	...	...	...	...
62	...	...	...	...	...
63	...	...	...	...	...
64	...	...	...	...	...
65	...	...	...	...	...
66	...	...	...	...	...
67	...	...	...	...	...
68	...	...	...	...	...
69	...	...	...	...	...
70	...	...	...	...	...
71	...	...	...	...	...
72	...	...	...	...	...
73	...	...	...	...	...
74	...	...	...	...	...
75	...	...	...	...	...
76	...	...	...	...	...
77	...	...	...	...	...
78	...	...	...	...	...
79	...	...	...	...	...
80	...	...	...	...	...
81	...	...	...	...	...
82	...	...	...	...	...
83	...	...	...	...	...
84	...	...	...	...	...
85	...	...	...	...	...
86	...	...	...	...	...
87	...	...	...	...	...
88	...	...	...	...	...
89	...	...	...	...	...
90	...	...	...	...</	

12

Sheet

1 of 1

Diagram



Sectional Details

Sash Head	50 mm	
Sash Stile	50 mm	
Sash Btm Rail (ext)	90 mm	Chamfered
Sash Midrail	35 mm	
Sash Thickness	45 mm	
Top Sash Horn	No horn	
Btm Sash Horn	No horn	



Location

Ground Floor Front Study

Glazing Bar	24 mm
Profile	Ovolo
Glazing Rebate	9 x 30 mm

Material

Solid Sapele Hardwood

Quantity

Quantity **1** of shown on drawing

Ironmongery

1 x Restrictor Strike Plates - TBC
1 x Sash Fastener - TBC
2 x Sash Lift - TBC
4 x Standard Pulley - TBC
1 x Ventlock Restrictors - TBC

Glazing - HERITAGE UNITS

Glazing	THERMAGE UNIT	
	Internal Pane	Spacer External Pane
Top	4mm Thermaglass	6mm 4mm Float
Btm	4mm Thermaglass Toughened	6mm 4mm Float Toughened
Qwood	Black Tape, Black Spacer	Argon Filled

Paint Finish

Internal	Farrow & Ball - All White
External	Farrow & Ball - All White
Cill	Farrow & Ball - All White

Production Notes

Installation Notes

Installed: Internally

2 | 13 | 0 | 30

Job Tracking

Order received: 21-04-2022

Print date: 02-06-2022

Sold by: Robin Partridge

Last modified by: Kieran Fyfe

Surveyed by: Kieran Fyfe

Last modified date: 06-05-2022

JOINERY DETAIL SHEET

1 x 1 Pair of Sashes to Cord Hung Sash Window

Customer

Gerrard Jones

Job No

N1143


Item No

13

Sheet

1 of 1

Diagram



Sectional Details

Sash Head	50 mm	
Sash Stile	50 mm	
Sash Btm Rail (ext)	90 mm	Chamfered
Sash Midrail	35 mm	
Sash Thickness	45 mm	
Top Sash Horn	No horn	
Btm Sash Horn	No horn	



Glazing Bar	24 mm
Profile	Ovolo
Glazing Rebate	9 x 30 mm

Location

Ground Floor LHS Study

Material

Solid Sapele Hardwood

Quantity

1
of shown on drawing

Ironmongery

1 x Restrictor Strike Plates - TBC
1 x Sash Fastener - TBC
2 x Sash Lift - TBC
4 x Standard Pulley - TBC
1 x Ventlock Restrictors - TBC

Glazing - HERITAGE UNITS

	Internal Pane	Spacer	External Pane
Top	4mm Thermaglass	6mm	4mm Float
Btm	4mm Thermaglass Toughened	6mm	4mm Float Toughened
Qwood	Black Tape, Black Spacer		Argon Filled

Paint Finish

Internal	Farrow & Ball - All White
External	Farrow & Ball - All White
Cill	Farrow & Ball - All White

Production Notes

Installation Notes

Installed: **Internally**

2 | 13 | 0 | 30

Job Tracking

Order received: 21-04-2022
Sold by: Robin Partridge
Surveyed by: Kieran Fyfe

Print date: 02-06-2022
Last modified by: Kieran Fyfe
Last modified date: 06-05-2022