

Maes Y Ffynnon,
Penrhosgarnedd,
Bangor,
Gwynedd
LL572DW

Wrexham County Borough Council,
The Guildhall,
Wrexham,
LL11 1AY

ebost/email:
northplanning@cyfoethnaturiolcymru.gov.uk

26/05/2022

Dear Sir/Madam,

PROPOSAL: ERECTION OF ABOVE GROUND SLURRY STORE

LOCATION: CRYMBAL FARM, CRABTREE GREEN, WREXHAM, LL13 0YF

Thank you for consulting Cyfoeth Naturiol Cymru / Natural Resources Wales about the above, which we received on 18th May 2022.

We have no objection to the proposed development as submitted and provide the following advice.

Pollution Prevention

We understand this proposal is to improve the existing slurry management system on the farm to conform with the requirements of The Water Resources (Control of Agricultural Pollution) (Wales) Regulations 2021, The storage requirements of these Regulations come into force on 1 August 2024. The structure is not to accommodate an increase in stock number.

Provided the structure is designed and built by a suitably qualified engineer to meet the standards set in the Regulations and BS 5502 (Building and Structures for Agriculture Code of Practice for Design, Construction and Loading), we have no objection to the proposal.

We should be informed of any substantial changes at least 14 days before construction begins. Further information on what we require is available on our website at [Natural Resources Wales / Silage and slurry storage](#).

The slurry should be applied to land in accordance with a suitable manure management plan (MMP) based on an underlying nutrient management plan (NMP). The Code of Good Agricultural Practice (COGAP) has standard formats for the MMP and associated NMP.

We advise that the applicant follow the Code of Good Agricultural Practice guidance on reducing ammonia emissions from agriculture in Wales published in 2019 which can be found [here](#).

Protected sites

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. As part of this package, we issued a [Planning Position Statement](#), in which we advised that any proposed development that might increase the amount of phosphate (or phosphorus) within a river SAC catchment could lead to damaging effects to the SAC. Therefore, such proposals should be screened through a Habitats Regulations Assessment (HRA), to determine whether they are likely to have a significant effect on the SAC.

We note from the information submitted that a above ground slurry store is to be installed to comply with storage requirements as laid down in the Water Resources (Control of Agricultural Pollution)(Wales) Regulations 2021.

Provided the structure is designed and built by a suitably qualified engineer to meet the standards set in the Regulations and BS 5502 (Building and Structures for Agriculture Code of Practice for Design, Construction and Loading), it is unlikely to increase the amount of phosphorus entering the catchment and therefore, it is not likely to have a significant effect on the River Dee and Bala Lake SAC.

We refer you to our [Planning Advice](#) (May 2021). Provided this guidance is followed and you are able to conclude that the development is not likely to have a significant effect on the SAC, we have no objection to the proposal. However, should you conclude that the proposed development is likely to have a significant effect on the SAC, please consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yours faithfully

Ruth Prichard

Cynghorydd - Cynllunio Datblygu / Advisor - Development Planning
Cyfoeth Naturiol Cymru / Natural Resources Wales