

Maes Y Ffynnon,
Penrhosgarnedd,
Bangor,
Gwynedd
LL572DW

Wrexham County Borough Council,
The Guildhall,
Wrexham,
LL11 1AY

ebost/email:
northplanning@cyfoethnaturiolcymru.gov.uk

29/11/2021

Dear Sir/Madam,

BWRIAD / PROPOSAL: CAIS AMLINELLOL I GODI 1 ANNEDD DEULAWR GYDA GWAITH TIR CYSYLLTIEDIG A NEWIDIADAU I'R FYNEDFA I GERBYDAU YN HILLCREST / OUTLINE APPLICATION FOR THE ERECTION OF 1 NO. TWO-STOREY DWELLING WITH ASSOCIATED GROUNDWORKS AND ALTERATIONS TO VEHICULAR ACCESS (PREVIOUSLY GRANTED UNDER CODE NO P/2010/0342)

LLEOLIAD / LOCATION: SITE ADJOINING, HILLCREST, BETHANIA ROAD, ACREFAIR, WREXHAM, LL14 3UD

Thank you for consulting Cyfoeth Naturiol Cymru / Natural Resources Wales about the above, which we received on 9th November 2021.

We have concerns with the application as submitted because inadequate information has been provided in support of the proposal. To overcome these concerns, you should seek further information from the applicant regarding foul drainage. If this information is not provided, we would object to this planning application. Further details are provided below.

Foul Drainage and Protected Sites

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. As part of this package, we issued a [Planning Position Statement](#), in which we advised that any proposed development that might increase the amount of phosphate (or phosphorus) within a river SAC catchment could lead to damaging effects to the SAC. Therefore, such proposals should be screened through a Habitats Regulations Assessment (HRA), to determine whether they are likely to have a significant effect on the SAC. We have also issued [Planning Advice](#) (May 2021) which gives specific advice in respect of foul drainage arrangements for new developments.

We note from the information submitted that the development has the potential to increase the amount of phosphorus being discharged from the site. As such, we refer you to our [Planning Advice](#) and advise you to seek further information from the applicant. We note that no information has been submitted in respect of confirming foul drainage arrangements. We advise you to seek further information as identified in the section titled 'What does this mean for development proposals involving connection to public wastewater treatment works' or 'What does this mean for development proposals involving private sewage treatment systems' of that advice, depending on the applicant's proposed method of foul drainage.

Provided this advice is followed and you are able to conclude that the development is not likely to have a significant effect on the SAC, we would have no objection to the proposal. However, should you conclude that the proposed development is likely to have a significant effect on the SAC, please consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Protected Species

We note that there is no information about protected species with the application and, therefore, are assuming that your Authority has screened the application and concluded that there is not a reasonable likelihood of protected species being present.

Landfill

According to our records the proposed development site is located near to land that is, or has been, used for the deposition of waste material. We would therefore advise you to consult with the local authority's Environmental Health and Building Control Departments, as they may hold detailed records, and may wish to make appropriate recommendations in respect of landfill gas investigation/remedial work. The developers should be made aware of the existence of the landfill site(s) so that they can decide whether or not to make their own investigations into the presence of landfill gas. It should also be noted that Waste Management Paper 27 states "It has been found that many sites which have taken only supposedly 'inert' waste have produced gas".

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully,

Rachael Burke

Cynghorydd - Cynllunio Datblygu / Advisor - Development Planning

Cyfoeth Naturiol Cymru / Natural Resources Wales