



This drawing is copyright © . Do not scale from this drawing. Contractors to check all dimensions on site. Unless given permission in writing by EDW Architecture Ltd. this drawing cannot be used for any other project nor purpose other than specified below. Electronic issue versions of this drawing are not to be changed by recipients or 3rd parties.

Sketch scheme	
Planning Application	*
Building Regulations Application	



- NOTES:
- 1) Drawing is to be read in conjunction with drawing no. (193) 06–Visibility splays plan.
 - 2) Biodisc: i) To discharge to ground into a drainage field constructed to the relevant Btrish Standard; and to be located more than 50m from a river within a SAC boundary; and have a maximum daily discharge rate of less than 2m3 ii) The manufacturer stipulates that face of biodisc should be a minimum of 7m from buildings and a minimum of 3m from property boundaries. The drawing demonstrates that these conditions have been met.

EDW Architecture Ltd.		
THE RECTORY MEWS, WREXHAM ROAD, PULFORD, CHESTER CH4 9DG. Tel: 01244 570765 E-Mail: edward@edwarchitecture.co.uk		
CLIENT: Mr. and Mrs. Heard.		
PROJECT: Quarry Rigg, Pant Lane, Gresford, Wrexham LL12 8SG.		
DRAWING TITLE: Proposed site plan.		
DRAWN BY: EDW	DATE: 01/09/21	SCALE: 1:200 @ A3
JOB NO.: 193	DWG. NO.: 05	REVISION: -

