




Notes

Hardstanding 6.0x3.0m
Drop kerb required
Planning permission required
Traffic light required

KEY

- Precast Concrete BN Kerb 125 x 150mm
- Precast Concrete DL/DR Kerb
- Precast Concrete Flat Top Edging Kerb 150x50mm



HARDSTANDING SPECIFICATION
Surface Course, Dense Bitumen Macadam, 10mm nominal size, depth 40mm
Binder Course, Dense Bitumen Macadam, 20mm nominal size, depth 60mm
Sub-base, Granular Sub-base Type I, depth 300mm

FOOTPATH SPECIFICATION
Surface Course, Dense Bitumen Macadam, 10mm nominal size, depth 20mm
Binder Course, Dense Bitumen Macadam, 20mm nominal size, depth 60mm
Sub-base, Granular Sub-base Type I, depth 150mm

All setting out to be agreed with WCBC prior to commencing works on site



WREXHAM COUNTY BOROUGH COUNCIL
Housing Services,
Housing and Public Protection Department,
Ruthin Road,
Wrexham,
LL13 7TU
Tel: (01978) 315300 Fax: (01978) 315355

Project: 4 East View, Pandy, Gwersyllt, Wrexham, LL11 2UE			
Detail: Proposed On Plot and Drop Kerb			
Drawn By: RS	Date: Sept 2021	Checked By:	
Scale: NTS	Project No: HSG1022	Dwg No: GWER/E&S/197	Rev: Preliminary