







Wolverley 6x4 44mm




1/2




Wolverley 6x4 44mm






2/2




























































Wolverley 6x4 44mm




















Wolverley 6x4 44mm






Wolverley 6x4 44mm				600x400 cm		BE 2020	Date
				44mm 2020.01.20			
Degree < 84°		Dimensions, mm			Pos.	Quantity	Packing no.
		A	B	C			
		3800	40	100	1	2	
		5600	40	100	2	2	
		5600	40	55/60	3	7	
		3702	19	100/86	4	58/68	
			19	24	5	~ 19 meters	
		6000	45	65	6	2	
		4080	45	130	7	1	
		500	45	130	8	26	
		4080	45	130	9	1	
		500	45	130	10	12	
		400	45	130	11	12	
		610	45	130	12	12	
		6000	45	130	13	1	
		6000	45	130	14	16	
		4000	45	130	15	2	
		4000	45	130	16	2	
		2755	45	130	17	26	
		555	45	130	18	26	
		6200	45	140	19	2	
		6200	58	195	20	3	
Constructor: I.Paulauskas						Pages 1/2	




Wolverley 6x4 44mm				600x400 cm		BE 2020	Date
				44mm 2020.01.20			
Degree < 84°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		2012	19	100/86	21	62/73	Packing no.
		2610	19	100/86	22	62/73	
		2012	19	90	23	2	
		2610	19	90	24	2	
		3119	19	90	25	4	
		2012	19	40	26	2	Name, last name
		2610	19	40	27	2	
		4500	527		F - 2,4	2	
		1420	1900		28	1	
		690	1700		29	5	
		1520	28	45	30	2	
		790	28	45	31	10	
		1880	19	40	32	8	
Constructor: I.Paulauskas						Pages 2/2	




Wolverley 6x4 44mm		600x400 cm		BE 2020	
44mm x 130 2020.01.20					
3.5x35 mm  x64	5x70 mm  x4	5x80 mm  x10	5x120 mm  x4	2.5x50 mm  x400	
6x150 mm  x18	6x180 mm  x6	8x60 mm  x16	M8  x16	3.5x50 mm  x480	
M8  x16	3 mm  x4	 x1	 x5		









Wolverley 6x4 44mm		600x400 cm			BE 2020	Date	
		44mm					
		2020.01.20					
Degree < 84°	Dimensions, mm			Pos.	Quantity		
	A	B	C				
		3800	40	100		1	2
		5600	40	100		2	2
		5600	40	55/60		3	7








Wolverley 6x4 44mm		600x400 cm		BE 2020		Date
		44mm		2020.01.20		
Degree < 84°		Dimensions, mm			Quantity	
		A	B	C		
		6000	45	65	6	2
		4000	45	130	15	2








Wolverley 6x4 44mm			600x400 cm		BE 2020	Date
			44mm 2020.01.20			
Degree < 84°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		4080	45	130	7	1
		500	45	130	8	26
		4080	45	130	9	1
		500	45	130	10	12
		400	45	130	11	12
		610	45	130	12	12
		6000	45	130	14	16
		4000	45	130	16	2
		2755	45	130	17	26
		555	45	130	18	26
		1420	1900		28	1
		690	1700		29	5






Wolverley 6x4 44mm		600x400 cm			BE 2020	Date
		44mm 2020.01.20				
Degree < 84°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		6000	45	130	13	1
		6200	45	140	19	2




Wolverley 6x4 44mm			600x400 cm		BE 2020	Date
			44mm 2020.01.20			
Degree < 84°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		6000	45	130	14	16
		6200	45	140	19	2
		4500	527		F - 2,4	2








Wolverley 6x4 44mm		600x400 cm		BE 2020	Date
		44mm	2020.01.20		
Degree < 84°	Dimensions, mm			Pos.	Quantity
	A	B	C		
	6200	58	195	20	3




Wolverley 6x4 44mm












Wolverley 6x4 44mm		600x400 cm			BE 2020	Date
		44mm				
Degree < 84°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		2012	19	100/86	21	62/73
		2610	19	100/86	22	62/73





Wolverley 6x4 44mm



Wolverley 6x4 44mm			600x400 cm		BE 2020	Date
			44mm 2020.01.20			
Degree < 84°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		2012	19	90	23	2
		2610	19	90	24	2
		2012	19	40	26	2
		2610	19	40	27	2



Wolverley 6x4 44mm				600x400 cm		BE 2020	Date	
				44mm 2020.01.20				
Degree < 84°			Dimensions, mm			Pos.	Quantity	
			A	B	C			
			3119	19	90	25	4	

Floor

2.5x50 mm


4





pos 4

pos 5


beam under walls

If the last board needs
to be placed lengthwise cut






Wolverley 6x4 44mm		600x400 cm			BE 2020	Date
		44mm				
		2020.01.20				
Degree < 84°	Dimensions, mm			Pos.	Quantity	
	A	B	C			
			3702	19	100/86	
		19	24	5	~ 19 meters	

- 1.Expansion braces should be fitted internally for ease of adjustment
2. The bolt head should be external, the nut internal
3. Once the cabin has been completely erected, do not over tighten – hand tight is sufficient – in order to allow timbers to expand & contract.



Door and window extra part above is longer
must be cut in the construction site

Wolverley 6x4 44mm			600x400 cm		BE 2020	Date
			44mm			
Degree < 84°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1520	28	45	30	2
		790	28	45	31	10
		1880	19	40	32	8