

VELUX®

Roof windows

Conservation roof windows




Our classic windows blend tastefully into the roof of your old building with a vertical centre bar and black finish exterior. All our conservation roof windows have the technically superior features of a VELUX roof window in a traditional black conservation style. No matter what type of glazing you choose, you'll have the added benefit of energy efficiency and all the features you'd expect.

Product features:

- › Available in either centre-pivot or top-hung opening.
- › Black external profiles and glazing bar.
- › Recessed installation possible for slate and tile roofs.
- › Rotates 180° for easy cleaning of the outer pane.
- › Insulation collar and Underfelt collar included in all conservation packages.

[Size and Price - PDF >](#)

Internal finish and glazing

**White painted finish**

- › Bright white finish with discrete wood grain
- › High quality pine wood
- › Painted before assembly for a flawless finish

- › Above head height
- › **--70 pane**
- › Laminated inner pane for safety

Optional glazing bars for standard VELUX roof windows

The requirements of conservation officers throughout the country differ and the black finish featured on our conservation packages may not be required in your area.

Consult your local conservation officer to see if you can create a traditional appearance by adding a glazing bar to a standard VELUX roof window with grey exterior.

This will allow you to take advantage of the full range of window styles and sizes available, such as INTEGRA® electric roof windows, or windows with maintenance free white polyurethane internal finish. As with our standard conservation packages, a more traditional appearance can also be achieved by installing the window deeper in the roofline with the use of VELUX recessed flashing kits in addition to the optional glazing bar.



Simply select your preferred VELUX roof window, along with the appropriate flashing kit for your roofing material and add one or more conservation glazing bars in the corresponding size.

Are you ready to buy?



Brochures

Download or order VELUX brochures

Brochures



Find an installer

Find a VELUX Certified Installer near you.

Find an installer



Buying your roof windows

Find details of your local VELUX stockists or where you can buy VELUX roof windows online.

Where to buy



Online brochure

View our extended
product range

Explore now



Bringing light to life™

VELUX conservation roof windows

For traditional buildings



When planning dictates that a window of traditional external appearance is required, conservation roof windows should be considered. All of our conservation roof windows have the same technical features of a VELUX roof window but in a traditional black conservation style.

- Available in either centre-pivot or top-hung.
- Black external profiles and glazing bar. In RAL colour 9005.
- Recessed installation for slate and tiled roofs.
- Top-hung roof windows listed below are suitable for emergency escape.
- Other sizes and glazing options available – contact us for further information.



Conservation packages include:

- roof windows with laminated glazing as standard for safety
- recessed flashings available for a more streamlined external appearance
- Insulation collar and underfelt collar provided for a weathertight and energy efficient installation.

Conservation roof windows

External frame size (nominal w x h) cm

Code	Description	CK04	CK06	FK06	MK06	MK08	UK04
Centre-pivot white painted							
GGL SD5N2 U-value 1.3 Wj/m²K	GGL 2570 roof window + EDN recessed flashing for slate up to 8mm thick (min 20° roof pitch)	£468	£486	£538	£566	£610	£710
GGL SD5P2 U-value 1.3 Wj/m²K	GGL 2570 roof window + EDP flashing for plain tiles up to 14mm thick (min 25° roof pitch)	£428	£445	£494	£519	£561	£655
GGL SD5W2 U-value 1.3 Wj/m²K	GGL 2570 roof window + EDW flashing for tiles up to 120mm in profile (min 15° roof pitch)	£428	£445	£494	£519	£561	£655
GGL SD5J2 U-value 1.3 Wj/m²K	GGL 2570 roof window + EDJ recessed flashing for tiles up to 90mm in profile (min 20° roof pitch)	£468	£486	£538	£566	£610	£710
Top-hung white painted. For roof pitches of 55°/75°, please specify special springs when ordering.							
GPL SD5N2 U-value 1.3 Wj/m²K	GPL 2570 roof window + EDN recessed flashing for slate up to 8mm thick (min 20° roof pitch)	–	–	–	–	£740	–
GPL SD5P2 U-value 1.3 Wj/m²K	GPL 2570 roof window + EDP flashing for plain tiles up to 14mm thick (min 25° roof pitch)	–	–	–	–	£691	–
GPL SD5W2 U-value 1.3 Wj/m²K	GPL 2570 roof window + EDW flashing for tiles up to 120mm in profile (min 15° roof pitch)	–	–	–	–	£691	–
GPL SD5J2 U-value 1.3 Wj/m²K	GPL 2570 roof window + EDJ recessed flashing for tiles up to 90mm in profile (min 20° roof pitch)	–	–	–	–	£740	–

► All roof windows have a delivery time of 2 days.

► Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).