

INSULATED PLASTERBOARD FIXED TO UNDERSIDE OF RAFTERS
IN BETWEEN PURLINS.

BRICK SURROUND TO PITCHING EYE EXPOSED & NEW TIMBER WINDOW
FITTED. INSULATED DRY LINING CHAMFERED TO OUTSIDE EDGE OF BRICK SURROUND.
TIMBER SPREADER BELOW EXPOSED.

INSULATED DRY LINING TO EXISTING
225 mm THICK BRICK WALL.
BRICK ARCH & PITCHING EYE EXPOSED.

NEW PARTITION POSITIONED TO
AVOID BRICK ARCH.

NEW PITCHING
EYE.

EN-SUITE

BEDROOM 2

BRICK ARCH RETAINED & EXPOSED.
RECESSED INFILL PANEL.


NEW WINDOW.

NEW TIMBER FLOOR.

EN-SUITE

BEDROOM 1

SECTION SHOWING ARCH / PITCHING EYE TREATMENT 1:50



Title

Window Detail

Date

Scale

1:1

Drawn by



CHARLTONS
QUALITY INGRAINED
GATES AND FENCING



[Charltons](#)

[Info](#)

[News](#)

[Contact](#)

[FAQ](#)

[Log In](#)



Estate

[Home](#) / [Five Bar Gates](#) / [Estate](#)

> Ranges

> Courtyard Gates

> Five Bar Gates

> Pedestrian Gates

> Gate Fittings


> Fencing Products

> Landscape Products

Stockists

> Stockists Register

> Log In



Estate



An impressive entrance gate, with its extended curved hanging stile the classic design.

Category:
Five Bar Gates

Tags:
Driveway Gate, Entrance Gate, Iroko gate, Made in Britain, Softwood Gate

Description

Description