


APPENDIX 2: Images of great crested newts



Great crested newt
Triturus cristatus



♂ underside



♀



♂



♂ underside

Palmate newt
Triturus helveticus



♂ underside

Smooth newt
Triturus vulgaris



♂



♀


Guide to the *reptiles and* *amphibians of* *Britain and Ireland*



All approximately life size unless otherwise indicated




Common toad
Bufo bufo




right forefoot
of common toad

Natterjack
Bufo calamita



Green frogs:
Rana ridibunda/esculenta/
lessonae



Common frog
Rana temporaria



♂ breeding

Frog



Toad(s)



Common natterjack

Great crested newt



Smooth/Palmate







eggs and tadpoles shown approximately life size

FROGLife



FSC

APPENDIX 3: Photographs of Site



1. View eastwards across the modified neutral grassland.
2. View northwards across the site.
3. Building materials left on site.
4. Bare ground in eastern part of the site.
5. Species-poor modified neutral grassland dominated by spiny restharrow.
6. Tall ruderal vegetation along eastern and southern boundaries.
7. Mound vegetated with tall ruderal herb.
8. Temporary amphibian fencing around three sides of the site.
9. Damage to amphibian fencing.

Revision	Description	Amended by	Date



Project

Ash Road South, Wrexham Industrial Estate

Title

Photographic Annex

Drawg No

Scale	N/A	Date	21/08/15
Drawn by	KSt	Checked by	LG
		Authorised	LG

APPENDIX B: Target Notes

Target Notes Report

ASH ROAD SOUTH, WREXHAM INDUSTRIAL ESTATE

Target Note TN1

Tall ruderal with scattered scrub along the western boundary and majority of the southern boundary. Scrub is denser to the south. This vegetation is also present on an earth mound in the northwestern part of the site.

<i>Centaurea nigra</i>	Knapweed	A
<i>Cirsium arvense</i>	Creeping Thistle	F
<i>Leucanthemum vulgare</i>	Oxeye daisy	F
<i>Potentilla anserina</i>	Silverweed	F
<i>Rumex crispus</i>	Curled Dock	F
<i>Senecio erucifolius</i>	Hoary Ragwort	F
<i>Achillea ptarmica</i>	Sneezewort	O
<i>Carex flacca</i>	Glaucous Sedge	O
<i>Crataegus monogyna</i>	Hawthorn	O
<i>Daucus carota</i>	Wild Carrot	O
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	O
<i>Dysenterica pulicaria</i>	Fleabane	O
<i>Festuca rubra</i>	Red Fescue	O
<i>Filipendula ulmaria</i>	Meadowsweet	O
<i>Juncus inflexus</i>	Hard Rush	O
<i>Ononis spinosa</i>	Spiny Restharrow	O
<i>Petasites hybridus</i>	Butterbur	O
<i>Plantago lanceolata</i>	Ribwort Plantain	O
<i>Prunella vulgaris</i>	Selfheal	O
<i>Rubus fruticosus agg.</i>	Bramble	O
<i>Salix cinerea</i>	Grey Willow	O
<i>Urtica dioica</i>	Nettle	O
<i>Achillea millefolium</i>	Yarrow	R
<i>Buddleja davidii</i>	Buddleia	R
<i>Lathyrus pratensis</i>	Meadow Vetchling	R
<i>Lolium perenne</i>	Ryegrass	R
<i>Potentilla reptans</i>	Creeping Cinquefoil	R
<i>Rosa sp.</i>	Rose species	R
<i>Sonchus asper</i>	Prickly Sow-thistle	R
<i>Stachys sylvatica</i>	Hedge Woundwort	R
<i>Vicia sativa</i>	Common Vetch	R

Target Note TN2

Modified neutral grassland covering the majority of the site.

<i>Centaurea nigra</i>	Knapweed	A
<i>Potentilla anserina</i>	Silverweed	A
<i>Senecio erucifolius</i>	Hoary Ragwort	A
<i>Carex flacca</i>	Glaucous Sedge	F
<i>Daucus carota</i>	Wild Carrot	F
<i>Trifolium pratense</i>	Red Clover	F
<i>Agrimonia eupatoria</i>	Agrimony	O
<i>Carex otrubae</i>	False Fox-sedge	O
<i>Crataegus monogyna</i>	Hawthorn	O
<i>Cynosurus cristatus</i>	Crested Dog's-tail	O
<i>Cytisus scoparius</i>	Broom	O
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	O
<i>Epilobium hirsutum</i>	Great Willowherb	O
<i>Equisetum sp.</i>	Horsetail species	O

KEY - D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare

<i>Filipendula ulmaria</i>	Meadowsweet	O
<i>Holcus lanatus</i>	Yorkshire-fog	O
<i>Juncus effusus</i>	Soft Rush	O
<i>Juncus inflexus</i>	Hard Rush	O
<i>Leucanthemum vulgare</i>	Oxeye daisy	O
<i>Odontites verna</i>	Red Bartsia	O
<i>Ornithopus perpusillus</i>	Bird's-foot	O
<i>Plantago lanceolata</i>	Ribwort Plantain	O
<i>Rubus fruticosus</i> agg.	Bramble	O
<i>Trifolium dubium</i>	Lesser Trefoil	O
<i>Vicia hirsuta</i>	Hairy Tare	O
<i>Blackstonia perfoliata</i>	Yellow-wort	R
<i>Mentha aquatica</i>	Water Mint	R
<i>Phleum pratense</i>	Timothy	R
<i>Quercus</i> sp.	Oak species	R
<i>Rosa</i> sp.	Rose species	R

Target Note TN3

Poor modified neutral grassland in the eastern part of the site dominated by spiny restharrow.

<i>Ononis spinosa</i>	Spiny Restharrow	D
<i>Carex flacca</i>	Glaucous Sedge	O
<i>Cytisus scoparius</i>	Broom	O
<i>Daucus carota</i>	Wild Carrot	O
<i>Salix cinerea</i>	Grey Willow	O
<i>Senecio erucifolius</i>	Hoary Ragwort	O

KEY - D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare