


A DEE KAY JOINERY LIMITED

Susie Trow
Wrexham
Baptist Church
New Road
Wrexham

QUOTATION

Reference	Chapel
Date of Quotation	25 June 2013
Validity	90 days

Item (sizes)	Description	Qty	Unit Cost	Total Cost
Screen - (A) Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 clear planitherm argon filled thermo bar U-value=1.42 95.66 kg	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)	1	-	-



Carried Forward

Susie Trow Wrexham Baptist Church New Road Wrexham

Reference Date of Quotation Vaidity

Item (sizes)

Description

DEE Y JQINERY

QUOTATION

Chapel 25 June 2013 90 days

Unit Cost

4-124 clear planilherrn argon thermo bar

Screen Casement Storm Casement with Friction Hinges Timber Type: ldigbn (560Kglm3)

Carried Forward

Total Cost

Page 1 of 4

Item (sizes)	Description	Qty	Unit Cost	Total Cost
Brought Forward				
Screen - (D)		1		
	Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 obsc planitherm argon filled thermo bar 4-12-4 obsc tough planitherm argon filled thermo bar U-value=1.46 141.28 kg			
	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)			
Screen - (E F)		2		
	Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 clear planitherm argon filled thermo bar 4-12-4 clear tough planitherm argon filled thermom bar U-value=1.74 144.64 kg			
	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)			
Screen - (G I)		2		
	Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 clear planitherm argon filled thermo bar U-value=1.46 135.72 kg			
	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)			
Carried Forward				

Item (sizes) Description Qty Unit Total Cost Cost

Brought Forward

Screen (D) 1 Stormproof Frame Timber Type: Idigbo (öSDKQImB)

2-4 obsc planithenn argon filled thermo bar 4-12-4 obsc tough planiftherm argon filled thermo bar U-value=1 .46

141.28 kg

1323mm Screen Casement

Storm Casement with Friction Hinges Timber Type: Idigbo (560Kglm3)

E E g ä

Screen (E F) 2 r* Stormproof Frame

Timber Type: Idigbo (560Kglm3)

2-4 clear planithenn argon filled thermo bar

4-12-4 clear tough planitherm argon ihermom bar .74 144.64 kg

Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kglm3)

E E æ ä

Screen (G I) 2 .h ____ Stnrmproof Frame

Timber Type: Idigbn (560Kg/m3)

4-12-4 clear planiitherm argon filled thermo bar

135.72 kg

914mm Screen Casement



' Storm Casement with Friction Hinges

Timber Type: Idigbo (560Kglm3)

E E (D ä

Carried Forward

Page 2 of 4

Item (sizes)	Description	Qty	Unit Cost	Total Cost
Brought Forward				
Screen - (H) Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 clear planitherm argon filled thermo bar 4-12-4 obsc tough planitherm argon filled thermo bar U-value=1.60 210.00 kg		1		
	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)			
Screen - (FRONT DOOR) External Screen Timber Type: Idigbo (560Kg/m3) 4-12-4 clear tough planitherm argon filled thermom bar 153.07 kg		1		
	Door 57mm door Timber Type: Idigbo (560Kg/m3)			
Screen - (GARAGE) Garage Window Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 clear planitherm argon filled thermo bar U-value=1.49 62.09 kg		1		
	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)			
Carried Forward				

Item (sizes)	Description	Qty	Unit Cost	Total Cost
Brought Forward				
Screen - (BACK DOOR)		2		
	Back door and Garage door Barn Screen Timber Type: Idigbo (560Kg/m3) 149.60 kg			
	Door 57mm door Timber Type: Idigbo (560Kg/m3)			
Screen - (B C)		2		
	Stormproof Frame Timber Type: Idigbo (560Kg/m3) 4-12-4 clear planitherm argon filled thermo bar 4-12-4 clear tough planitherm argon filled thermom bar U-value=1.69 163.70 kg			
	Screen Casement Storm Casement with Friction Hinges Timber Type: Idigbo (560Kg/m3)			
VAT @ 20%				
Total				

Total Weight 1255.77 kg

NOTES:

Diagrams of windows, doors and frames indicate style viewed from the outside and do not reflect size.

Yours sincerely

Item (sizes)	Description	Qty	Unit	Total	Cost	Cost
--------------	-------------	-----	------	-------	------	------

Brought Fomard						
----------------	--	--	--	--	--	--

Screen (BACK DOOR) 2	Back door and Garage door Barn Screen					
----------------------	---------------------------------------	--	--	--	--	--

Timber Type: Idigbo (560Kglm3)	149.60	kg				
--------------------------------	--------	----	--	--	--	--

950mm DOOF						
------------	--	--	--	--	--	--

57mm door Timber Type: Idigbo (560Kglm3)						
--	--	--	--	--	--	--

E E S E

Screen (B C) 2	Stormproof Frame					
----------------	------------------	--	--	--	--	--

Timber Type: Idigbo (560Kglm3)						
--------------------------------	--	--	--	--	--	--

4-12-4	dear plan'rtherrn argon ñilled thermo bar					
--------	---	--	--	--	--	--

4-12-4	clear tough planitherm argon ñiled thermom bar	163.70	kg			
--------	--	--------	----	--	--	--

1220mm	Screen Casement					
--------	-----------------	--	--	--	--	--

Storm Casement with Friction Hinges	Timber Type: Idigbo (560Kglm3)					
-------------------------------------	--------------------------------	--	--	--	--	--

E E 'i ä l						
------------	--	--	--	--	--	--

E						
---	--	--	--	--	--	--

VAT @ 20%						
-----------	--	--	--	--	--	--

Total						
-------	--	--	--	--	--	--

Total Weight	1255.77	kg				
--------------	---------	----	--	--	--	--

NOTES:

Diagrams of windows, doors and frames indicate styie viewed from the outside and do not reñect size.

Yours sincerely

Page 4 of 4