

MEMORANDUM



From: Ian Jones Public Protection
Service Manager

To: David Williams Planning
Control Manager

Our Ref:

Your Ref: P/2021/0612

Date: 13-07-2021

Town and Country Planning Act 1990

Town and Country Planning (General Development Procedure) Order 1996

Re: P/2021/0612, THE NURSERIES SCHOOL LANE BRONINGTON WREXHAM

**NEWID DEFNYDD ADEILAD I GAMPFA (DOSBARTH DEFNYDD D1) / CHANGE
OF USE OF BUILDING TO GYM (CLASS D1 USE)**

01 - MUSIC NOISE CONDITION

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LAeq) emanating from the application site, as measured 1 metre from any façade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 3dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place.

The unweighted equivalent noise level (Leq) in the 63Hz Octave band, measured using the 'fast' time constant, inside any living room of any noise sensitive premises, with the windows open or closed, over any 5 minute period with entertainment taking place, shall show NO increase as compared to the same measure, from the same location(s), and over a comparable period, with no entertainment taking place.

.....
Head of Planning and Regulatory