



Notes

Hardstanding 3.0x6.0m
Drop kerb required
Install ACO drain
Install soakaway in grass area
Remove the brick wall for driveway access

KEY

- Precast Concrete BN Kerb 125 x 150mm
- Precast Concrete DL1/DR1 Kerb
- Precast Concrete HB2 Kerb

HARDSTANDING SPECIFICATION

Surface Course, Dense Bitumen Macadam, 10mm nominal size, depth 40mm
Binder Course, Dense Bitumen Macadam, 20mm nominal size, depth 60mm
Sub-base, Granular Sub-base Type 1, depth 300mm

FOOTPATH SPECIFICATION

Surface Course, Dense Bitumen Macadam, 10mm nominal size, depth 20mm
Binder Course, Dense Bitumen Macadam, 20mm nominal size, depth 60mm
Sub-base, Granular Sub-base Type 1, depth 150mm

All setting out to be agreed with WCBC prior to commencing works on site



Wrexham
Council

WREXHAM COUNTY BOROUGH COUNCIL

Housing Services,
Housing and Public Protection Department,
Ruthin Road,
Wrexham,
LL13 7TU

Tel: (01978) 315300 Fax: (01978) 315355

Project: 24 Nant Y Gaer Road, Llay, Wrexham,
Wales, LL12 0SH

Detail: Proposed driveway and drop kerb

Drawn By: RS	Date: July 2021	Checked By:
Scale: NTS	Project No: ??????	Dwg No: 01
		Rev: Preliminary