




DUE TO THE NEED FOR OFF SITE SEWER WORKS IT IS STRONGLY ADVISED THAT THESE INVESTIGATIONS ARE UNDERTAKEN PRIOR TO ANY CONSTRUCTION ON SITE TO ALLOW DESIGN CHANGES TO BE MADE.



REFA WILL NOT BE HELD RESPONSIBLE FOR ANY ABBOTWICK WORKS IF THIS PROCEDURE IS NOT FOLLOWED



SODAKAWA ARE SIZED BASED ON AREA DRAINING AND A DEPTH OF 2/3" FROM COVER LEVEL TO INVERT LEVEL. PLEASE NOTE THAT THE COVER LEVEL OF 10000' AND INVERT OF 7800' SODAKAWA ARE DESIGNED TO CATER FOR 1 IN 100 YEAR + 30% CC.

CONTRACTOR / CONSULTANT TO ENSURE THAT SODAKAWA CONSTRUCTION IS IN ACCORDANCE WITH MATERIAL BASED OF SODAKAWA A MINIMUM 10' ABOVE THE WATER TABLE LEVEL. IF IN DOUBT REVEAL BACK TO CLIENT / REFAIR FOR FURTHER GUIDANCE.

ALWAYS REMAIN AT LEAST 5' CLOSER THAN 5' FROM ANY EXISTING OR PROPOSED BUILDING FOUNDATION.

[illegible]