

Maes Y Ffynnon,
Penrhosgarnedd,
Bangor,
Gwynedd
LL572DW

Wrexham County Borough Council,
The Guildhall,
Wrexham,
LL11 1AY

ebost/email:
northplanning@cyfoethnaturiolcymru.gov.uk

31/03/2021

Annwyl Syr/Madam / Dear Sir/Madam,

BWRIAD / PROPOSAL:

LLEOLIAD / LOCATION: BANK COTTAGES WATERLOO PLACE, WELL ST, CEFN MAWR, WREXHAM LL14 3AS

We have no objection to the proposed development as submitted and provide the following advice.

Protected Sites

We note the application site is within the catchment of the River Dee and Llyn Tegid Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphate levels for all river SACs across Wales. As part of this package, we issued a [Planning Position Statement, in which](#) we advised that any proposed development that might increase the amount of phosphate within a river SAC catchment could lead to damaging effects to the SAC. Therefore, such proposals should be screened through a Habitats Regulations Assessment (HRA), to determine whether they are likely to have a significant effect on the SAC. We also issued [Interim Planning Advice](#), which gives specific advice in respect of foul drainage arrangements for new developments.

We note from the information submitted, the creation of a bungalow, that the development has the potential to increase the volume or concentration of wastewater and associated phosphate levels being discharged from the site. As such, we refer you to our [Interim Planning Advice](#) and confirm that provided this guidance is followed and you are able to conclude that the development is not likely to have a significant effect on the SAC, we have no objection to the proposal. However, should you conclude that the proposed development is likely to have a significant effect on the SAC, please consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

Advice for the Developer

Landfill

According to our records the proposed development site is located near to land that is, or has been, used for the deposition of waste material (Druids United FC). We would therefore advise you to consult with the local authority's Environmental Health and Building Control Departments, as they may hold detailed records, and may wish to make appropriate recommendations in respect of landfill gas investigation/remedial work. The developers should be made aware of the existence of the landfill site(s) so that they can decide whether or not to make their own investigations into the presence of landfill gas. It should also be noted that Waste Management Paper 27 states "It has been found that many sites which have taken only supposedly 'inert' waste have produced gas".

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully

Rhys Jones

Cynghorydd - Cynllunio Datblygu / Advisor - Development Planning
Cyfoeth Naturiol Cymru / Natural Resources Wales