



ARBOR VITAE

ECOLOGY • FORESTRY • LAND USE



REVISION 'A' NOV 2020

PRELIMINARY ECOLOGICAL ASSESSMENT

MAELOR FOREST NURSERIES

1



ARBOR VITAE

ECOLOGY • FORESTRY • LAND USE

Contents

1	INTRODUCTION	3
1.1	BACKGROUND TO DEVELOPMENT	3
1.2	PROPOSED WORKS.....	3
1.3	SCOPE OF SURVEY	3
1.4	KEY PRINCIPLES	4
2	SITE DESCRIPTION	4
2.1	LOCATION, LANDSCAPE AND BACKGROUND	4
3	SURVEY METHODOLOGY	5
3.1	DESK STUDY	5
3.2	SITE SURVEY	5
3.3	PERSONNEL	6
3.4	CONSTRAINTS.....	6
4	SURVEY RESULTS	6
4.1	DESK STUDY	6
4.2	HABITATS ON SITE	7
4.3	ADJACENT HABITATS	8
4.4	PROTECTED AND PRIORITY SPECIES	8
5	EVALUATION OF RESULTS AND POTENTIAL ECOLOGICAL IMPACT	9
5.1	HABITAT ASSESSMENT	9
5.2	PROTECTED SPECIES ASSESSMENT.....	9
5.3	IMPACT ON NEARBY SITES OF ECOLOGICAL IMPORTANCE	10
6	MITIGATION AND ENHANCEMENT	10
6.1	HABITAT MITIGATION	10
6.2	PROTECTED SPECIES MITIGATION.....	10
7	SUMMARY AND CONCLUSION	11
	REFERENCES.....	13
	FIGURE 1 LOCATION. 1:50,000.....	14
	FIGURE 2 AERIAL PHOTOGRAPH	15
	FIGURE 3 SITE PLAN	16
	APPENDIX 1 PHOTOGRAPHS	17

1 INTRODUCTION

1.1 BACKGROUND TO DEVELOPMENT

Arbor Vitae were commissioned to carry out a Phase One Habitat Survey, including a Protected Species survey, of an area of land at Fields Farm, the base of Maelor Nurseries. The nursery produces forest trees and requires additional sorting, handling and packing facilities for which planning consent is required.

The construction of the new building has the potential to disturb protected species, if present, and therefore Arbor Vitae were commissioned by Roger Parry and Partners to undertake a Preliminary Ecological Appraisal.

This report presents the results of a field survey carried out on 23 July 2020. A report produced in August 2020 has been revised to reflect changes to the proposals.

1.2 PROPOSED WORKS

The proposals include the construction of a new building as a handling and sorting facility for trees. The site adjoins the existing buildings and occupies an area currently in use as a nursery bed for young trees.

1.3 SCOPE OF SURVEY

The survey is primarily designed to:

- Identify and record habitats and important ecological features on site;
- Evaluate the potential of the proposed development site to provide opportunities for protected species;
- Determine any likely impact which the development and landscape proposals may have on these.

The nature of the immediate and surrounding habitat indicated that the following species could theoretically be affected by physical disturbance of habitats.

Protected or key species potentially affected:

- Badgers
- Bats

- Breeding birds
- Great crested newts

This report sets out the results of the field surveys and desk study, along with an assessment of potential ecological impacts of the construction of the new building.

1.4 KEY PRINCIPLES

All ecological surveys conducted by Arbor Vitae Environment Ltd are underpinned by the following key principles, as outlined by CIEEM (2018):

Avoidance - Seek options that avoid harm to ecological features (for example, by locating on an alternative site).

Mitigation - Adverse effects should be avoided or minimized through mitigation measures, either through the design of the project or subsequent measures that can be guaranteed – for example, through a condition or planning obligation.

Compensation - Where there are significant residual adverse ecological effects despite the mitigation proposed, these should be offset by appropriate compensatory measures.

Enhancements - Seek to provide net benefits for biodiversity over and above requirements for avoidance, mitigation or compensation.

2 SITE DESCRIPTION

2.1 LOCATION, LANDSCAPE AND BACKGROUND

The proposed construction site will occupy an area of field which, currently, is intensively managed as nursery beds for young forest trees. The field is regularly cultivated and is maintained to a high level of cleanliness in terms of weed growth.

The site as a whole is flat and low lying within the basin which includes the Whixall Moss complex, the edge of which lies 700 metres to the south east of the study site. The original farm hedgerow network still sub-divides the tree production areas.

3 SURVEY METHODOLOGY

3.1 DESK STUDY

An initial desk study was carried out to gain background information regarding protected species or designations within the area. The main sources of information were MagicMap and NBN Atlas.

3.2 SITE SURVEY

A site visit was made on 23rd July 2020. The survey was carried out in accordance with CIEEM (2017) best practice guidelines. The objective of the survey was to find and record any signs of use by protected species and to note the habitat features present.

An assessment of the available habitats both on and adjacent to the site led to consideration of the potential of the site for the following protected species:

- Badgers
- Bats
- Breeding birds
- Great crested newts

The survey methodology was tailored to evaluate the area for these species in the following ways:

Badger

An area within 50 meters of the site was closely searched for the following signs of badger activity:

- Setts
- tracks and footprints
- latrines
- snuffle holes

Bats

Potential roosting features on site were noted and the site was assessed in terms of nearby connecting habitat and other features which could be of value to bats.

Breeding birds

The site was assessed in terms of its suitability to support breeding bird populations. Hedgerow habitat and nearby potential habitat were assessed and recorded.

Great crested newts

Map and ground searches were made for any areas of open water within 250 metres of the construction site. These were assessed for their suitability as breeding sites for great crested newts using the Habitat Suitability Index.

3.3 PERSONNEL

The survey was carried out by Will Prestwood BSc, an experienced ecologist.

3.4 CONSTRAINTS

There were no constraints on the survey being carried out according to accepted guidelines and standards.

4 SURVEY RESULTS

4.1 DESK STUDY

The desk study found that within 2km of the site there were three nationally designated sites:

The nearest site of ecological importance is:

Fenns, Whixall, Bettisfield, Wem and Cadney Moss SSSI. Much of this is also a National Nature Reserve and part of the wider Ramsar designation which covers Shropshire Meres and Mosses. This site is within 190 metres of the edge of the study site.

The search included Ramsar, SSSI, SAC, SPA, LWS and LNR.¹

¹ **SSSI**: Site of Special Scientific Interest, **SAC**: Special Area of Conservation, **SPA**: Special Protection Area, **LWS**: Local Wildlife Site **LNR**: Local Nature Reserve.

Results from the desk study revealed that within a 1km radius of the proposed development site the following protected and key species have been recorded:

- *Water vole*
- *Great crested newt*
- *A large range of amber and red-listed bird species, largely associated with Fenn's Moss*

4.2 HABITATS ON SITE

All habitats are classified using JNCC's Phase 1 Habitat Survey Handbook (JNCC, 2010). The survey included one field (see Figure 2) which may be affected by the proposals.

Arable land

All adjacent land is in intensive use as seed beds or nursery beds. This habitat has very low ecological value.

Hedgerows (see Figure 2 for location)

Two hedgerows bound the site area:

Hedge 1	Mixed hedge with hawthorn, hazel, holly, beech	3 mature oak
Hedge 2	Conifer hedge	

The ground flora of all hedges on the site and on adjacent land is poor due to intensive management in adjacent fields.

Many of the hedges on the nursery as a whole provide valuable bird nesting habitat and a network of habitat along which other species can migrate.

Mature trees

Three mature oak trees exist in Hedge 1 on the edge of the site on the edge of the site.

4.3 ADJACENT HABITATS

Standing water

Three ponds are situated within 250 metres of the proposed building. Pond 1 is an artificial reservoir which is in constant use for irrigation of nursery beds.

Pond 2 is also an artificial pond constructed to impound run-off and drainage waters. This has the appearance of a more mature pond with aquatic vegetation and marginal vegetation. Security fencing prevented close inspection.

Pond 3 lies within a small group of trees on the edge of the site. This is entirely shaded by trees, extremely anaerobic and devoid of aquatic vegetation.

4.4 PROTECTED AND PRIORITY SPECIES

Badgers

There were no field signs to suggest that badgers use the area and there are no historic records of badger within 1km of the site.

Bats

The mature hedgerows within and around the fringes of the site offer commuting and foraging opportunities for bat species in the landscape. Although a number of mature trees within the wider landscape appear to offer features which bats could exploit as roosting features (including broken branch stubs and loose bark), the three oak trees near to the construction site do not provide such features.

Breeding birds

The site itself is highly unlikely to be used by breeding birds. Few species were recorded on the survey although the dense hedgerows within the nursery as a whole do provide good potential nesting habitat. Species recorded included dunnock, wren, blackbird, yellowhammer and chaffinch.

Great crested newts

A Habitat Suitability Index was calculated to assess the potential of Ponds 2 and 3 to support GCN. The reservoir was not assessed.

The HSI score for Pond 2 was 0.78 indicating that the pond holds below 'good' potential for GCN.

The HSI score for Pond 3 was 0.53 indicating that the pond holds below 'below average' potential for GCN.

5 EVALUATION OF RESULTS AND POTENTIAL ECOLOGICAL IMPACT

5.1 HABITAT ASSESSMENT

Arable land

The intensively managed nursery area has little intrinsic ecological interest and the loss of a small area for building construction will have negligible ecological impact.

Hedgerows

Hedgerows are considered to be UK Biodiversity Action Plan (BAP) priority habitat. The construction of the unit will not result in any native hedgerow loss.

Mature trees

The mature trees on the edge of the site are important landscape features and also provide potential nest sites for birds. These trees will be retained.

5.2 PROTECTED SPECIES ASSESSMENT

Badger

The survey revealed no signs of use by badger and there are no historic records of badger at the site. No impact on this species is predicted.

Bats

Any increase in external illumination may have an impact on nocturnal wildlife including bats. These may use the hedgerow network for foraging and the value of these habitats may be reduced if external lighting increases.

Breeding birds

The timing of works will be critical in ensuring that birds using nearby hedgerows are not disturbed when nesting.

Great crested newts

The HSI score of 0.78 indicates that Pond 2 has 'good' potential to support GCN.

The cultivated area to be occupied by the building provides sub-optimal habitat for GCN, although hedgerows may harbour GCN and provide foraging areas and hibernation sites.

The risk to GCN is regarded as negligible but, in order to remove any residual risk, work will be carried out under a Reasonable Avoidance Measures Method Statement.

5.3 IMPACT ON NEARBY SITES OF ECOLOGICAL IMPORTANCE

Fenn's, Whixall and Bettisfield Moss lies 700 metres to south the east of the study site. The construction of the building is unlikely to have any impact of this site as long as there is no impact on ground water levels or quality of surface waters flowing towards the Moss.

6 MITIGATION AND ENHANCEMENT

6.1 HABITAT MITIGATION

There will be no loss of any habitat of ecological interest and no mitigation will be required.

6.2 PROTECTED SPECIES MITIGATION

Bats

Hedgerows on the fringes of the site will be encouraged to grow in height in order to improve visual screening of the site. This will benefit bats in providing richer foraging routes.

The opportunity should also be taken to improve roosting opportunities for bats by erecting bat boxes in mature oak trees on the fringes of the site.

Breeding birds

Hedgerow management will again benefit a range of bird species, notably winter visitors benefitting from an increased source of food.

The opportunity should also be taken to improve nesting opportunities for birds by erecting bird nest boxes in mature oak.

Great crested newts

As a basic precaution, RAMS should be adopted to ensure that no GCN are accidentally harmed. RAMS include:

- A toolbox talk to contractors concerning the procedures to follow
- Search by an ecologist of any possible hibernation or resting sites for GCN
- Covering of any trenches or excavations at night
- Storage of building materials on pallets so as to avoid creating GCN refuges.

7 SUMMARY AND CONCLUSION

A planning application will be submitted to construct a new plant handling shed at Maelor Forest Nurseries. A Preliminary Ecological Assessment has been carried out of that part of the site which will be used for the new facilities.

The building will occupy an area of intensively managed, cultivated land used for tree production and, as such, is of minimal ecological interest.

The nursery as a whole is divided by hedgerows, some in good condition with a range of mixed, native species and some in poorer condition with large gaps. Two hedgerows bound the construction site, one being a mixed native hedge and one a conifer hedge. Three mature oak trees lie within one hedgerow on the edge of the site. Hedgerows and trees will be retained.

Hedgerows provide a valuable foraging area for bats and breeding site for nesting birds. Their value could be compromised by increased external lighting and this needs to be designed to avoid increased illumination of these features.

The proximity of the important wetland SSSI, Fenn's, Whixall and Bettisfield Moss 700 metres to the east of the site is unlikely to be affected by the proposals.

An assessment was made of the potential of the site to support protected species.

There is no evidence of badgers using the site. Bats may use hedgerows and tree lines along which to forage. Breeding bird numbers are probably low although two

Amber listed species were recorded: yellowhammer and dunnoek. There will be no loss of hedgerows and no impact on nesting birds is predicted, although timing of works is important to avoid disturbance to birds during the nesting season.

Three ponds were surveyed on or near the site. Of these, Pond 2 shows 'average' suitability to support great crested newts. However, the proposed site for the building occupies land which is sub-optimal habitat for GCN and the risk to this species is regarded as negligible. In order to avoid any residual risk, works will proceed using Reasonable Avoidance Measures.

Mitigation for protected species will involve avoidance of external illumination or design of a wildlife-friendly lighting scheme. Further biodiversity gain will be achieved through erection of bat and bird boxes.

Given the low ecological value of much of the nursery, coupled with appropriate mitigation and biodiversity enhancements, it is likely that the overall ecological impact of the proposals will be minor.

REFERENCES

Bat Conservation Trust (2018) Bats and artificial lighting in the UK. *Bats and the Built Environment series*, Guidance Note 08/18. Institution of Lighting Professionals.

CIEEM (2017) Guidelines for Preliminary Ecological Appraisal, 2nd edition. Chartered Institute of Ecology and Environmental Management, Winchester.

CIEEM (2018) Guidelines for Ecological Impact Assessment in the UK and Ireland: Terrestrial, Freshwater, Coastal and Marine. Chartered Institute of Ecology and Environmental Management, Winchester.

Hundt L (2012) Bat Surveys: Good Practice Guidelines, 2nd edition, Bat Conservation Trust.

JNCC (2010) Handbook for Phase 1 habitat survey - a technique for environmental audit, ISBN 0 86139 636 7.

Baker Consultants (2018) Land to the north of Glanmyddyfi, Pentrefelin, Carmarthenshire Ecological Appraisal.

FIGURE 1 LOCATION. 1:50,000



FIGURE 2 AERIAL PHOTOGRAPH



FIGURE 3 SITE PLAN



APPENDIX 1 PHOTOGRAPHS

 A wide-angle photograph showing a large, flat, green field under a cloudy sky. In the foreground, there is a dirt path or road with tire tracks. The field appears to be a nursery or agricultural site.	GENERAL VIEW OVER NURSERY
 A photograph of a pond surrounded by dense vegetation. The water is calm, reflecting the sky. The surrounding area is filled with tall grasses and shrubs.	POND 2
 A photograph of a pond, heavily shaded by overhanging tree branches and dense green foliage. The water is still, reflecting the surrounding greenery.	POND 3

