



WELSH WATER NOTE:

THE DEVELOPER MUST SELF-VET AND CERTIFY THAT THE DESIGN CRITERIA, MATERIAL STANDARDS AND WORKMANSHIP SPECIFICATIONS FOR THE PROPOSED ADAPTABLE SEWERS CONFORM WITH PART E OF SEWERS FOR ADOPTION 7TH, THE WELSH MINISTERS STANDARDS AND THE REQUIREMENTS OF DCWW AS THE STATUTORY SEWERAGE UNDERTAKER

SUBJECT TO A SECTION 104 ADOPTION AGREEMENT BEING COMPLETE, A SECTION 106 APPLICATION TO CONNECT MUST BE MADE TO DCWW. THE DEVELOPER SHALL GIVE 21 DAYS NOTICE PRIOR TO CONNECTION. THE WORKS MAY ONLY BE UNDERTAKEN BY AN SSP HEALTH & SAFETY TRAINED CONTRACTOR

THE ADAPTABLE MATERIALS AND WORKMANSHIP CONFORM TO PART E OF "SEWERS FOR ADOPTION" 7th EDITION

CONTRACTOR TO ENSURE THAT THE UPVC PIPES MEET WELSH WATER ADAPTABLE STANDARDS.

EXAMPLES:

POLYPIPE RIGID DRAIN: DOES NOT COMPLY

POLYPIPE RIGID-SEWER DOES COMPLY

PIPES TO BE LAID IN 3m Lengths, OR 10 X DIAMETER

Title			
DRAINAGE LAYOUT SECTION 104			
DRAWING NUMBER	SCALE	1:400	@ A1
1437/21	DATE	18-02-19	REVISION
	DRAWN	A.K	E
	CHECKED	A.K	