

Cerys Jones

From: Mark Walters <Mark@cpat.org.uk>
Sent: 31 July 2017 10:11
To: planning_admin
Subject: P/2017/0582 Iscoyd Park, Hall Green, Iscoyd - Approval of Details - Condition 6 Photo Survey

Dear Sir or Madam

Thank you for the consultation on this approval of details application.

I write to confirm that the details in the pdf report on the planning portal would be sufficient to discharge this condition. To fully comply with the condition a high resolution PDF of the report needs to be sent direct to me and a copy sent to the Historic Environment Record via chrismartin@cpat.org.uk. The original full resolution camera files also need to be sent to the HER on a CD accompanying the PDF report. I would be grateful if you could forward this information to the applicant/agent.

Kind regards

Mark Walters

Mark Walters
Development Control Archaeologist / Swyddog Rheoli Datblygiad

Ffôn / Tel: 01938 553670

E-bost / E-mail: markwalters@cpat.org.uk

Ymddiriedolaeth Archaeolegol Clwyd-Powys, 41 Stryd Lydan, Y Trallwng, SY21 7RR Swyddfa Gofrestredig fel yr uchod. Rhif Cwmni 1212455, Rhif Elusen 508301, Sefydliad Cofrestredig IfA, Rhif 6.

Clwyd-Powys Archaeological Trust, 41 Broad Street, Welshpool, SY21 7RR Registered Office as above. Company No 1212455, Charity No 508301. Chartered Institute for Archaeologists Registered Organisation No 6.

Please note that I do not work Fridays