



Envirocheck[®] Report:

Flood Screening Report Datasheet

Order Details:

Order Number:

66214459_1_1

Customer Reference:

835/SBC1043/EH

National Grid Reference:

329060, 344950

Slice:

B

Site Area (Ha):

21.17

Search Buffer (m):

1000

Site Details:

The Grange
Plas Bennion Road
Wrexham
Clwyd
LL14 1TP

Client Details:

P Coulson
Sirius Geotechnical & Environmental Ltd
4245 Park Approach
Thorpe Park
Leeds
LS15 8GB

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer(s) selected. For ease of reference, the report is broken down into seven sections of data.	
EA / NRW / CEH Flood Data	1
This section details data from the Environment Agency/Natural Resources Wales and the Centre for Ecology and Hydrology. The EA/NRW data is reported to a distance of 250m from the edge of the site polygon and details both Zone 2 (extreme) and Zone 3 flood extents, as well as flood defences, flood water storage areas and areas benefiting from flood defences. The CEH data is reported to a distance of 250m from the edge of the site polygon and covers flood data for Scotland, divided into levels based on the frequency and magnitude of a predicted 100 year term. All data sets within this section are plotted and feature on the EA / NRW / CEH Flood Data (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
JBA Flood Data	2
This section contains the Comprehensive Flood Map ("CFM") data from JBA Risk Management Limited. The data is based upon the likelihood of a flood occurrence for up to 4 flood return periods depending on the type of flooding; these being 75 years, 100 years, 200 years and 1000 years. Each layer being modelled at a 5m cell resolution. Each return period is depicted on a separate 1:10,000 scale map and reports features to a distance of 250m in the datasheet from the edge of the site polygon. For each return period the following three sources of flooding are identified, surface water or pluvial flooding, undefended river flooding or fluvial flooding and undefended coastal flooding. In each case the extent of the flooding source is displayed with the associated depth range. In addition, a 1:10,000 scale map depicting flooding from a Canal Failure and a coverage check for this dataset is included. Where coverage exists, information is reported in the datasheet where the site could be affected by flooding that results from a dam breach. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
BGS Flood Data	3
This section contains two BGS data sets; namely Geological Indicators of Flooding and Groundwater Flooding Susceptibility, both of which report features out to a possible 1000m, with coverage in England, Wales and Scotland. Each data set is plotted on a separate BGS Flood Data (1:50,000) map.	
ESI Groundwater Flood Data	9
This section contains data provided by ESI who, building on their expertise, have developed algorithms and calibrated predictions of the risk of groundwater flooding occurring in Great Britain. The resulting map, classifies groundwater flood risk for each 50m x 50m into four categories, negligible, low, moderate and high. These classifications are based on the level of risk, combining severity and uncertainty that a site will suffer groundwater flooding within a return period of about 200 years.	
EA/NRW Detailed River Network Data	10

This section details 3 sources of data that depict and detail the river network of England and Wales, captured primarily from the water features theme of Ordnance Survey's OS MasterMap Topography Layer.

The DRN Lines data set details all the types of rivers, drains and streams which can be found in England and Wales.

The DRN Nodes data set details the river, drain and stream node intersections which divide the detailed river network data. All nodes are defined as being one of the following: A source, sink, junction, or pseudo node, interactions or not assigned.

The DRN Offline Drainage dataset details water features from OS MasterMap that do not connect into the river network and are generally limited in length.

All data sets within this section are plotted and feature on the EA/NRW Detailed River Network (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.

EA/NRW Historic Flood Events Data

-

This section details Historic Flood data sourced from the Environment Agency/Natural Resources Wales and from data held by Landmark. The EA/NRW Historic Flood Events data is reported to a distance of 1000m from the edge of the site polygon and details recorded historic flood events from 1703 to October 2008. The data also contains information on the source and cause of the flood, and how the flood outline was established.

Also included in this section is Landmark's Historical Flood Liabilities data set, which identifies areas that are liable to flood based on systematic analysis of historical mapping dating back to the mid 19th century.

Both data sets within this section are plotted and feature on the EA/NRW Historical Flood (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.

EA/NRW RoFRS Data

12

This section details the Risk of Flooding from Rivers and Sea (RoFRS) data sourced from the Environment Agency/Natural Resources Wales and is reported to a distance of 1000m from the edge of the site polygon. The RoFRS data provides an indication of areas of land at risk of flooding from rivers and the sea. These areas of land, called impacted cells, are represented as 50 metre squares, or smaller areas where a square is intersected by a river or coastline.

The average height information of the impacted cell, modelled river and sea levels and information about over 200,000 flood defences are used as inputs to a computer flood model run by the Environment Agency/Natural Resources Wales. The model compares the probability that the flood defences will overtop or breach and the distance of the impact cell from the river or the sea for 40 scenarios for probabilities of between 100% to 0.1%.

The results are then consolidated to calculate a single probability category for each impacted cell. These results have been validated by local staff using their local knowledge and expertise. RoFRS is a national flood risk assessment and does not contain information about property thresholds. Due to variations in the input data and the performance of the computer flood model at particular locations, the resulting category of an impacted cell should only be used at a specific study scale. In certain areas it would only be appropriate to compare risks between towns and counties whereas in other areas they would be more suitable for understanding risk at a street level. The level of suitability for a particular cell is indicated by the cell's suitability scale.

The data within this section is plotted and feature on the EA/NRW RoFRS Data (1:50,000) map. This dataset is not available in Scotland.

Flood Insurance Risk Data

21

This section contains flood risk data from Crawford and Company. This dataset is not plotted on any of the associated Flood maps.

Crawford & Co have generated an Insurance Claims rating for Flood Risk. The risk is determined by comparing the number of flood insurance claims made to the number of properties in the postcode sector. The data will also include flood claims from domestic accidents or blocked drains, as well as flooding from river or tidal events. Flood insurance claim ratings are reported for the site only.

Data Currency

22

Data Suppliers

24

Useful Contacts

25

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
EA / NRW / CEH Flood Data					
Extreme Flooding from Rivers or Sea without Defences	pg 1	1		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 1		1	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
JBA Flood Data					
JBA 75 Year Return (undefended) - Pluvial				n/a	n/a
JBA 75 Year Return (undefended) - Fluvial	pg 2		1	n/a	n/a
JBA 75 Year Return (undefended) - Coastal				n/a	n/a
JBA 100 Year Return (undefended) - Fluvial	pg 2		1	n/a	n/a
JBA 100 Year Return (undefended) - Coastal				n/a	n/a
JBA 200 Year Return (undefended) - Pluvial				n/a	n/a
JBA 200 Year Return (undefended) - Fluvial				n/a	n/a
JBA 200 Year Return (undefended) - Coastal				n/a	n/a
JBA 1000 Year Return (undefended) - Pluvial				n/a	n/a
JBA 1000 Year Return (undefended) - Fluvial				n/a	n/a
JBA 1000 Year Return (undefended) - Coastal				n/a	n/a
JBA Canal Failure					
JBA Dam Break	pg 2		1		
BGS Flood Data					
BGS Geological Indicators of Flooding	pg 3		2		1
BGS Groundwater Flooding Susceptibility	pg 3	8	13	22	79
ESI Groundwater Flood Data					
ESI Groundwater Flood Risk	pg 9	1		1	
EA/NRW Detailed River Network Data					
Detailed River Network Lines	pg 10		1	1	4
Detailed River Network Nodes	pg 11				3
Detailed River Network Offline Drainage					
EA/NRW Historic Flood Events Data					
Historic Flood Events					
Historical Flood Liabilities					
EA/NRW RoFRS Data					
RoFRS - Risk of Flooding from Rivers and Sea	pg 12		11	38	67
Flood Insurance Risk Data					
Postcode Sector Flood Insurance Claim Ratings	pg 21	1	n/a	n/a	n/a



EA / NRW / CEH Flood Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B3NW (NE)	0	1	329118 345033
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B3NW (NE)	181	1	329118 345033
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial None				
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	B3SE (SE)	211	2	329320 344690
	JBA 75 Year Return (undefended) - Coastal None				
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	B3SE (SE)	211	2	329330 344675
	JBA 100 Year Return (undefended) - Coastal None				
	JBA 200 Year Return (undefended) - Pluvial None				
	JBA 200 Year Return (undefended) - Fluvial None				
	JBA 200 Year Return (undefended) - Coastal None				
	JBA 1000 Year Return (undefended) - Pluvial None				
	JBA 1000 Year Return (undefended) - Fluvial None				
	JBA 1000 Year Return (undefended) - Coastal None				
	JBA Canal Failure Coverage Coverage: This area has not been mapped for risk of flooding from canal or aqueduct failure or breach.	B3SW (W)	0	2	329057 344953
	JBA Canal Failure None				
	JBA Dam Break Coverage Coverage: This area has been mapped for flooding from dam or reservoir embankment failure or breach.	B3SW (W)	0	2	329057 344953
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 337251m2	B3SW (NE)	204	2	329105 345000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	(SE)	159	3	329356 344361
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	B3SW (NE)	200	3	329123 345001
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	B3NW (NE)	636	3	329110 345012
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	3	329300 344400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	3	329350 344300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	3	329057 344250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	3	329100 344000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	3	329057 344600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B2SW (SW)	0	3	328600 344750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	3	329000 344200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	0	3	329250 344150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	30	3	329100 344400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	32	3	329200 344000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B3SW (S)	98	3	329050 344850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	125	3	329450 344300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	126	3	329450 344150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	128	3	328450 344300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	146	3	329350 344400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	171	3	329400 344400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	175	3	329500 344300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	176	3	329500 344150



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	192	3	329250 344500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SE (SE)	214	3	329500 344750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	232	3	329600 344100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SW (S)	259	3	329100 344700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	272	3	329500 344450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SW (W)	274	3	329050 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	275	3	329600 344250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	276	3	329600 344150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SW (S)	283	3	329050 344700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	287	3	328700 344550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	300	3	329600 344350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	325	3	328350 344300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	326	3	329650 344300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2SE (SW)	352	3	328700 344700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2SE (SW)	362	3	328750 344700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SE (E)	379	3	329400 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B3SW (SE)	380	3	329250 344750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B3SW (S)	384	3	329057 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	394	3	328300 344250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B3SW (W)	405	3	329057 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	425	3	329750 344200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	431	3	329750 344050



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SE (W)	432	3	328800 344850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	440	3	329750 344000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	473	3	329850 344000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	524	3	329800 344450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	525	3	329850 344250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2SW (W)	531	3	328600 344850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	552	3	329850 344400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SE (W)	567	3	328850 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	570	3	329850 344450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	575	3	329900 344200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	575	3	329900 344150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	575	3	329900 344250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B3SW (E)	588	3	329150 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2SW (W)	611	3	328600 344900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SE (W)	616	3	328850 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	625	3	329950 344150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	627	3	329950 344100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SE (W)	629	3	328650 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	630	3	329950 344050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SW (N)	632	3	329050 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B3SW (N)	632	3	329057 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2SE (W)	654	3	328900 345000



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	661	3	328200 344500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SE (W)	666	3	328850 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SE (E)	671	3	329400 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2SW (W)	672	3	328550 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	675	3	330000 344550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	680	3	330000 344050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3NW (N)	682	3	329050 345050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	685	3	330000 344000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B3NW (NE)	687	3	329150 345050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3NW (NE)	695	3	329200 345050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SE (W)	701	3	328700 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	702	3	328900 345050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	710	3	329900 344650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SE (E)	715	3	329400 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	715	3	328850 345050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B3NW (N)	733	3	329100 345100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	735	3	330050 344000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3SE (E)	740	3	329450 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B2NE (NW)	741	3	328950 345100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	770	3	330000 344600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	772	3	328800 345100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B2SW (W)	776	3	328450 344953



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3NW (N)	782	3	329057 345150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	783	3	328750 345100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	795	3	330000 344650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B4SW (E)	809	3	329950 344800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B4SE (E)	821	3	330000 344700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3NE (E)	827	3	329450 345100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	831	3	328750 345150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	834	3	330200 344250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	838	3	330050 344650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B4SE (E)	849	3	330000 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	852	3	330250 344200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	854	3	327950 344600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	859	3	328650 345150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B4SW (E)	874	3	329950 344850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (N)	890	3	328950 345250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3NE (NE)	895	3	329500 345150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B4SW (E)	909	3	329950 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B4SE (E)	911	3	330000 344900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B4SW (E)	912	3	329900 344950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	916	3	330200 344550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NW (W)	921	3	328500 345150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	924	3	327900 344550



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	925	3	330250 344600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	928	3	330300 344400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B3NW (N)	934	3	329000 345300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	935	3	327850 344550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NW (NW)	943	3	328550 345200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	947	3	328900 345300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	948	3	327800 343350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B4SW (E)	951	3	329900 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	951	3	327800 344500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B2NE (NW)	957	3	328850 345300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B1SE (W)	977	3	328050 344800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B4SW (E)	982	3	329950 344953
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B6SE (NW)	989	3	328800 345350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B4SW (E)	990	3	329900 345000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	994	3	327850 344650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B4SE (E)	1000	3	330250 344700



ESI Groundwater Flood Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	ESI Groundwater Flood Data Risk: Negligible Risk Risk Details: Risk of groundwater flooding is considered negligible at, and near, this location. No further investigation of risk is deemed necessary.	B3SW (W)	0	4	329057 344953
	ESI Groundwater Flood Data Risk: Negligible Risk Risk Details: Risk of groundwater flooding is considered negligible at, and near, this location. No further investigation of risk is deemed necessary.	(SW)	336	4	327989 344388

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Detailed River Network Lines River Type: Primary River River Name: Eitha Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B3NW (NE)	192	5	329115 345038
2	Detailed River Network Lines River Type: Tertiary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B2SW (W)	331	5	328545 344792
3	Detailed River Network Lines River Type: Tertiary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	(SW)	695	5	328252 344553
4	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Secondary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B2NW (NW)	933	5	328571 345200
5	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B2NW (NW)	941	5	328574 345208
6	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B2NW (NW)	942	5	328553 345200



EA/NRW Detailed River Network Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Detailed River Network Nodes River Node Type: Source Hydrographic Area: D010	B2SW (W)	853	5	328387 344992
8	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B2NW (NW)	941	5	328574 345208
9	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B2NW (NW)	942	5	328553 345200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	179	1	329335 344615
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	180	1	329380 344380
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	181	1	329350 344395
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	182	1	329370 344385
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	186	1	329350 344400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	192	1	329400 344385
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	192	1	329335 344415
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	193	1	329350 344410
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	217	1	329325 344450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	224	1	329450 344390
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	242	1	329500 344360
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	254	1	329334 344490
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	264	1	329505 344395
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	269	1	329357 344645

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	270	1	329540 344370
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	270	1	329355 344505
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	278	1	329340 344495
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	282	1	329555 344350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	288	1	329340 344510
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	301	1	329355 344520
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SW (E)	327	1	329205 344960
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	338	1	329600 344392
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	350	1	329340 344681
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	353	1	329620 344380
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	366	1	329620 344400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	369	1	329340 344635
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	378	1	329355 344680
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	380	1	329335 344655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	384	1	329640 344405
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	399	1	329650 344425
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	410	1	329339 344700
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	416	1	329335 344694
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	421	1	329330 344700
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	426	1	329350 344695
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	430	1	329345 344700
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	434	1	329345 344705
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SE (SE)	435	1	329315 344800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	445	1	329700 344435
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	445	1	329712 344400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	448	1	329725 344380
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SW (SE)	448	1	329290 344800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3SW (SE)	451	1	329300 344786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	454	1	329735 344380
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	457	1	329745 344385
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (SE)	468	1	329311 344775
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	475	1	329750 344400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (SE)	476	1	329301 344800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	479	1	329750 344425
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SE (SE)	499	1	329315 344815
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (SE)	503	1	329240 344850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	507	1	329835 344280
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	508	1	329800 344375
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	513	1	329235 344900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	525	1	329840 344285
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	529	1	329844 344285
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	536	1	329300 344855

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Very Low - Less than 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	537	1	329862 344200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	544	1	329884 344115
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	544	1	329860 344340
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	549	1	329871 344236
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	552	1	329850 344370
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B3SW (E)	557	1	329230 344912
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B3SW (E)	557	1	329245 344900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	558	1	329883 344197
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	559	1	329870 344365
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	560	1	329891 344150
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	576	1	329901 344158
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	576	1	329900 344139
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	579	1	329903 344150
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(SE)	580	1	329905 344151

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	593	1	329917 344089
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	597	1	329920 344090
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	605	1	329930 344061
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	605	1	329926 344053
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	609	1	329930 344062
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	611	1	329250 344953
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	615	1	329937 344030
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (NE)	632	1	329164 345000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (NE)	632	1	329127 345047
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	636	1	329950 344002
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	638	1	329177 345000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (NE)	640	1	329110 345039
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Very Low - Less than 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	641	1	329955 344000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (NE)	642	1	329160 345024

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	649	1	329250 344990
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	650	1	329215 345000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	651	1	329966 344001
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3SW (E)	656	1	329240 345000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	659	1	329974 344001
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	660	1	329975 344000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (NE)	662	1	329205 345015
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (NE)	670	1	329185 345035
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Very Low - Less than 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(SE)	670	1	329984 343982
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (NE)	676	1	329150 345039
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (N)	683	1	329092 345050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (N)	707	1	329050 345074
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (N)	724	1	329050 345092
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B3NW (N)	735	1	329000 345100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	741	1	328950 345100
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B3NW (N)	752	1	329000 345117
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	755	1	328900 345104
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	782	1	328850 345119
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	817	1	328829 345150
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	826	1	328789 345155
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	869	1	328779 345195
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	877	1	328777 345202
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	877	1	328764 345200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	914	1	328690 345220
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	942	1	328711 345255
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NW (NW)	946	1	328615 345230
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NW (NW)	951	1	328590 345225
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B2NE (NW)	954	1	328650 345250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B2NW (NW)	982	1	328540 345238
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B2NW (NW)	983	1	328500 345220
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B2NW (NW)	992	1	328530 345244
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B2NW (NW)	997	1	328520 345245



Flood Insurance Risk Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Postcode Sector Flood Insurance Claim Ratings Insurance Rating: Low Flood Insurance Claim Rating Postcode Sector: LL14 6	B3SW (SE)	0	2	329161 344880

EA / NRW / CEH Flood Data	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office Natural Resources Wales	October 2014 October 2014	Quarterly Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office Natural Resources Wales	October 2014 October 2014	Quarterly Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	October 2014	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	October 2014	Quarterly
Flood Defences Environment Agency - Head Office	October 2014	Quarterly
JBA Flood Data	Version	Update Cycle
JBA 75 Year Return (undefended) - Pluvial JBA Risk Management Limited	September 2014	Annually
JBA 75 Year Return (undefended) - Fluvial JBA Risk Management Limited	September 2014	Annually
JBA 75 Year Return (undefended) - Coastal JBA Risk Management Limited	September 2014	Annually
JBA 100 Year Return (undefended) - Fluvial JBA Risk Management Limited	September 2014	Annually
JBA 100 Year Return (undefended) - Coastal JBA Risk Management Limited	September 2014	Annually
JBA 200 Year Return (undefended) - Pluvial JBA Risk Management Limited	September 2014	Annually
JBA 200 Year Return (undefended) - Fluvial JBA Risk Management Limited	September 2014	Annually
JBA 200 Year Return (undefended) - Coastal JBA Risk Management Limited	September 2014	Annually
JBA 1000 Year Return (undefended) - Pluvial JBA Risk Management Limited	September 2014	Annually
JBA 1000 Year Return (undefended) - Fluvial JBA Risk Management Limited	September 2014	Annually
JBA 1000 Year Return (undefended) - Coastal JBA Risk Management Limited	September 2014	Annually
JBA Canal Failure JBA Risk Management Limited	September 2014	Annually
JBA Dam Break JBA Risk Management Limited	September 2014	Annually
BGS Flood Data	Version	Update Cycle
BGS Geological Indicators of Flooding British Geological Survey - National Geoscience Information Service	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually
ESI Groundwater Flooding Data	Version	Update Cycle
ESI Groundwater Flood Risk ESI Limited	December 2014	Bi-Annually

EA/NRW Detailed River Network Data	Version	Update Cycle
Detailed River Network Lines Environment Agency - Head Office	March 2012	Annually
Detailed River Network Nodes Environment Agency - Head Office	March 2012	Annually
Detailed River Network Offline Drainage Environment Agency - Head Office	March 2012	Annually
EA/NRW Historic Flood Events Data	Version	Update Cycle
Historic Flood Events Environment Agency - Head Office	October 2014	Quarterly
Historical Flood Liabilities Landmark Information Group Limited	December 1999	Not Applicable
EA/NRW Risk of Flooding from Rivers and Sea (RoFRS)	Version	Update Cycle
RoFRS - Risk of Flooding from Rivers and Sea Natural Resources Wales	December 2014	Annually
Flood Insurance Risk Data	Version	Update Cycle
Postcode Sector Flood Insurance Claim Ratings Crawford and Company	January 2015	Quarterly

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Natural Resources Wales	
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Environmental Simulations International	 Environment Specialists
JBA Risk Management	

Contact	Name and Address	Contact Details
1	Natural Resources Wales Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
2	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmark.co.uk Website: www.landmark.co.uk
3	British Geological Survey - Enquiry Service British Geological Survey, Kingsley Dunham Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
4	ESI Limited New Zealand House, Abbey Foregate, Shrewsbury, West Midlands, SY2 6FD	Telephone: 0845 606 6650
5	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 08708 506 506 Email: enquiries@environment-agency.gov.uk

Copyright Notice

© Landmark Information Group Limited 2015 The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

©2015 JBA Risk Management. All rights reserved.

JBA Flood Data Information

All JBA flood data is the property of JBA Risk Management Limited and must not be copied or used other than as authorised in writing by JBA Risk Management Limited. The user shall not (save only as may be permitted by law and not otherwise) copy, reproduce, resell, record, adapt, modify, reformat, reverse compile them in whole or in part, or do any other such act which may affect JBA Risk Management Limited's rights or interests therein.