

Envirocheck[®] Report:

Flood Screening Report Datasheet

Order Details:

Order Number:

61483118_1_1

Customer Reference:

wrexham FRA data

National Grid Reference:

339070, 348310

Slice:

B

Site Area (Ha):

33.86

Search Buffer (m):

1000

Site Details:

Site at 338150, 348380

Client Details:

Mr J Pollard
Solar Ventures Ltd
2 Argyle Square
Morehampton Road
Donnybrook
DUBLIN 4

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer(s) selected. For ease of reference, the report is broken down into seven sections of data.	
EA / NRW / CEH Flood Data	1
This section details data from the Environment Agency/Natural Resources Wales and the Centre for Ecology and Hydrology. The EA/NRW data is reported to a distance of 250m from the edge of the site polygon and details both Zone 2 (extreme) and Zone 3 flood extents, as well as flood defences, flood water storage areas and areas benefiting from flood defences. The CEH data is reported to a distance of 250m from the edge of the site polygon and covers flood data for Scotland, divided into levels based on the frequency and magnitude of a predicted 100 year term. All data sets within this section are plotted and feature on the EA / NRW / CEH Flood Data (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
RMS Flood Data	2
This section contains the Risk Management Solutions flood data. The data is based upon the likelihood of a flood occurrence for 3 flood return periods; these being 75 years, 100 years and 1000 years. Each return period is depicted on a separate 1:10,000 scale map and reports features to a distance of 250m from the edge of the site polygon. Each return period can detail both defended and/or undefended flood features, with each feature also reporting an associated flood depth. In addition pluvial flood features are also detailed where applicable, but tidal flooding is not included. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
BGS Flood Data	3
This section contains two BGS data sets; namely Geological Indicators of Flooding and Groundwater Flooding Susceptibility, both of which report features out to a possible 1000m, with coverage in England, Wales and Scotland. Each data set is plotted on a separate BGS Flood Data (1:50,000) map.	
EA/NRW Detailed River Network Data	8
This section details 3 sources of data that depict and detail the river network of England and Wales, captured primarily from the water features theme of Ordnance Survey's OS MasterMap Topography Layer. The DRN Lines data set details all the types of rivers, drains and streams which can be found in England and Wales. The DRN Nodes data set details the river, drain and stream node intersections which divide the detailed river network data. All nodes are defined as being one of the following: A source, sink, junction, or pseudo node, interactions or not assigned. The DRN Offline Drainage dataset details water features from OS MasterMap that do not connect into the river network and are generally limited in length. All data sets within this section are plotted and feature on the EA/NRW Detailed River Network (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
EA/NRW Historic Flood Events Data	-

This section details Historic Flood data sourced from the Environment Agency/Natural Resources Wales and from data held by Landmark. The EA/NRW Historic Flood Events data is reported to a distance of 1000m from the edge of the site polygon and details recorded historic flood events from 1703 to October 2008. The data also contains information on the source and cause of the flood, and how the flood outline was established.

Also included in this section is Landmark's Historical Flood Liabilities data set, which identifies areas that are liable to flood based on systematic analysis of historical mapping dating back to the mid 19th century.

Both data sets within this section are plotted and feature on the EA/NRW Historical Flood (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.

EA/NRW RoFRS Data

12

This section details the Risk of Flooding from Rivers and Sea (RoFRS) data sourced from the Environment Agency/Natural Resources Wales and is reported to a distance of 1000m from the edge of the site polygon. The RoFRS data provides an indication of areas of land at risk of flooding from rivers and the sea. These areas of land, called impacted cells, are represented as 50 metre squares, or smaller areas where a square is intersected by a river or coastline.

The average height information of the impacted cell, modelled river and sea levels and information about over 200,000 flood defences are used as inputs to a computer flood model run by the Environment Agency/Natural Resources Wales. The model compares the probability that the flood defences will overtop or breach and the distance of the impact cell from the river or the sea for 40 scenarios for probabilities of between 100% to 0.1%.

The results are then consolidated to calculate a single probability category for each impacted cell. These results have been validated by local staff using their local knowledge and expertise. RoFRS is a national flood risk assessment and does not contain information about property thresholds. Due to variations in the input data and the performance of the computer flood model at particular locations, the resulting category of an impacted cell should only be used at a specific study scale. In certain areas it would only be appropriate to compare risks between towns and counties whereas in other areas they would be more suitable for understanding risk at a street level. The level of suitability for a particular cell is indicated by the cell's suitability scale.

The data within this section is plotted and feature on the EA/NRW RoFRS Data (1:50,000) map. This dataset is not available in Scotland.

Flood Insurance Risk Data

28

This section contains flood risk data from Crawford and Company. This dataset is not plotted on any of the associated Flood maps.

Crawford & Co have generated an Insurance Claims rating for Flood Risk. The risk is determined by comparing the number of flood insurance claims made to the number of properties in the postcode sector. The data will also include flood claims from domestic accidents or blocked drains, as well as flooding from river or tidal events. Flood insurance claim ratings are reported for the site only.

Data Currency

29

Data Suppliers

30

Useful Contacts

31

Report Version v49.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
EA / NRW / CEH Flood Data					
Extreme Flooding from Rivers or Sea without Defences	pg 1	1		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 1	1		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
RMS Flood Data					
RMS 75 year Flood Return	pg 2	1		n/a	n/a
RMS 100 year Flood Return	pg 2	1		n/a	n/a
RMS 1000 year Flood Return	pg 2	1	1	n/a	n/a
BGS Flood Data					
BGS Geological Indicators of Flooding	pg 3	3	1	1	4
BGS Groundwater Flooding Susceptibility	pg 3	9	9	12	55
EA/NRW Detailed River Network Data					
Detailed River Network Lines	pg 8		1	3	12
Detailed River Network Nodes	pg 10				11
Detailed River Network Offline Drainage	pg 11				1
EA/NRW Historic Flood Events Data					
Historic Flood Events					
Historical Flood Liabilities					
EA/NRW RoFRS Data					
RoFRS - Risk of Flooding from Rivers and Sea	pg 12	12	14	85	101
Flood Insurance Risk Data					
Postcode Sector Flood Insurance Claim Ratings	pg 28	2	n/a	n/a	n/a

Report Version v49.0

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B9NE (S)	0	1	339085 348235
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B9NE (S)	0	1	339085 348235
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	RMS 75 year Flood Return Flood Type/Depth: 75 year pluvial flood, depth is not applicable Flood Hazard: Pluvial & Minor River Flood Risk	B9NW (S)	0	2	339068 348243
	RMS 100 year Flood Return Flood Type/Depth: 100 year pluvial flood, depth is not applicable Flood Hazard: Pluvial & Minor River Flood Risk	B9NW (S)	0	2	339068 348243
	RMS 1000 year Flood Return Flood Type/Depth: 1000 year pluvial flood, depth is not applicable Flood Hazard: Pluvial & Minor River Flood Risk	B9NW (S)	0	2	339068 348243
	RMS 1000 year Flood Return Flood Type/Depth: 1000 year pluvial flood, depth is not applicable Flood Hazard: Pluvial & Minor River Flood Risk	B9NW (W)	242	2	338767 348414

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	B9NE (E)	0	3	339332 348356
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	(W)	0	3	338350 348555
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	B9NE (E)	0	3	339250 348318
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	B9NE (S)	205	3	339099 348228
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	B13NW (N)	500	3	338873 348870
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	B9NE (SE)	613	3	339103 348242
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	B13NE (N)	676	3	339092 348810
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	B9NE (E)	704	3	339200 348301
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	B9NE (E)	717	3	339208 348251
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (SW)	0	3	339069 348307
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	3	338300 348550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	3	338500 349200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	3	338100 348650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	0	3	338800 348307
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SW (NW)	0	3	338900 348500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	3	338350 349000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	3	338150 348600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	3	338150 348750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	7	3	338300 348250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	22	3	338200 348850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	79	3	338250 348900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	147	3	338300 348950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NW (SW)	189	3	339000 348250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	213	3	338250 347900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	222	3	338200 349050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (S)	239	3	339050 348000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	245	3	338350 348000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	255	3	338300 348000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	280	3	338250 347950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	283	3	338200 347850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	285	3	338500 347800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	289	3	338850 347850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	305	3	338100 347750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	327	3	338450 347700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (NW)	404	3	338950 348400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NW (W)	406	3	338950 348300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	416	3	338900 348700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (N)	468	3	339069 348500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (N)	477	3	339000 348600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	502	3	339050 348307
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (E)	511	3	339100 348307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	546	3	338800 349100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	548	3	338750 349150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	550	3	338550 349300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	553	3	338850 349050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	559	3	338700 349200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	568	3	338900 349000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	577	3	338950 348950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	581	3	338800 349150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	584	3	338850 349100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (S)	589	3	339069 348150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	593	3	339000 348900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	595	3	338900 349050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	607	3	338950 349000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (S)	608	3	339069 348100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NE (SE)	611	3	339100 348250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (N)	617	3	338950 349050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (N)	619	3	339050 348950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (S)	622	3	339100 348200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (S)	631	3	339069 348050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (SE)	636	3	339150 348200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (N)	647	3	339050 349000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (E)	652	3	339150 348307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (SE)	654	3	339200 348200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (S)	657	3	339069 348000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	657	3	338800 349250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	670	3	338650 349350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SW (NE)	677	3	339500 348550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (N)	705	3	339069 348950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	707	3	339100 348850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (SE)	710	3	339200 348250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SE (NE)	716	3	339200 348500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	728	3	339100 348900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (E)	754	3	339250 348300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SE (NE)	758	3	339250 348450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	774	3	339150 348900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	775	3	339200 348800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (SE)	779	3	339250 348150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	796	3	339200 348850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (E)	802	3	339300 348307
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B5NW (S)	805	3	339069 347700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SE (S)	811	3	339200 347950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	822	3	339250 348800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	826	3	338700 349500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	841	3	339250 348850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NE)	853	3	339300 348750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	893	3	338750 349550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (NE)	901	3	339350 348750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NE)	922	3	339400 348600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (NE)	929	3	339400 348650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NE (S)	952	3	339150 347650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	956	3	338350 347100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SW (NE)	969	3	339450 348550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SW (NE)	972	3	339450 348600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B9NE (S)	207	4	339078 348220
2	Detailed River Network Lines River Type: Primary River River Name: (Afon) Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1894 Reference:	(NW)	259	4	338717 348920
3	Detailed River Network Lines River Type: Primary River River Name: Redwither Brook Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: REDWITHER BROOK Name: Water Course: 1895 Reference:	B13NW (N)	427	4	338831 349003
4	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1896 Reference:	B13SE (N)	498	4	339178 348729
5	Detailed River Network Lines River Type: Tertiary River River Name: Drain Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Drain (ditch, Reen, Rhyne, Drain) Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B9NE (NE)	525	4	339085 348328
6	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B9NE (E)	733	4	339229 348290

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1896 Reference:	B13SE (NE)	816	4	339364 348580
8	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1896 Reference:	B13SE (NE)	822	4	339266 348756
9	Detailed River Network Lines River Type: Primary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Secondary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B13SE (NE)	822	4	339266 348756
10	Detailed River Network Lines River Type: Tertiary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B9NE (E)	842	4	339340 348373
11	Detailed River Network Lines River Type: Primary River River Name: River Clywedog Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B9NE (E)	847	4	339345 348363
12	Detailed River Network Lines River Type: Primary River River Name: River Clywedog Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1896 Reference:	B10NW (E)	928	4	339432 348368

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Detailed River Network Lines River Type: Primary River River Name: (Afon) Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1896 Reference:	B10NW (E)	935	4	339433 348363
14	Detailed River Network Lines River Type: Tertiary River River Name: Clywedog Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B10NW (E)	944	4	339441 348314
15	Detailed River Network Lines River Type: Primary River River Name: Clywedog Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Flood Risk Management Indicative/Statutory Main River Management Status: Water Course: CLYWEDOG (LOWER DEE) Name: Water Course: 1896 Reference:	B10NW (E)	969	4	339467 348332
16	Detailed River Network Lines River Type: Secondary River River Name: Not Supplied Hydrographic Area: D010 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	B14SW (NE)	971	4	339452 348556
17	Detailed River Network Nodes River Node Type: Source Hydrographic Area: D010	B9NW (NW)	525	4	339023 348369
18	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B13NW (N)	554	4	338831 349003
19	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B9NE (E)	733	4	339229 348290
20	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B13SE (NE)	822	4	339266 348756
21	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B13NE (NE)	839	4	339274 348784
22	Detailed River Network Nodes River Node Type: Source Hydrographic Area: D010	B9NE (E)	842	4	339340 348373
23	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B9NE (E)	847	4	339345 348363

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B10NW (E)	935	4	339433 348363
25	Detailed River Network Nodes River Node Type: Source Hydrographic Area: D010	B10NW (E)	944	4	339441 348314
26	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B10NW (E)	969	4	339467 348332
27	Detailed River Network Nodes River Node Type: Junction Hydrographic Area: D010	B14SW (NE)	971	4	339452 348556
28	Detailed River Network Offline Drainage River Type: Tertiary River Hydrographic Area: D010	B9SE (S)	712	4	339128 348024

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	0	1	338200 348800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338150 348435
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338290 348545
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338095 348395
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338355 348590
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338155 348440
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	0	1	339300 348350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338059 348550
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338150 348665
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338150 348650
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(W)	0	1	338215 348495
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	0	1	338390 348705
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	8	1	338415 348745
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	91	1	338250 348900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	150	1	338555 348840
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	161	1	338300 348950
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	195	1	338485 348020
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	229	1	338610 348030
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	230	1	338330 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	235	1	338445 348007
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	238	1	338595 348021
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	239	1	338650 348040
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	240	1	338080 347825
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	245	1	338100 347840
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	246	1	338275 347950
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	250	1	338105 347845
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	252	1	338381 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	253	1	338100 347835

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	254	1	338115 347850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	254	1	338240 347927
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	258	1	338130 347860
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	258	1	338585 348845
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	258	1	338500 347995
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	261	1	338150 347870
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	268	1	338400 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	270	1	338300 347985
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	275	1	338387 349015
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	276	1	338290 347980
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	277	1	338100 347810
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	278	1	338095 347806
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	278	1	338085 347798
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	280	1	338075 347790

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	282	1	338065 347782
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	283	1	338200 347915
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	283	1	338280 347975
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	284	1	338160 347850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	285	1	338398 349020
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	285	1	338065 347770
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	286	1	338140 347830
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	289	1	338150 347835
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	290	1	338195 347870
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	293	1	338210 347925
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	295	1	338300 347960
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	296	1	338720 348045
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	298	1	338205 347900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	300	1	338065 347760

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	302	1	338060 347755
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	303	1	338230 347900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	304	1	338285 347953
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	304	1	338650 348031
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	306	1	338250 347910
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	306	1	338560 348955
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	309	1	338055 347745
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	310	1	338275 347948
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	314	1	338505 349005
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	324	1	338700 348039
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	326	1	338250 347935
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	327	1	338245 347931
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	334	1	338600 348990
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (NW)	334	1	338750 348875

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	335	1	338610 348945
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	335	1	338697 348045
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	337	1	338553 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	338	1	338544 349050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	342	1	338255 347905
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (NW)	346	1	338800 348850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	346	1	338570 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	358	1	338750 348035
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	371	1	338661 348950
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	374	1	338600 349035
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	388	1	338710 348923
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	395	1	338765 348025
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	402	1	338548 349100
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	403	1	338850 348060

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	423	1	338775 348030
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (NW)	428	1	338750 348950
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	431	1	338110 347560
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	431	1	338550 349111
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (NW)	444	1	338850 348805
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	444	1	338507 349145
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	448	1	338850 348045
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	448	1	338615 349100
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	452	1	338503 349155
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	460	1	338902 348100
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	464	1	338497 349170
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	466	1	338865 348050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	471	1	338560 349155
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	475	1	338875 348055

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	475	1	338710 349050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	477	1	338950 348120
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	478	1	338913 348105
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	478	1	338488 349195
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9SW (SW)	479	1	338885 348060
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	483	1	338500 349188
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	483	1	338486 349200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	483	1	338250 349305
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	488	1	338937 348115
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	489	1	338480 349215
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	491	1	338500 349200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	494	1	338515 349200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	499	1	338445 349250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	501	1	338949 348120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	506	1	338421 349270
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	507	1	338427 349265
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	507	1	339045 348174
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	508	1	338415 349275
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	508	1	338880 348900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	510	1	338480 349250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	510	1	338408 349280
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	511	1	338450 349255
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	513	1	338390 349295
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	515	1	338396 349290
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	516	1	338384 349300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	523	1	338400 349296
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	523	1	338993 348145
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(SW)	524	1	338115 347535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	524	1	338366 349315
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Very Low - Less than 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	524	1	338400 349300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	526	1	338821 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	531	1	338348 349330
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (SW)	537	1	338980 348110
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	538	1	338336 349340
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	538	1	338860 349000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	541	1	338330 349345
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	541	1	338350 349337
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	542	1	339004 348150
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	542	1	339004 348150
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	544	1	338324 349350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	544	1	338365 349335
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	546	1	339030 348150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	546	1	338870 348945
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	546	1	339012 348903
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	548	1	339050 348185
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (S)	549	1	339085 348235
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	549	1	338365 349350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	551	1	338312 349360
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	554	1	338301 349365
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	557	1	339020 348135
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	557	1	339050 348170
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	557	1	338150 349385
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NW (S)	565	1	339025 348140
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (S)	575	1	339100 348230
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	578	1	338295 349400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	580	1	339000 348790

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NW (S)	584	1	339055 348180
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(NW)	613	1	338255 349435
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	615	1	339110 348235
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(NW)	623	1	338235 349450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	623	1	339110 348240
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(NW)	626	1	338255 349450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B13SE (N)	628	1	339090 348720
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	628	1	339121 348219
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	636	1	339120 348211
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	646	1	339135 348250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	651	1	339134 348220
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	658	1	339143 348225
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	B9NE (SE)	660	1	339150 348250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Natural Resources Wales Source:	(NW)	665	1	338150 349493

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (SE)	665	1	339151 348230
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	672	1	338200 349500
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NW (N)	681	1	339069 348900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (N)	684	1	339145 348690
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (N)	703	1	339160 348695
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (SE)	706	1	339195 348240
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NE (N)	707	1	339100 348850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	708	1	339200 348259
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (SE)	711	1	339200 348240
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	711	1	339205 348275
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13NE (N)	714	1	339090 348910
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	724	1	339220 348300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	728	1	339240 348545
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	729	1	339220 348255

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	752	1	339250 348307
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (N)	754	1	339200 348738
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	772	1	338133 349600
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Very Low - Less than 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	787	1	338155 349615
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	799	1	338100 349625
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	802	1	339300 348327
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	803	1	339300 348320
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	810	1	339308 348325
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	814	1	338100 349640
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	822	1	338150 349650
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B13NE (N)	823	1	339230 348850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	824	1	339310 348500
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	829	1	339330 348465
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	847	1	339340 348450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	851	1	339345 348445
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	852	1	339350 348350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	858	1	338124 349700
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	859	1	339357 348355
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	872	1	338175 349700
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	(NW)	873	1	338128 349703
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	875	1	339374 348365
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	876	1	339350 348630
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	881	1	339348 348690
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B9NE (E)	884	1	339382 348370
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	901	1	339350 348750
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B10NW (E)	932	1	339430 348340
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B13SE (NE)	938	1	339400 348700
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B10NW (E)	945	1	339443 348350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B14SW (NE)	972	1	339450 348600
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Natural Resources Wales	B10NW (E)	983	1	339480 348300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Postcode Sector Flood Insurance Claim Ratings Insurance Rating: Medium Flood Insurance Claim Rating Postcode Sector: LL13 0	B9NW (SW)	0	5	339069 348307
	Postcode Sector Flood Insurance Claim Ratings Insurance Rating: Low Flood Insurance Claim Rating Postcode Sector: LL13 9	B13SE (N)	0	5	339120 348526

EA / NRW / CEH Flood Data	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office Natural Resources Wales	August 2014 May 2014	Quarterly Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office Natural Resources Wales	August 2014 May 2014	Quarterly Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	August 2014	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	August 2014	Quarterly
Flood Defences Environment Agency - Head Office	August 2014	Quarterly
RMS Flood Data	Version	Update Cycle
RMS 75 year Flood Return Risk Management Solutions - Dee Catchment	December 2008	As notified
RMS 100 year Flood Return Risk Management Solutions - Dee Catchment	December 2008	As notified
RMS 1000 year Flood Return Risk Management Solutions - Dee Catchment	December 2008	As notified
BGS Flood Data	Version	Update Cycle
BGS Geological Indicators of Flooding British Geological Survey - National Geoscience Information Service	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually
EA/NRW Detailed River Network Data	Version	Update Cycle
Detailed River Network Lines Environment Agency - Head Office	March 2012	Annually
Detailed River Network Nodes Environment Agency - Head Office	March 2012	Annually
Detailed River Network Offline Drainage Environment Agency - Head Office	March 2012	Annually
EA/NRW Historic Flood Events Data	Version	Update Cycle
Historic Flood Events Environment Agency - Head Office	August 2014	Quarterly
Historical Flood Liabilities Landmark Information Group Limited	December 1999	Not Applicable
EA/NRW Risk of Flooding from Rivers and Sea (RoFRS)	Version	Update Cycle
RoFRS - Risk of Flooding from Rivers and Sea Natural Resources Wales	August 2014	Annually
Flood Insurance Risk Data	Version	Update Cycle
Postcode Sector Flood Insurance Claim Ratings Crawford and Company	October 2014	Quarterly

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Natural Resources Wales	
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Risk Management Solutions	

Contact	Name and Address	Contact Details
1	Natural Resources Wales Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
2	Landmark Information Group Limited Legal and Financial, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9966 Fax: 0844 844 9980 Email: info@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk
3	British Geological Survey - Enquiry Service British Geological Survey, Kingsley Dunham Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
4	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 08708 506 506 Email: enquiries@environment-agency.gov.uk
5	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmark.co.uk Website: www.landmarkinfo.co.uk
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Copyright Notice

© Landmark Information Group Limited 2014 The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report.

RMS Flood Data Information

This report incorporates flood hazard maps, data and information in relation to flood risk ("information") licensed by Risk Management Solutions, Inc. ("RMS") to Landmark Information Group Ltd ("Landmark"). RMS is not engaged in the insurance, real estate, finance or related industries. The Information provided is not intended to constitute professional advice or an endorsement by RMS of any kind regarding the use and suitability of the Information. The Information is based on the scientific data, mathematical and empirical models, and encoded experience of scientists and engineers, and is inherently imprecise.

The information is being provided "AS IS", without any warranty of any kind. RMS disclaims all representations and warranties, express or implied, including but not limited to implied warranties of merchantability, non-infringement and fitness for a particular purpose, or any warranties as to the accuracy, completeness, reliability or certainty of the Information. YOU RELY ON THE INFORMATION SOLELY AT YOUR OWN RISK.

RMS specifically disclaims any and all obligations and liability with respect to any decisions or advice made or given as a result of the Information. In no event shall RMS (or its parent, subsidiary or other affiliated companies) be liable for any direct, indirect, special, incidental or consequential damages (including loss of profits, loss of business and loss of interruption of business), suffered by you, a counterparty or any third party, arising out of (1) any use of or reliance upon this Information; (2) any decisions or advice made or given as a result of the contents of the Information or use thereof; or (3) any errors, omissions or inaccuracies in the Information.