

North Wales Prison

Planning Conditions

Reserve Matter Condition 14&15

Supplementary Information (Green Text)

16th September 2014

Document control

Version No.	Date of first issue	Purpose of issue	Amendment summary
V01	29/07/2014	Reserve Matter Discharge	First Issue
V02	19/08/2014	Supplementary Reserve Matter Discharge Information	Supplementary information following Wrexham CBC queries
V03	21/08/2014	Supplementary Reserve Matter Discharge Information	Supplementary bus stop shelter details added
V04	11/09/2014	Supplementary Reserve Matter Discharge Information	Supplementary information following Wrexham CBC queries
V05	16/09/2014	Supplementary Reserve Matter Discharge Information	Supplementary information to address bus shelters queries

Condition 14&15.

Drawings included providing information to discharge the reserve matter condition:

- Site Masterplan – NWP-AR-CAP-099-PA-01-1001 demonstrating the proposed position of the two bus shelter and pedestrian crossing. Further detail to be provided prior to construction of these elements.

Supplementary Information : 19/08/2014

- Updated TPS design details to show crossing and bus stops.
Document Reference : NWP-CE-TPS-099-DR-XX-5003
- Updated Site Masterplan demonstrating the proposed position of the two bus shelter and pedestrian crossing. Further detail to be provided prior to construction of these elements. – Document Reference : NWP-AR-CAP-099-PA-01-1001

Supplementary Information : 21/08/2014

Proposed bus shelter details added as shown on attached image sheet to match existing shelters currently located on Bridge Road North.


Additional Supplementary Information : 11/09/2014

Updated TPS drawing NWP-CE-TPS-099-DR-XX-5003 rev P03 revised as requested by Highways (Puffin crossing relocated nearer bus stop and note 2 reworded)

Document Reference : NWP-CE-TPS-099-DR-XX-5003 rev P03


Supplementary Information : 16/09/2014

Outline specification and image of bus shelter included as below



Arun Specifications

- Shelter available in Cantilever, Cantilever with end panels and Enclosed versions.
- Roof glazed in bronze tinted polycarbonate with barrel vault or pitched profile.
- Side glazing: Polycarbonate, Toughened glass and solid panels.
- Shelter width: 1380mm, 1510mm and 2200mm as standard. Other sizes also available.
- Bay module: 1000mm and 1290mm.



Provided :
1No paper copy of submission pack
2No paper copies of large format drawings
1No electronic copy