
Environmental Statement

Appendix 8.3: Hedgerow Assessment

Land at Lower Berse Farm, Wrexham

On behalf of Redrow Homes Ltd

October 2025





THE
ENVIRONMENT
PARTNERSHIP



RUTHIN ROAD

WREXHAM

HEDGEROW REGULATIONS ASSESSMENT TECHNICAL REPORT

TEP
Genesis Centre
Birchwood Science Park
Warrington
WA3 7BH

Tel: 01925 844004
Email: tep@tep.uk.com
www.tep.uk.com

Offices in Warrington, Market Harborough, Gateshead, London and Cornwall

Document Title	Hedgerow Regulations Assessment Technical Report
Prepared for	Redrow Homes
Prepared by	TEP - Warrington
Document Ref	8745.008

Author	Clare Gower
Date	October 2022
Checked	Anne Pritchard
Approved	Anne Pritchard

Amendment History					
Version	Date	Modified by	Check / Approved by	Reason(s) issue	Status
2.0	01/06/23	AP	PB	Change of development description	Superceded
3.0	05/06/23	AP	PB	Change of housing description	Superceded
4.0	10/08/23	AP	PB	Change of housing number	Superceded
5.0	11/09/25	AP	PB	Change of housing number	Final

CONTENTS	PAGE
1.0 Introduction	1
2.0 Methods	2
3.0 Results	4
4.0 Conclusions.....	8
References	9

TABLES	PAGE
Table 1: Summary of Important Hedgerows	5

FIGURES	PAGE
Figure 1: Site Location Plan	1

APPENDICES

APPENDIX A: Hedgerow Regulations 1997 Assessment Results

DRAWINGS

G8745.020 – Important Hedgerows

1.0 Introduction

- 1.1 The Environment Partnership (TEP) Ltd was commissioned by Redrow Homes in April 2021 to carry out an updated hedgerow assessment survey at the site known as Ruthin Road, Wrexham, hereafter referred to as 'the site'. The previous assessment was undertaken in May 2014 following the baseline ecology survey highlighting many of the hedgerows as being species-rich. This updated assessment is required to inform a planning application for development for up to 1,450 dwellings on the Site.
- 1.2 The site is located off Ruthin Road, to the west of Wrexham (Central Grid Reference: SJ 31500 49800). The Site consists of mainly arable farmland and improved grassland, bordered by native species rich, intact hedgerows. Within the site there are small pockets of dense semi-natural broad-leaved woodland, continuous scrub, and hardstanding/buildings. A wet ditch runs within the northern section and there is one pond within the site.
- 1.3 The site is bordered by the B5099 to the south, A525 (Ruthin Road) to the north and A483/Berse Lane to the west. Residential and commercial development extends to the north, east and south. Agricultural fields and woodland extend to the west.
- 1.4 This document reports the findings of this assessment, which records the features and species associated with each hedgerow and assesses whether any of the hedgerows qualify as being "Important" under the wildlife and landscape criteria outlined in the Hedgerow Regulations (1997). For clarity, the scope of the survey and assessment does not cover the archaeology and history criteria set out in the Hedgerow Regulations.
- 1.5 Figure 1 shows the location of the site in the wider landscape.




Figure 1: Site Location Plan

2.0 Methods

- 2.1 The Hedgerow Assessment survey was undertaken by Senior Ecologist Clare Gower (FISC level 4) between 12th and 14th April 2021.
- 2.2 The hedgerows previously considered to be potentially important and requiring further assessment were subject to a more detailed sampling survey in accordance with the criteria set out in the Hedgerow Regulations (1997) in terms of wildlife and landscape criteria for determining “important” hedgerows. This entailed recording the number of woody species (as listed on Schedule 3 of the Hedgerow Regulations) within 30m sample sections¹ as well as any features within 2m associated with the hedge. These features include the presence of any bank or wall, ditch, standard trees and ground flora species (as listed on Schedule 2 of the Hedgerow Regulations). Also, the number of connections with adjacent hedgerows was recorded. Hedgerow target notes were made on standard data recording forms. For each hedgerow this included a description of the hedge and detailed plant species list. The hedgerow identification number which was assigned in the previous 2014 surveys were used in the detailed assessment in order to maintain continuity.
- 2.3 For the purposes of this assessment a hedgerow is defined as a boundary line of native shrubs or a mix of native shrubs and trees over 20m long and less than 5m wide, and where any gaps between the trees or shrub species are less than 20m wide. Any bank, wall, ditch or tree within 2m of the centre of the hedgerow is considered to be part of the hedgerow habitat, as is the herbaceous vegetation within 2m of the centre of the hedgerow. Only hedgerows consisting predominantly (80% or more cover) of at least one woody UK native species (listed on Schedule 3 of the Hedgerow Regulations) are considered to be native and covered by this assessment.
- 2.4 The above definition of a hedgerow is largely based on the UK Biodiversity Action Plan (UKBAP) definition of a hedgerow, but it also takes into account details from the Hedgerow Regulations 1997 and Handbook for Phase 1 Habitat survey (JNCC 2010) in order to ensure all hedgerow features considered native are assessed.
- 2.5 Further factors which are considered during this assessment include the proximity of public by-ways and footpaths, parallel hedgerows, semi-natural woodland and ponds. The presence of these features adjacent to a hedgerow increases the likelihood that it could qualify as “important”.
- 2.6 In addition, presence of or field signs of any legally protected species or species which are listed on Section 42 of the NERC Act 2006 or are included in the Local BAP were mapped and noted. This includes species which form part of Schedule 1, 5 & 8 of the Wildlife and Countryside Act (WCA), as amended (1981).
- 2.7 A link to wildlife and landscape criteria for determining “important” hedgerows under the Hedgerow Regulations 1997 is given below:
- 2.8 <http://www.legislation.gov.uk/uksi/1997/1160/schedule/1/made>

¹ The length of the hedge determines the number of samples required. For hedgerows 30m-100m in length, species in the central 30m were recorded. For hedgerows 100m-200m, species in the central 30m of each half of the hedge were recorded. For hedgerows >200m species in the central 30m of each third of the hedge were recorded.

Limitations

- 2.9 The hedgerow assessment survey was undertaken within the optimum period for this type of survey (April - June) and full access to the site was possible, therefore there are no limitations to this survey.

3.0 Results

- 3.1 The hedgerows surveyed, assessed and mapped as a result of this hedgerow assessment are illustrated in Drawing G8745.020. The survey results including species composition and details of further sampling (if identified as having potential importance) are provided in Appendix A.
- 3.2 The network of hedges is a notable feature of the site with 72 separate sections (counted from node to node) recorded, though for the purposes of assessment some were then paired up as they were a continuation of the same hedgerow, resulting in a total of 67 separate hedgerows being surveyed and recorded. Generally, the hedgerows surveyed were found to have a good mix of species. Hawthorn (*Crataegus monogyna*), elder (*Sambucus nigra*), holly (*Ilex aquifolium*), hazel (*Corylus avellana*) blackthorn (*Prunus spinosa*) and dog rose (*Rosa canina*) were the most frequently recorded woody species. Frequently recorded ground flora species include bluebell (*Hyacinthoides non-scripta*), cleavers (*Galium aparine*), nettle (*Urtica dioica*), ivy (*Hedera helix*), dog's mercury (*Mercurialis perennis*) and lord's and ladies' (*Arum maculatum*).
- 3.3 A total of 41 hedgerows were assessed to be "important" under the Hedgerow Regulations (1997) in terms of the wildlife and landscape criteria. Eleven of these were assessed to be "important" due only to the presence of the protected plant species (Schedule 8, WCA) bluebell within the ground flora at the base of the hedges. All the other hedges were designated as "important" due to the average number of Schedule 3 woody species present within the sampled sections of the hedges in conjunction with the number of features associated with the hedges, as well as containing bluebell.
- 3.4 With regard to Schedule 1 (WCA) birds and Schedule 5 (WCA) bat species, these species may use any of the mature trees within the hedgerows as nest or roost sites. Barn owl has been recorded foraging over the site (during bat activity surveys), a hobby was recorded carrying food over the site on a bird survey though no other evidence of them nesting on the site or within 100m of the site, and a single day roost of pipistrelle bats was recorded in T172 (details of this can be found in the Bat Survey Technical report, TEP document ref: 8745.006). If any Schedule 1 species nest or further bat roost sites are confirmed in the future, then the hedgerows with which they are associated would be categorized as "important". It should also be noted that since the use of nest or roost sites can change within and between years that hedgerows can be classed as 'important' even if one of these species is not currently using a known nest or roost site.
- 3.5 Table 1 provides a summary of the hedgerows assessed as being "important" under the Hedgerow Regulations.

Table 1: Summary of Important Hedgerows

Hedge Number	Reason for Importance
7	Protected species (Bluebell) present and hedge has an average of 6 woody species per sampled section plus 3 associated features.
10	Protected species (Bluebell) present, hedge runs alongside a public footpath and has an average of 4 woody species per sampled section, plus 4 associated features.
11	Protected species (Bluebell) present and hedge has an average 6 woody species per sampled section, plus 5 associated features.
12	Protected species (Bluebell) present and hedge has an average 5 woody species per sampled sections, plus 2 associated features and public footpath.
13	Protected species (Bluebell) present and an average 4 woody species noted within the sampled sections, plus 6 features and public footpath.
14	Protected species (Bluebell) present and an average 6 woody species noted within the sampled sections, plus 6 features and a footpath.
15/23*	Protected species (Bluebell) present and an average 6 woody species noted within the sampled sections, plus 4 features.
16	Protected species (Bluebell) present and an average 8 woody species per sampled sections, plus 6 associated features and a public footpath.
20	Protected species (Bluebell) present.
21/22*	Protected species (Bluebell) present and an average 4 woody species noted per sampled sections, plus 5 associated features and a public footpath.
24/25*	Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 4 associated features and a public footpath.
33	Protected species (Bluebell) present.
34	Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 6 associated features and a public footpath.
37	Protected species (Bluebell) present.
38	Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 6 associated features and a public footpath.

Hedge Number	Reason for Importance
39	Protected species (Bluebell) present and an average 4 woody species noted per sampled sections, plus 6 associated features and a public footpath.
40	Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 6 associated features and a public footpath.
41	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 3 associated features.
42	Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 2 associated features.
45	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a footpath.
46	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 3 associated features.
47	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 4 associated features.
48	Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 5 associated features and a public footpath.
49	Protected species (Bluebell).
50	Protected species (Bluebell).
51	Protected species (Bluebell).
52	Protected species (Bluebell).
53	Protected species (Bluebell).
54	Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 5 associated features and a public footpath.
55	Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 4 associated features
56	Protected species (Bluebell).
57	Protected species (Bluebell).
63/65*	Protected species (Bluebell).

Hedge Number	Reason for Importance
64	Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 4 associated features and a public footpath.
66	Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 6 associated features and a public footpath.
67	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a public footpath.
68	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a public footpath.
69	Protected species (Bluebell) present and an average 5 woody species noted per sampled sections, plus 6 associated features and a public footpath.
70	Protected species (Bluebell) present and an average 4 woody species noted per sampled sections, plus 6 associated features and a public footpath.
71	Protected species (Bluebell) present and an average 6 woody species noted per sampled sections, plus 5 associated features and a public footpath.
72	Protected species (Bluebell) present and an average 7 woody species noted per sampled sections, plus 2 associated features.

* Indicates hedgerows identified as forming part of the same feature following further assessment in 2014 which were originally categorised as separate features during the Phase 1 habitat survey.

4.0 Conclusions

- 4.1 An updated survey of all hedgerows identified as having potential to qualify as 'Important' within the site boundary was undertaken in April 2021, within the optimum survey period. All of the hedges surveyed were assessed under the wildlife and landscape criteria outlined in the Hedgerow Regulations (1997).
- 4.2 Hedgerows are a significant feature of this site. All native hedgerows, including the hawthorn dominated species-poor hedgerows, qualify as an S7 (of the Environment (Wales) Act 2016) priority habitat. Many of the hedgerows around the site have also been classed as 'Important' under the Hedgerow Regulations 1997, due to them being species-rich with respect to woody species and supporting a range of physical features and a diverse groundflora which increases their nature conservation value. Hedgerows are also a priority habitat within the Wrexham LBAP.
- 4.3 A total of 67 hedgerows were identified, surveyed and assessed; 41 of the hedgerows have been assessed to qualify as "important" under the Hedgerow Regulations 1997.
- 4.4 Site design should look to retain as much of the native hedge habitat as possible, in particular those qualifying as "important". Where this is not possible, any losses will need to be mitigated through provision of new hedges elsewhere on site. Species used in mitigation should reflect what was present within the lost hedgerows.
- 4.5 The Schedule 8 protected plant, Bluebell, was also noted within the majority of the hedgerows on site. Bluebells associated with any of the hedgerows requiring removal should be translocated to a suitable receptor site (ideally at the base of new hedge planting).
- 4.6 Consideration could also be given to the translocation of sections of hedgerow to new locations rather than removal and new hedge planting. This would maintain the diversity and maturity of existing woody species, maintain the diversity of ground flora and reduce lag time for establishment of functional hedgerows which will reduce the impact of loss of foraging, commuting, refuge and nesting/roosting potential for faunal species.

References

Legislation and Policy

[Environment \(Wales\) Act 2016](#). Gov.wales. Welsh Government. 22 March 2016.

Hedgerow Regulations (1997). London: HMSO

Wildlife and Countryside Act 1981 (c.69). London: HMSO.

Best Practice and Guidance

Joint Nature Conservation Committee, (2003), Handbook for Phase 1 Habitat Survey: A technique for environmental audit.

Institute of Ecology and Environmental Management, (2017), Guidelines for Preliminary Ecological Appraisal. IEEM

APPENDIX A: Hedgerow Regulations 1997 Assessment Results

LAND SOUTH OF RUTHIN ROAD - HEDGEROW REGULATIONS 1997 ASSESSMENT RESULTS

Hedgerows categorised as “important” or not, based on criteria under Schedule 1, Part 2, paragraphs 6 to 8 only (Wildlife and landscape) of the Hedgerow Regulations 1997.

Key: ** - denotes woody species listed in Schedule 3 of the Hedgerow Regulations 1997
 * - denotes woodland species listed in Schedule 2 of the Hedgerow Regulations 1997
 All hedges were checked for presence of Schedule 8 plant species even if further sampling for Importance was not required, with respect to species diversity

Hedge 1

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey*

Hedge 2

<i>Cirsium arvense</i>	Creeping Thistle
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Festuca rubra</i>	Red Fescue
<i>Galium aparine</i>	Cleavers
<i>Holcus lanatus</i>	Yorkshire-fog
<i>Lolium perenne</i>	Ryegrass
<i>Poa trivialis</i>	Rough Meadow-grass
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rumex obtusifolius</i>	Broad-leaved Dock
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	30m	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn		
Average of at least one standard tree per 50m?	N	Elder		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	Dog Rose		
Ditch along at least half of the hedgerow?	N	Hazel		
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	0			
Connection (within 10m) broadleaved woodland?	0			

Does this hedge meet the wildlife and countryside criteria for Importance?

NO

An average of less than 5 woody species was noted within the sampled sections.

Hedge 3 (same feature as Hedge 2, see above for details)

Hedge 4

Crataegus monogyna
Rosa sp.
Fraxinus excelsior
Holcus lanatus
Phragmites australis
Cirsium arvense
Galium aparine
Salix sp.
Poa trivialis
Ranunculus repens
Arrhenatherum elatius
Elytrigia repens
Poa annua
Rubus fruticosus agg.
Silene dioica
Anisanthera sterilis
Arctium minus
Sambucus nigra

Hawthorn **
Rose species **
Ash **
 Yorkshire-fog
 Common Reed
 Creeping Thistle
 Cleavers
Willow species **
 Rough Meadow-grass
 Creeping Buttercup
 False Oat-grass
 Common Couch
 Annual Meadow-grass
 Bramble
 Red Campion
 Sterile Brome
 Lesser Burdock
Elder **

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	150m	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn	Hawthorn	
Average of at least one standard tree per 50m?	N	Elder	Elder	
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N			
Ditch along at least half of the hedgerow?	Y			
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 5 (same feature as Hedge 4, see above for details)

Hedge 6

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity to warrant further survey

Hedge 7

<i>Acer pseudoplatanus</i>	Sycamore
<i>Bryonia dioica</i>	White Bryony
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Digitalis purpurea</i>	Foxglove
<i>Dryopteris dilatata</i>	Broad Buckler-fern *
<i>Ficaria verna</i>	Lesser Celandine
<i>Galium aparine</i>	Cleavers
<i>Hedera helix</i>	Ivy
<i>Holcus lanatus</i>	Yorkshire-fog
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Poa trivialis</i>	Rough Meadow-grass
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Ranunculus repens</i>	Creeping Buttercup
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Rumex obtusifolius</i>	Broad-leaved Dock
<i>Sambucus nigra</i>	Elder **
<i>Stellaria media</i>	Chickweed
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	150m	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn	Hawthorn	
Average of at least one standard tree per 50m?	Y	Hazel	Hazel	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Dog Rose	Dog Rose	
Ditch along at least half of the hedgerow?	N	Elder	Elder	
Parallel hedge within 15m of the hedgerow?	N	Blackthorn	Blackthorn	
Gaps (% of hedgerow length)	<10%	English Oak	English Oak	
Connection (within 10m) with another hedgerow?	1			
Connection (within 10m) with a pond?	0			
Connection (within 10m) broadleaved woodland?	0			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average of 6 woody species present noted plus 3 features.		

Hedge 8

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey.

Hedge 9

Acer campestre
Anthriscus sylvestris
Arctium minus
Cirsium arvense
Crataegus monogyna
Festuca rubra
Fraxinus excelsior
Holcus lanatus
Plantago major
Poa trivialis
Quercus robur
Rosa canina agg.
Rubus fruticosus agg.
Rumex obtusifolius
Sambucus nigra
Urtica dioica

Field Maple **
 Cow Parsley
 Lesser Burdock
 Creeping Thistle
Hawthorn **
 Red Fescue
Ash **
 Yorkshire-fog
 Greater Plantain
 Rough Meadow-grass
English Oak **
Dog Rose **
 Bramble
 Broad-leaved Dock
Elder **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	300m	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Ash	English Oak	Hawthorn
Average of at least one standard tree per 50m?	Y	Dog Rose	Hawthorn	Dog Rose
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Hawthorn	Elder	
Ditch along at least half of the hedgerow?	N	Elder	Dog Rose	
Parallel hedge within 15m of the hedgerow?	N	English Oak		
Gaps (% of hedgerow length)	>10%	Field Maple		
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	0			
Connection (within 10m) broadleaved woodland?	0			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 10

Acer campestre
Acer pseudoplatanus
Alliaria petiolata
Arum maculatum
Bromopsis ramosus
Corylus avellana
Crataegus monogyna
Digitalis purpurea
Dryopteris filix-mas
Ficaria verna
Fraxinus excelsior
Galium aparine
Geum urbanum
Glechoma hederacea
Hedera helix
Hyacinthoides non-scripta
Hyacinthoides x massartiana
Ilex aquifolium
Lonicera periclymenum
Mercurialis perennis
Prunus spinosa
Sambucus nigra
Silene dioica
Stachys sylvatica
Ulmus glabra
Urtica dioica

Field Maple **
 Sycamore
 Garlic Mustard
Lords-and-Ladies *
 Hairy-brome
Hazel **
Hawthorn **
 Foxglove
 Male-fern
 Lesser Celandine
Ash **
 Cleavers
Wood avens *
 Ground-ivy
 Ivy
Bluebell *
Hybrid Bluebell *
Holly **
 Honeysuckle
Dog's Mercury *
Blackthorn **
Elder **
 Red Campion
 Hedge Woundwort
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200m	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Holly	Hazel	Hazel
Average of at least one standard tree per 50m?	N	Hazel	Hawthorn	Hawthorn
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Hawthorn	Elder	Holly
Ditch along at least half of the hedgerow?	N	Ash	Holly	Blackthorn
Parallel hedge within 15m of the hedgerow?	Y		Blackthorn	Field Maple
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	YES	Protected species (Bluebell) and an average of 4 woody species was noted, hedge runs alongside a footpath plus 4 features		

Hedge 11

Anthriscus sylvestris
Arum maculatum
Corylus avellana
Crataegus monogyna
Dryopteris filix-mas
Galium aparine
Hedera helix
Hyacinthoides non-scripta
Ilex aquifolium
Rosa canina agg.
Salix caprea
Sambucus nigra
Ulmus glabra
Urtica dioica

Cow Parsley
Lords-and-Ladies *
Hazel **
Hawthorn **
 Male-fern
 Cleavers
 Ivy
Bluebell *
Holly **
Dog Rose **
Goat Willow **
Elder **
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Dog Rose		
Average of at least one standard tree per 50m?	Y	Hawthorn		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Elder		
Ditch along at least half of the hedgerow?	Y	Holly		
Parallel hedge within 15m of the hedgerow?	N	Hazel		
Gaps (% of hedgerow length)	<10%	Wych Elm		
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	Y			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features.	

Hedge 12

Acer pseudoplatanus
Anthriscus sylvestris
Arctium minus
Arum maculatum
Bryonia dioica
Corylus avellana
Crataegus monogyna
Hedera helix
Hyacinthoides non-scripta
Ilex aquifolium
Prunus spinosa
Quercus robur
Rosa canina agg.
Sambucus nigra
Silene dioica
Solanum dulcamara
Ulmus glabra
Urtica dioica

Sycamore
 Cow Parsley
 Lesser Burdock
Lords-and-Ladies *
 White Bryony
Hazel **
Hawthorn **
 Ivy
Bluebell *
Holly **
Blackthorn **
 English Oak
Dog Rose **
Elder **
 Red Campion
 Bittersweet
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Holly	Holly	Holly
Average of at least one standard tree per 50m?	Y	Hawthorn	Hawthorn	Hawthorn
3+ woodland ground flora species (listed on Sch. 2 of the <i>Hedgerow Regulations</i>) within 1m?	N	Wych Elm	Elder	Dog Rose
Ditch along at least half of the hedgerow?	N	Hazel	Blackthorn	Hazel
Parallel hedge within 15m of the hedgerow?	N	Elder	Dog Rose	Elder
Gaps (% of hedgerow length)	<10%	Dog Rose		
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 2 features and footpath.		

Hedge 13

Acer campestre
Acer pseudoplatanus
Aegopodium podagraria
Arum maculatum
Corylus avellana
Crataegus monogyna
Digitalis purpurea
Dryopteris dilatata
Dryopteris filix-mas
Fraxinus excelsior
Galium aparine
Geum urbanum
Glechoma hederacea
Hedera helix
Hyacinthoides non-scripta
Ilex aquifolium
Lamium galeobdolon
Prunus spinosa
Rosa canina agg.
Sambucus nigra
Silene dioica
Stellaria holostea
Ulmus glabra
Vicia sepium

Field Maple **
 Sycamore
 Ground-Elder
Lords-and-Ladies *
Hazel **
Hawthorn **
 Foxglove
Broad Buckler-fern *
 Male-fern
Ash **
 Cleavers
Wood avens *
 Ground-ivy
 Ivy
Bluebell *
Holly **
Yellow archangel *
Blackthorn **
Dog Rose **
Elder **
 Red Campion
 Greater Stitchwort
Wych Elm **
 Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Dog Rose	Holly	
Average of at least one standard tree per 50m?	Y	Holly	Wych Elm	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Wych Elm	Hawthorn	
Ditch along at least half of the hedgerow?	N	Ash	Hazel	
Parallel hedge within 15m of the hedgerow?	Y	Hawthorn		
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 6 features and footpath.		

Hedge 14

Acer campestre
Acer pseudoplatanus
Alliaria petiolata
Allium ursinum
Anthriscus sylvestris
Arum maculatum
Bromopsis ramosus
Corylus avellana
Crataegus monogyna
Dryopteris dilatata
Ficaria verna
Fraxinus excelsior
Galium aparine
Geum urbanum
Hedera helix
Heracleum sphondylium
Hyacinthoides non-scripta
Ilex aquifolium
Mercurialis perennis
Prunus spinosa
Pteridium aquilinum
Quercus robur
Rosa canina agg.
Rubus fruticosus agg.
Sambucus nigra
Stellaria media
Ulmus glabra
Urtica dioica

Field Maple **
 Sycamore
 Garlic Mustard
Ramsons *
 Cow Parsley
Lords-and-Ladies *
 Hairy-brome
Hazel **
Hawthorn **
Broad Buckler-fern *
 Lesser Celandine
Ash **
 Cleavers
Wood avens *
 Ivy
 Hogweed
Bluebell *
Holly **
Dog's Mercury *
Blackthorn **
 Bracken
English Oak **
Dog Rose **
 Bramble
Elder **
 Chickweed
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Elder	Hazel	
Average of at least one standard tree per 50m?	Y	Holly	Wych Elm	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Hazel	Hawthorn	
Ditch along at least half of the hedgerow?	N	Wych Elm	English Oak	
Parallel hedge within 15m of the hedgerow?	Y	Ash	Dog Rose	
Gaps (% of hedgerow length)	<10%	Hawthorn	Blackthorn	
Connection (within 10m) with another hedgerow?	4		Field Maple	
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 6 features and a footpath.		

Hedge 15 (same feature as Hedge 23)

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Adoxa moschatellina</i>	Moschatel *
<i>Allium ursinum</i>	Ramsons *
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Cochlearia officinalis</i>	Scurvy-grass
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Epilobium hirsutum</i>	Great Willowherb
<i>Ficaria verna</i>	Lesser Celandine
<i>Galium aparine</i>	Cleavers
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Lonicera periclymenum</i>	Honeysuckle
<i>Polystichum setiferum</i>	Soft Shield-fern
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Salix cinerea</i>	Grey Willow
<i>Sambucus nigra</i>	Elder **
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Field Maple	Hawthorn	
Average of at least one standard tree per 50m?	Y	Hazel	Elder	
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Holly	Hazel	
Ditch along at least half of the hedgerow?	N	Blackthorn	Wych Elm	
Parallel hedge within 15m of the hedgerow?	N	Hawthorn	Dog Rose	
Gaps (% of hedgerow length)	<10%	Elder	Blackthorn	
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 4 features.	

Hedge 16

Acer campestre
Acer pseudoplatanus
Arum maculatum
Corylus avellana
Crataegus monogyna
Geranium robertianum
Hedera helix
Hyacinthoides non-scripta
Ilex aquifolium
Mercurialis perennis
Prunus avium
Prunus spinosa
Quercus robur
Rosa canina agg.
Rubus fruticosus agg.
Stellaria holostea

Field Maple **
 Sycamore
Lords-and-Ladies *
Hazel **
Hawthorn **
Herb-Robert *
 Ivy
Bluebell *
Holly **
Dog's Mercury *
Wild Cherry **
Blackthorn **
English Oak **
Dog Rose **
 Bramble
 Greater Stitchwort

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Field Maple		
Average of at least one standard tree per 50m?	Y	English Oak		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Hazel		
Ditch along at least half of the hedgerow?	Y	Hawthorn		
Parallel hedge within 15m of the hedgerow?	N	Dog Rose		
Gaps (% of hedgerow length)	<10%	Wild Cherry		
Connection (within 10m) with another hedgerow?	4	Holly		
Connection (within 10m) with a pond?	N	Blackthorn		
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		YES	Protected species (Bluebell) and an average 8 woody species noted within the sampled sections, plus 6 features and a footpath.	

Hedge 17

Acer pseudoplatanus
Agrostis stolonifera
Alliaria petiolata
Anisanthera sterilis
Anthriscus sylvestris
Arrhenatherum elatius
Corylus avellana
Crataegus monogyna
Dactylis glomerata
Elytrigia repens
Fraxinus excelsior
Galium aparine
Geum urbanum
Hedera helix
Heracleum sphondylium
Holcus lanatus
Ilex aquifolium
Mercurialis perennis
Plantago lanceolata
Poa trivialis
Prunus spinosa
Ranunculus repens
Rubus fruticosus agg.
Sambucus nigra
Ulmus glabra
Urtica dioica

Sycamore
 Creeping Bent
 Garlic Mustard
 Sterile Brome
 Cow Parsley
 False Oat-grass
Hazel **
Hawthorn **
 Cock's-foot
 Common Couch
Ash **
 Cleavers
Wood avens *
 Ivy
 Hogweed
 Yorkshire-fog
Holly **
Dog's Mercury *
 Ribwort Plantain
 Rough Meadow-grass
Blackthorn **
 Creeping Buttercup
 Bramble
Elder **
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	No
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn	Wych Elm	
Average of at least one standard tree per 50m?N	N	Elder	Blackthorn	
3+ woodland ground flora species (listed on Sch. 2 of the <i>Hedgerow Regulations</i>) within 1m?	N	Wych Elm	Hawthorn	
Ditch along at least half of the hedgerow?	N	Blackthorn	Elder	
Parallel hedge within 15m of the hedgerow?	N	Hazel	Ash	
Gaps (% of hedgerow length)	>10%	Holly		
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of 5 woody species was noted within the sampled sections, and only 1 feature.		

Hedge 18

Abies grandis
Acer pseudoplatanus
Alopecurus pratensis
Anisanthera sterilis
Anthriscus sylvestris
Arrhenatherum elatius
Arum maculatum
Calystegia sp.
Cirsium arvense
Crataegus monogyna
Elytrigia repens
Fraxinus excelsior
Galium aparine
Hedera helix
Heracleum sphondylium
Holcus lanatus
Ilex aquifolium
Poa annua
Poa trivialis
Prunus spinosa
Ranunculus acris
Ranunculus repens
Rubus fruticosus agg.
Sambucus nigra
Ulmus glabra
Urtica dioica

Grand Fir
 Sycamore
 Meadow Foxtail
 Sterile Brome
 Cow Parsley
 False Oat-grass
Lords-and-Ladies *
 Bindweed species
 Creeping Thistle
Hawthorn **
 Common Couch
Ash **
 Cleavers
 Ivy
 Hogweed
 Yorkshire-fog
Holly **
 Annual Meadow-grass
 Rough Meadow-grass
Blackthorn **
 Meadow Buttercup
 Creeping Buttercup
 Bramble
Elder **
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	No
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Ash	Elder	
Average of at least one standard tree per 50m?	N	Elder	Hawthorn	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Hawthorn	Wych Elm	
Ditch along at least half of the hedgerow?	N	Wych Elm	Holly	
Parallel hedge within 15m of the hedgerow?	N	Blackthorn		
Gaps (% of hedgerow length)	>10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 19

Alliaria petiolata
Anthriscus sylvestris
Calystegia sp.
Crataegus monogyna
Galium aparine
Geum urbanum
Rosa sp.
Corylus avellana
Hedera helix
Lamium album
Rubus fruticosus agg.
Ulmus glabra
Urtica dioica

Garlic Mustard
 Cow Parsley
 Bindweed species
Hawthorn **
 Cleavers
Wood avens *
Rose species**
Hazel**
 Ivy
 White Dead-nettle
 Bramble
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	No
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	No
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn	Hawthorn	
Average of at least one standard tree per 50m?	N			
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N			
Ditch along at least half of the hedgerow?	N			
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	>10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		No	An average of less than 4 woody species was noted within the sampled sections.	

Hedge 20

Acer campestre
Achillea millefolium
Anthriscus sylvestris
Arum maculatum
Cornus sanguinea
Corylus avellana
Crataegus monogyna
Cruciata laevipes
Galium aparine
Geum urbanum
Glechoma hederacea
Hedera helix
Hyacinthoides non-scripta
Ilex aquifolium
Lamium album
Mercurialis perennis
Prunus spinosa
Quercus sp.
Rosa canina agg.
Rubus fruticosus agg.
Sambucus nigra
Silene dioica
Stellaria holostea
Ulmus glabra
Urtica dioica
Vicia cracca

Field Maple **
 Yarrow
 Cow Parsley
Lords-and-Ladies *
Dogwood **
Hazel **
Hawthorn **
 Crosswort
 Cleavers
Wood avens *
 Ground-ivy
 Ivy
Bluebell *
Holly **
 White Dead-nettle
Dog's Mercury *
Blackthorn **
 Oak species
Dog Rose **
 Bramble
Elder **
 Red Campion
 Greater Stitchwort
Wych Elm **
 Nettle
 Tufted Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Blackthorn	Hawthorn	Blackthorn
Average of at least one standard tree per 50m?	N	Hawthorn	Wych Elm	Hawthorn
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Wych Elm	Hazel	Wych Elm
Ditch along at least half of the hedgerow?	N	Hazel	Holly	Hazel
Parallel hedge within 15m of the hedgerow?	N	Field Maple	Elder	Field Maple
Gaps (% of hedgerow length)	<10%	Holly	Dog Rose	Elder
Connection (within 10m) with another hedgerow?	2			Dog Rose
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 2 features.		

Hedge 21 & 22 (same feature)

Acer campestre
Acer pseudoplatanus
Alliaria petiolata
Allium ursinum
Anthriscus sylvestris
Arum maculatum
Bromopsis ramosus
Chamerion angustifolium
Corylus avellana
Crataegus monogyna
Digitalis purpurea
Dryopteris filix-mas
Fraxinus excelsior
Geranium robertianum
Geum urbanum
Hedera helix
Heracleum sphondylium
Hyacinthoides non-scripta
Ilex aquifolium
Lonicera periclymenum
Mercurialis perennis
Prunus spinosa
Pteridium aquilinum
Sambucus nigra
Ulmus glabra
Urtica dioica

Field Maple **
 Sycamore
 Garlic Mustard
Ramsons *
 Cow Parsley
Lords-and-Ladies *
 Hairy-brome
 Rosebay Willowherb
Hazel **
Hawthorn **
 Foxglove
 Male-fern
Ash **
Herb-Robert *
Wood avens *
 Ivy
 Hogweed
Bluebell *
Holly **
 Honeysuckle
Dog's Mercury *
Blackthorn **
 Bracken
Elder **
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hazel	Holly	Hawthorn
Average of at least one standard tree per 50m?	Y	Hawthorn	Hazel	Blackthorn
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Blackthorn	Wych Elm	Elder
Ditch along at least half of the hedgerow?	N		Hawthorn	Hazel
Parallel hedge within 15m of the hedgerow?	Y		Blackthorn	
Gaps (% of hedgerow length)	<10%		Elder	
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	Y (1)			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 5 features and a footpath.		

Hedge 23 (same feature as Hedge 15, see above for details)

Hedge 24 & 25 (same feature)

Acer campestre
Anthriscus sylvestris
Arum maculatum
Calystegia sp.
Corylus avellana
Crataegus monogyna
Dryopteris filix-mas
Ficaria verna
Galium aparine
Geum urbanum
Glechoma hederacea
Hedera helix
Heracleum sphondylium
Hyacinthoides non-scripta
Ilex aquifolium
Lamium album
Mercurialis perennis
Oenanthe crocata
Prunus spinosa
Rosa canina agg.
Sambucus nigra
Ulmus glabra
Urtica dioica
Vicia sepium

Field Maple **
 Cow Parsley
Lords-and-Ladies *
 Bindweed species
Hazel **
Hawthorn **
 Male-fern
 Lesser Celandine
 Cleavers
Wood avens *
 Ground-ivy
 Ivy
 Hogweed
Bluebell *
Holly **
 White Dead-nettle
Dog's Mercury *
 Hemlock Water-dropwort
Blackthorn **
Dog Rose **
Elder **
Wych Elm **
 Nettle
 Bush Vetch

Does the hedge have the appearance of being over 30 years old?		Yes		
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?		Yes		
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)		Yes		
Further assessment (30m sampling) required and undertaken?		Yes		
Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hazel	Hazel	Hazel
Average of at least one standard tree per 50m?	N	Hawthorn	Hawthorn	Hawthorn
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Blackthorn	Blackthorn	Blackthorn
Ditch along at least half of the hedgerow?	Y		Dog Rose	Holly
Parallel hedge within 15m of the hedgerow?	N		Elder	Wych Elm
Gaps (% of hedgerow length)	<10%		Holly	Field Maple
Connection (within 10m) with another hedgerow?	4			Dog Rose
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 4 features and a footpath.	

Hedge 26

Acer campestre
Alopecurus pratensis
Anthriscus sylvestris
Arrhenatherum elatius
Cirsium arvense
Crataegus monogyna
Dactylis glomerata
Dryopteris filix-mas
Festuca rubra
Galium aparine
Holcus lanatus
Ilex aquifolium
Poa trivialis
Quercus robur
Rubus fruticosus agg.
Sambucus nigra
Stachys sylvatica
Ulmus glabra
Urtica dioica

Field Maple **
 Meadow Foxtail
 Cow Parsley
 False Oat-grass
 Creeping Thistle
Hawthorn **
 Cock's-foot
 Male-fern
 Red Fescue
 Cleavers
 Yorkshire-fog
Holly **
 Rough Meadow-grass
English Oak **
 Bramble
Elder **
 Hedge Woundwort
Wych Elm **
 Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	No
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Holly	English Oak	
Average of at least one standard tree per 50m?	Y	Elder	Hawthorn	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Hawthorn	Field Maple	
Ditch along at least half of the hedgerow?	N			
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	>10%			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 27

<i>Acer pseudoplatanus</i>	Sycamore
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Salix caprea</i>	Goat Willow **
<i>Sambucus nigra</i>	Elder **
<i>Ulmus glabra</i>	Wych Elm **

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	No
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hazel		
Average of at least one standard tree per 50m?	N	Hawthorn		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Ash		
Ditch along at least half of the hedgerow?	N	Holly		
Parallel hedge within 15m of the hedgerow?	N	Elder		
Gaps (% of hedgerow length)	<10%	Wych Elm		
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of 6 woody species was noted within the sampled sections, 1 feature and footpath.		

Hedge 28

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 29

<i>Acer pseudoplatanus</i>	Sycamore
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Ilex aquifolium</i>	Holly **
<i>Lamium album</i>	White Dead-nettle
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn		
Average of at least one standard tree per 50m?	N	Elder		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	Holly		
Ditch along at least half of the hedgerow?	N			
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	>10%			
Connection (within 10m) with another hedgerow?	N			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	Y			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 30

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 31

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Ilex aquifolium</i>	Holly **
<i>Lamium album</i>	White Dead-nettle
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Tamus communis</i>	Black Bryony
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hazel	Hazel	
Average of at least one standard tree per 50m?	N	Hawthorn	Hawthorn	
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	Wych Elm	Wych Elm	
Ditch along at least half of the hedgerow?	N		Ash	
Parallel hedge within 15m of the hedgerow?	Y		Dog Rose	
Gaps (% of hedgerow length)	<10%		Holly	
Connection (within 10m) with another hedgerow?	3		Field Maple	
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of 5 woody species and only 2 features was noted within the sampled sections.		

Hedge 32

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 33

Acer campestre
Alliaria petiolata
Anisanthera sterilis
Anthriscus sylvestris
Arum maculatum
Corylus avellana
Crataegus monogyna
Galium aparine
Glechoma hederacea
Heracleum sphondylium
Humulus lupulus
Hyacinthoides non-scripta
Ilex aquifolium
Lamium album
Mercurialis perennis
Prunus spinosa
Rosa canina agg.
Rubus fruticosus agg.
Sambucus nigra
Ulmus glabra

Field Maple **
 Garlic Mustard
 Sterile Brome
 Cow Parsley
Lords-and-Ladies *
Hazel **
Hawthorn **
 Cleavers
 Ground-ivy
 Hogweed
 Hop
Bluebell *
Holly **
 White Dead-nettle
Dog's Mercury *
Blackthorn **
Dog Rose **
 Bramble
Elder **
Wych Elm **

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Holly	Hazel	Hazel
Average of at least one standard tree per 50m?	N	Hazel	Hawthorn	Hawthorn
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Hawthorn	Elder	Blackthorn
Ditch along at least half of the hedgerow?	N	Elder	Blackthorn	Field Maple
Parallel hedge within 15m of the hedgerow?	N	Wych Elm		
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 3 features.		

Hedge 34

<i>Acer pseudoplatanus</i>	Sycamore
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Allium ursinum</i>	Ramsons *
<i>Anisanthera sterilis</i>	Sterile Brome
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arctium minus</i>	Lesser Burdock
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Ficaria verna</i>	Lesser Celandine
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Geranium robertianum</i>	Herb-Robert *
<i>Geum urbanum</i>	Wood avens *
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Lamium album</i>	White Dead-nettle
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus sp.</i>	Cherry species
<i>Pteridium aquilinum</i>	Bracken
<i>Quercus robur</i>	English Oak **
<i>Sambucus nigra</i>	Elder **
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Taxus baccata</i>	Yew **
<i>Ulmus glabra</i>	Wych Elm **
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hazel	Hazel	Hawthorn
Average of at least one standard tree per 50m?	Y	Hawthorn	Hawthorn	Wych Elm
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Wych Elm	Wych Elm	Elder
Ditch along at least half of the hedgerow?	N	Elder	Elder	Holly
Parallel hedge within 15m of the hedgerow?	Y	Holly	Holly	English Oak
Gaps (% of hedgerow length)	<10%			Ash
Connection (within 10m) with another hedgerow?	4			Yew
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 6 features and a footpath.		

Hedge 35

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 36

<i>Centaurea nigra</i>	Knapweed
<i>Crataegus monogyna</i>	Hawthorn **
<i>Cruciata laevipes</i>	Crosswort
<i>Galium aparine</i>	Cleavers
<i>Quercus robur</i>	English Oak **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Urtica dioica</i>	Nettle
<i>Veronica chamaedrys</i>	Germander Speedwell
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn		
Average of at least one standard tree per 50m?	Y	English Oak		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N			
Ditch along at least half of the hedgerow?	N			
Parallel hedge within 15m of the hedgerow?	Y			
Gaps (% of hedgerow length)	>10% (40%)			
Connection (within 10m) with another hedgerow?	0			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 37

<i>Acer campestre</i>	Field Maple **
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anisanthera sterilis</i>	Sterile Brome
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Bryonia dioica</i>	White Bryony
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Galium aparine</i>	Cleavers
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Holly	Hawthorn	Holly
Average of at least one standard tree per 50m?	N	Blackthorn	Elder	Blackthorn
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Hazel		Hazel
Ditch along at least half of the hedgerow?	N	Hawthorn		Hawthorn
Parallel hedge within 15m of the hedgerow?	N	Elder		Elder
Gaps (% of hedgerow length)	<10%			Wych Elm
Connection (within 10m) with another hedgerow?	2			Field Maple
Connection (within 10m) with a pond?	N			English Oak
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 1 feature.		

Hedge 38

<i>Acer campestre</i>	Field Maple **
<i>Aesculus hippocastanum</i>	Horse-chestnut
<i>Allium ursinum</i>	Ramsons *
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Ficaria verna</i>	Lesser Celandine
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Geranium robertianum</i>	Herb-Robert *
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus sp.</i>	Cherry species
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina agg.</i>	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Schedonorus giganteus</i>	Giant Fescue *
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Taxus baccata</i>	Yew **
<i>Ulmus glabra</i>	Wych Elm **

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn	Hawthorn	Blackthorn
Average of at least one standard tree per 50m?	Y	Holly	Holly	Holly
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Dog Rose	Elder	Elder
Ditch along at least half of the hedgerow?	N	Elder	Field Maple	Field Maple
Parallel hedge within 15m of the hedgerow?	Y	Blackthorn	Ash	Ash
Gaps (% of hedgerow length)	<10%	Wych Elm	English Oak	English Oak
Connection (within 10m) with another hedgerow?	4		Hazel	Hazel
Connection (within 10m) with a pond?	N			Yew
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 6 features and a footpath.	

Hedge 39

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris dilatata</i>	Broad Buckler-fern *
<i>Dryopteris filix-mas</i>	Male-fern
<i>Ficaria verna</i>	Lesser Celandine
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Galium palustre</i>	Marsh Bedstraw
<i>Geum urbanum</i>	Wood avens *
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus avium</i>	Wild Cherry **
<i>Sambucus nigra</i>	Elder **
<i>Ulmus glabra</i>	Wych Elm **
<i>Viola canina</i>	Heath Dog-violet

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Holly	Holly	Holly
Average of at least one standard tree per 50m?	Y	Field Maple	Field Maple	Field Maple
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Wych Elm	Wych Elm	Wych Elm
Ditch along at least half of the hedgerow?	N	Hawthorn	Hawthorn	Hawthorn
Parallel hedge within 15m of the hedgerow?	Y		Ash	Ash
Gaps (% of hedgerow length)	>10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 6 features and a footpath.		

Hedge 40

<i>Aegopodium podagraria</i>	Ground-Elder
<i>Allium ursinum</i>	Ramsons *
<i>Arctium minus</i>	Lesser Burdock
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Ficaria verna</i>	Lesser Celandine
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Quercus robur</i>	English Oak
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Holly		
Average of at least one standard tree per 50m?	Y	English Oak		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Hawthorn		
Ditch along at least half of the hedgerow?	N	Elder		
Parallel hedge within 15m of the hedgerow?	Y	Hazel		
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 6 features and a footpath.	

Hedge 41

<i>Acer campestre</i>	Field Maple **
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn		
Average of at least one standard tree per 50m?	Y	English Oak		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	Holly		
Ditch along at least half of the hedgerow?	N	Hazel		
Parallel hedge within 15m of the hedgerow?	N	Elder		
Gaps (% of hedgerow length)	<10%	Ash		
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 3 features.	

Hedge 42

<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Digitalis purpurea</i>	Foxglove
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus rubra</i>	Red Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Holly		
Average of at least one standard tree per 50m?	N	Blackthorn		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Red Oak		
Ditch along at least half of the hedgerow?	N	Dog Rose		
Parallel hedge within 15m of the hedgerow?	N	Hazel		
Gaps (% of hedgerow length)	<10%	Elder		
Connection (within 10m) with another hedgerow?	4	Hawthorn		
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 2 features.	

Hedge 43

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 44

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 45

<i>Acer pseudoplatanus</i>	Sycamore
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Allium ursinum</i>	Ramsons *
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Ficaria verna</i>	Lesser Celandine
<i>Geum urbanum</i>	Wood avens *
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle
<i>Veronica chamaedrys</i>	Germander Speedwell

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn		
Average of at least one standard tree per 50m?	Y	Holly		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	English Oak		
Ditch along at least half of the hedgerow?	N	Dog Rose		
Parallel hedge within 15m of the hedgerow?	Y	Elder		
Gaps (% of hedgerow length)	<10%	Wych Elm		
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath.	

Hedge 46

<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Digitalis purpurea</i>	Foxglove
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus sp.</i>	Oak species
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Tamus communis</i>	Black Bryony
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Dog Rose		
Average of at least one standard tree per 50m?	Y	Hazel		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Hawthorn		
Ditch along at least half of the hedgerow?	N	Ash		
Parallel hedge within 15m of the hedgerow?	N	Blackthorn		
Gaps (% of hedgerow length)	<10%	Elder		
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 3 features.	

Hedge 47

<i>Acer pseudoplatanus</i>	Sycamore
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Digitalis purpurea</i>	Foxglove
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Primula vulgaris</i>	Primrose *
<i>Prunus spinosa</i>	Blackthorn **
<i>Pteridium aquilinum</i>	Bracken
<i>Quercus robur</i>	English Oak
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hazel		
Average of at least one standard tree per 50m?	Y	Hawthorn		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Holly		
Ditch along at least half of the hedgerow?	N	Blackthorn		
Parallel hedge within 15m of the hedgerow?	N	Dog Rose		
Gaps (% of hedgerow length)	<10%	Elder		
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 4 features.		

Hedge 48

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Aegopodium podagraria</i>	Ground-Elder
<i>Allium ursinum</i>	Ramsons *
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Digitalis purpurea</i>	Foxglove
<i>Dryopteris filix-mas</i>	Male-fern
<i>Fraxinus excelsior</i>	Ash **
<i>Geum urbanum</i>	Wood avens *
<i>Glechoma hederacea</i>	Ground-ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Lamium album</i>	White Dead-nettle
<i>Lonicera periclymenum</i>	Honeysuckle
<i>Pteridium aquilinum</i>	Bracken
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Ulmus glabra</i>	Wych Elm **
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Wych Elm		
Average of at least one standard tree per 50m?	Y	Holly		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Elder		
Ditch along at least half of the hedgerow?	N	Hazel		
Parallel hedge within 15m of the hedgerow?	Y	Hawthorn		
Gaps (% of hedgerow length)	<10%	Field Maple		
Connection (within 10m) with another hedgerow?	3	Dog Rose		
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 5 features and a footpath.		

Hedge 49

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Galium aparine</i>	Cleavers
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Field Maple		
Average of at least one standard tree per 50m?	N	Holly		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Hazel		
Ditch along at least half of the hedgerow?	N	Hawthorn		
Parallel hedge within 15m of the hedgerow?	N	Elder		
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 2 features.	

Hedge 50

<i>Acer pseudoplatanus</i>	Sycamore
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fagus sylvatica</i>	Beech **
<i>Galium aparine</i>	Cleavers
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Elder		
Average of at least one standard tree per 50m?	N	Hawthorn		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	Beech		
Ditch along at least half of the hedgerow?	N	Holly		
Parallel hedge within 15m of the hedgerow?	N	Blackthorn		
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 1 feature.		

Hedge 51

<i>Arctium minus</i>	Lesser Burdock
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hawthorn		
Average of at least one standard tree per 50m?	N	Ash		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	Elder		
Ditch along at least half of the hedgerow?	N	Holly		
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	>10% (15%)			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections.		

Hedge 52

<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Prunus spinosa</i>	Blackthorn **
<i>Pteridium aquilinum</i>	Bracken
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Tamus communis</i>	Black Bryony
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hazel		
Average of at least one standard tree per 50m?	N	Hawthorn		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Elder		
Ditch along at least half of the hedgerow?	N	Blackthorn		
Parallel hedge within 15m of the hedgerow?	N	Dog Rose		
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 3 features.	

Hedge 53

<i>Acer pseudoplatanus</i>	Sycamore
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Hazel	Hazel	
Average of at least one standard tree per 50m?	Y	Hawthorn	Hawthorn	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Holly	Holly	
Ditch along at least half of the hedgerow?	N	Dog Rose	Ash	
Parallel hedge within 15m of the hedgerow?	N	Blackthorn	Blackthorn	
Gaps (% of hedgerow length)	<10%		Dog Rose	
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 3 features.		

Hedge 54

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Aegopodium podagraria</i>	Ground-Elder
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Allium ursinum</i>	Ramsons *
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Brachypodium sylvaticum</i>	False Brome
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Ficaria verna</i>	Lesser Celandine
<i>Fraxinus excelsior</i>	Ash **
<i>Geum urbanum</i>	Wood avens *
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Tamus communis</i>	Black Bryony
<i>Ulmus glabra</i>	Wych Elm **
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Holly		
Average of at least one standard tree per 50m?	Y	English Oak		
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Dog Rose		
Ditch along at least half of the hedgerow?	N	Elder		
Parallel hedge within 15m of the hedgerow?	Y	Field Maple		
Gaps (% of hedgerow length)	<10%	Hawthorn		
Connection (within 10m) with another hedgerow?	3	Ash		
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 5 features and a footpath.		

Hedge 55

<i>Acer campestre</i>	Field Maple **
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Galium aparine</i>	Cleavers
<i>Geum urbanum</i>	Wood avens *
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Malus pumila</i>	Apple **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Stellaria holostea</i>	Greater Stitchwort

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Field Maple	Blackthorn	
Average of at least one standard tree per 50m?	Y	Hazel	Dog Rose	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Hawthorn	Hawthorn	
Ditch along at least half of the hedgerow?	N	Holly	Holly	
Parallel hedge within 15m of the hedgerow?	N	Blackthorn	Apple	
Gaps (% of hedgerow length)	<10%	Dog Rose		
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 4 features.		

Hedge 56

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Bryonia dioica</i>	White Bryony
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Geum urbanum</i>	Wood avens *
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Hypericum tetrapterum</i>	Square-stalked St John's-wort
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus avium</i>	Wild Cherry **
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Tamus communis</i>	Black Bryony
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Wild Cherry	Holly	
Average of at least one standard tree per 50m?	Y	Blackthorn	Dog Rose	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Dog Rose	Hazel	
Ditch along at least half of the hedgerow?	N	Hazel	Hawthorn	
Parallel hedge within 15m of the hedgerow?	N	Hawthorn		
Gaps (% of hedgerow length)	<10%	Field Maple		
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 3 features.		

Hedge 57

<i>Acer campestre</i>	Field Maple **
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arctium minus</i>	Lesser Burdock
<i>Artemisia vulgaris</i>	Mugwort
<i>Conium maculatum</i>	Hemlock
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Cruciata laevipes</i>	Crosswort
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Geranium dissectum</i>	Cut-leaved Cranesbill
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Ulmus glabra</i>	Wych Elm **

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Holly	Holly	Hazel
Average of at least one standard tree per 50m?	N	Blackthorn	Field Maple	Holly
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Hazel	Hazel	Dog Rose
Ditch along at least half of the hedgerow?	N	Ash	Hawthorn	Blackthorn
Parallel hedge within 15m of the hedgerow?	Y	Elder	Dog Rose	English Oak
Gaps (% of hedgerow length)	<10%		Blackthorn	Field Maple
Connection (within 10m) with another hedgerow?	3		English Oak	Hawthorn
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 2 features.	

Hedge 58

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 59

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 60

<i>Acer pseudoplatanus</i>	Sycamore
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Betula pendula</i>	Silver Birch **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Galium aparine</i>	Cleavers
<i>Heracleum sphondylium</i>	Hogweed
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Pentaglottis sempervirens</i>	Green Alkanet
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus idaeus</i>	Raspberry
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	Elder		
Average of at least one standard tree per 50m?	Y	Blackthorn		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	N	English Oak		
Ditch along at least half of the hedgerow?	N	Hawthorn		
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 61

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	No, not enough species diversity noted during the Phase 1 habitat survey to warrant further survey

Hedge 62

<i>Acer pseudoplatanus</i>	Sycamore
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Crataegus monogyna</i>	Hawthorn **
<i>Geum urbanum</i>	Wood avens *
<i>Hedera helix</i>	Ivy
<i>Ilex aquifolium</i>	Holly **
<i>Prunus spinosa</i>	Blackthorn **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	None noted
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Holly		
Average of at least one standard tree per 50m?	Y	Blackthorn		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Hawthorn		
Ditch along at least half of the hedgerow?	N	Elder		
Parallel hedge within 15m of the hedgerow?	N			
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	1			
Does this hedge meet the wildlife and countryside criteria for Importance?	No	An average of less than 5 woody species was noted within the sampled sections.		

Hedge 63

<i>Acer pseudoplatanus</i>	Sycamore
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arrhenatherum elatius</i>	False Oat-grass
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Brachypodium sylvaticum</i>	False Brome
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Ficaria verna</i>	Lesser Celandine
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn	Hazel	
Average of at least one standard tree per 50m?	Y	Blackthorn	Blackthorn	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	English Oak	English Oak	
Ditch along at least half of the hedgerow?	N		Hawthorn	
Parallel hedge within 15m of the hedgerow?	N		Holly	
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	2			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	1			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 5 features and a footpath.	

Hedge 64

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Calystegia</i> sp.	Bindweed species
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Galium aparine</i>	Cleavers
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Rubus idaeus</i>	Raspberry
<i>Sambucus nigra</i>	Elder **
<i>Tamus communis</i>	Black Bryony
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Elder	Hazel	
Average of at least one standard tree per 50m?	N	Hazel	Holly	
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Holly	Elder	
Ditch along at least half of the hedgerow?	N	Dog Rose	Field Maple	
Parallel hedge within 15m of the hedgerow?	N		Hawthorn	
Gaps (% of hedgerow length)	<10%		Wych Elm	
Connection (within 10m) with another hedgerow?	3			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	1			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 4 features and a footpath.		

Hedge 65 (same feature as Hedge 63, see above for details)

Hedge 66

<i>Acer pseudoplatanus</i>	Sycamore
<i>Agrostis gigantea</i>	Black Bent
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Geum urbanum</i>	Wood avens *
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Malus sylvestris</i>	Crab-Apple **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus idaeus</i>	Raspberry
<i>Sambucus nigra</i>	Elder **
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Tamus communis</i>	Black Bryony
<i>Ulmus glabra</i>	Wych Elm **
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Wych Elm	Wych Elm	
Average of at least one standard tree per 50m?	Y	Hazel	Hazel	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Hawthorn	Hawthorn	
Ditch along at least half of the hedgerow?	N	Holly	Ash	
Parallel hedge within 15m of the hedgerow?	Y	English Oak	English Oak	
Gaps (% of hedgerow length)	<10%	Dog Rose	Dog Rose	
Connection (within 10m) with another hedgerow?	4	Elder	Elder	
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	Y			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 6 features and a footpath.		

Hedge 67

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Aegopodium podagraria</i>	Ground-Elder
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Arum maculatum</i>	Lords-and-Ladies *
<i>Calystegia sp.</i>	Bindweed species
<i>Cornus sanguinea</i>	Dogwood **
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Digitalis purpurea</i>	Foxglove
<i>Dryopteris filix-mas</i>	Male-fern
<i>Galium aparine</i>	Cleavers
<i>Geum urbanum</i>	Wood avens *
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Lamium galeobdolon</i>	Yellow archangel *
<i>Lonicera periclymenum</i>	Honeysuckle
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Oxalis acetosella</i>	Wood sorrel *
<i>Prunus spinosa</i>	Blackthorn **
<i>Pteridium aquilinum</i>	Bracken
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Silene dioica</i>	Red Campion
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Field Maple	Hawthorn	Field Maple
Average of at least one standard tree per 50m?	Y	Holly	Elder	Hawthorn
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	English Oak	Hazel	Wych Elm
Ditch along at least half of the hedgerow?	N	Dog Rose	Holly	Dog Rose
Parallel hedge within 15m of the hedgerow?	Y	Hazel	Hawthorn	Hazel
Gaps (% of hedgerow length)	<10%	Holly		Holly
Connection (within 10m) with another hedgerow?	1			Hawthorn
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath.		

Hedge 68

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Aegopodium podagraria</i>	Ground-Elder
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Galium aparine</i>	Cleavers
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Pteridium aquilinum</i>	Bracken
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Ulmus glabra</i>	Wych Elm **
<i>Urtica dioica</i>	Nettle

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn	Hazel	
Average of at least one standard tree per 50m?	N	Blackthorn	Elder	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	English Oak	Holly	
Ditch along at least half of the hedgerow?	N	Dog Rose	Wych Elm	
Parallel hedge within 15m of the hedgerow?	Y	Field Maple	Hawthorn	
Gaps (% of hedgerow length)	<10%	Wych Elm		
Connection (within 10m) with another hedgerow?	4	Hazel		
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath.		

Hedge 69

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Allium ursinum</i>	Ramsons *
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Bromopsis ramosus</i>	Hairy-brome
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Geum urbanum</i>	Wood avens *
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Lamium album</i>	White Dead-nettle
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Primula vulgaris</i>	Primrose *
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Silene dioica</i>	Red Campion
<i>Silene latifolia</i>	White Campion
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Ulmus glabra</i>	Wych Elm **
<i>Ulmus procera</i>	English Elm
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Ash	Field Maple	
Average of at least one standard tree per 50m?	Y	Hawthorn	Elder	
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Dog Rose	Holly	
Ditch along at least half of the hedgerow?	N	Elder	Hawthorn	
Parallel hedge within 15m of the hedgerow?	Y	Wych Elm	Dog Rose	
Gaps (% of hedgerow length)	<10%		Hazel	
Connection (within 10m) with another hedgerow?	4			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 5 woody species noted within the sampled sections, plus 6 features and a footpath.		

Hedge 70

<i>Acer campestre</i>	Field Maple **
<i>Allium ursinum</i>	Ramsons *
<i>Crataegus monogyna</i>	Hawthorn **
<i>Corylus avellana</i>	Hazel **
<i>Galium aparine</i>	Cleavers
<i>Glechoma hederacea</i>	Ground-ivy
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Ulmus glabra</i>	Wych Elm **

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes – only 30m sample taken from section along site boundary

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the Hedgerow Regulations 1997) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Hawthorn		
Average of at least one standard tree per 50m?	Y	Hazel		
3+ woodland ground flora species (listed on Sch. 2 of the Hedgerow Regulations) within 1m?	Y	Wych Elm		
Ditch along at least half of the hedgerow?	N	Holly		
Parallel hedge within 15m of the hedgerow?	Y			
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	5			
Connection (within 10m) with a pond?	N			
Connection (within 10m) broadleaved woodland?	N			
Does this hedge meet the wildlife and countryside criteria for Importance?		Yes	Protected species (Bluebell) and an average 4 woody species noted within the sampled sections, plus 6 features and a footpath.	

Hedge 71

<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Dryopteris filix-mas</i>	Male-fern
<i>Galium aparine</i>	Cleavers
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly **
<i>Lonicera periclymenum</i>	Honeysuckle
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Rubus fruticosus</i> agg.	Bramble
<i>Sambucus nigra</i>	Elder **
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	Yes
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	Yes
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	Y	Blackthorn	Blackthorn	
Average of at least one standard tree per 50m?	N	Dog Rose	Dog Rose	
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	Y	Field Maple	Field Maple	
Ditch along at least half of the hedgerow?	N	Holly	Holly	
Parallel hedge within 15m of the hedgerow?	Y	Hazel	Hazel	
Gaps (% of hedgerow length)	<10%			
Connection (within 10m) with another hedgerow?	4		Hawthorn	
Connection (within 10m) with a pond?	N		Elder	
Connection (within 10m) broadleaved woodland?	Y			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 6 woody species noted within the sampled sections, plus 5 features and a footpath.		

Hedge 72


<i>Acer campestre</i>	Field Maple **
<i>Acer pseudoplatanus</i>	Sycamore
<i>Calystegia</i> sp.	Bindweed species
<i>Corylus avellana</i>	Hazel **
<i>Crataegus monogyna</i>	Hawthorn **
<i>Fraxinus excelsior</i>	Ash **
<i>Galium aparine</i>	Cleavers
<i>Hedera helix</i>	Ivy
<i>Hyacinthoides non-scripta</i>	Bluebell *
<i>Ilex aquifolium</i>	Holly
<i>Mercurialis perennis</i>	Dog's Mercury *
<i>Prunus spinosa</i>	Blackthorn **
<i>Quercus robur</i>	English Oak **
<i>Rosa canina</i> agg.	Dog Rose **
<i>Sambucus nigra</i>	Elder **
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Tamus communis</i>	Black Bryony
<i>Ulmus glabra</i>	Wych Elm **
<i>Ulmus procera</i>	English Elm **
<i>Urtica dioica</i>	Nettle
<i>Vicia sepium</i>	Bush Vetch

Does the hedge have the appearance of being over 30 years old?	No
Does the hedge run alongside a bridleway, footpath or road used as a public path or a byway open to all traffic?	No
Protected species noted? (WCA Sch 1, 5, 8: RDB birds, vascular plants/insects/other)	Yes
Further assessment (30m sampling) required and undertaken?	Yes

Features and Connections		Woody species present in 30m samples (listed on Schedule 3 of the <i>Hedgerow Regulations 1997</i>) - For hedgerows 30-100m in length, species in the central 30m have been recorded. For hedgerows 100-200m species in the central 30m stretches of each half of the hedgerow have been recorded. For hedgerows >200m, species present in the central stretch of 30m within each third of the hedgerow have been recorded.		
Hedge length (m)	>200	Sample 1	Sample 2	Sample 3
Wall/bank along at least half its length?	N	English Oak	Holly	English Elm
Average of at least one standard tree per 50m?	N	Dog Rose	Elder	Wych Elm
3+ woodland ground flora species (<i>listed on Sch. 2 of the Hedgerow Regulations</i>) within 1m?	N	Field Maple	Ash	Elder
Ditch along at least half of the hedgerow?	N	Holly	Hawthorn	English Oak
Parallel hedge within 15m of the hedgerow?	N	Hazel	Wych Elm	Dog Rose
Gaps (% of hedgerow length)	<10%	Wych Elm	Dog Rose	Ash
Connection (within 10m) with another hedgerow?	5	Hawthorn		Holly
Connection (within 10m) with a pond?	N	Elder		
Connection (within 10m) broadleaved woodland?	Y			
Does this hedge meet the wildlife and countryside criteria for Importance?	Yes	Protected species (Bluebell) and an average 7 woody species noted within the sampled sections, plus 2 features.		

DRAWINGS

G8745.020 - Important Hedgerows



KEY

Site boundary

Hedgerow Classification

Native species-rich intact hedge

Species-poor intact hedge

Native species-rich defunct hedge

Species-poor defunct hedge

Native species-rich hedge and trees

Species-poor hedge and trees

Hedgerow Importance

Hedgerow deemed important

Hedgerow deemed not important


Hedgerow not surveyed for importance

Note:

The locations of habitats and habitat features are indicative. Hedgerows assessed under The Hedgerow Regulations 1997 statutory instrument.



Reproduced by permission of Ordnance Survey on behalf of Her Majesty's Stationery Office.
Contains OS data © Crown Copyright and database right 2022. All rights reserved.
Contains data from OS Zoomstack
Basemapping received from the client. Licence number 100022432



Rev	Description	Drawn	Approved	Date



THE ENVIRONMENT PARTNERSHIP

Genesis Centre, Birchwood Science Park, Warrington WA3 7BH
Tel 01925 844004 e-mail tep@tep.uk.com www.tep.uk.com

Project
Ruthin Road, Wrexham

Title
Hedgerow Assessment

Drawing Number
G8745.020

Drawn	Checked	Approved	Scale	Date
AR	CW	CG	1:4,500 @ A3	27/10/2022



HEAD OFFICE

Genesis Centre,
Birchwood Science Park,
Warrington
WA3 7BH

Tel: 01925 844004
E-mail: tep@tep.uk.com

**MARKET
HARBOROUGH**

The Reynard Suite,
Bowden Business Village,
Market Harborough,
Leicestershire,
LE16 7SA

Tel: 01858 383120
E-mail: mh@tep.uk.com

GATESHEAD

Office 26, Gateshead
International Business
Centre,
Mulgrave Terrace,
Gateshead
NE8 1AN

Tel: 0191 605 3340
E-mail: gateshead@tep.uk.com

LONDON

8 Trinity Street,
London,
SE1 1DB

Tel: 020 3096 6050
E-mail: london@tep.uk.com

CORNWALL

4 Park Noweth,
Churchtown,
Cury,
Helston
Cornwall
TR12 7BW

Tel: 01326 240081
E-mail: cornwall@tep.uk.com
