

Ein cyf/Our ref: CAS-257480-C3K6
Eich cyf/Your ref: P/2023/0698

Wrexham County Borough Council
The Guildhall
Wrexham
LL11 1AY

Dyddiad/Date: 11 June 2024

Dear Jenni Perkins,

BWRIAD/PROPOSAL: Newid Defnydd Adeilad Allanol I Fod Yn Llety I Staff / Change Of Use Of Outbuilding To Staff Accommodation

LLEOLIAD/LOCATION: Plas Nantyr, Plas Nantyr Road, Glyn Ceiriog, Llangollen, Wrexham, LL20 7DD

Thank you for consulting Cyfoeth Naturiol Cymru (CNC)/Natural Resources Wales (NRW) about the revised information in support of the above, which we received on 04 June 2024.

We continue to have concerns with the application as submitted because inadequate information has been provided in support of the proposal. To overcome these concerns, you should seek further information from the applicant regarding protected sites. If this information is not provided, we would object to this planning application. Further details are provided below.

We also advise that based on the information submitted to date, the document identified below should be included in the approved plans and documents condition on the decision notice. Without the inclusion of this document, we would object to this planning application.

Document – Bat and Nesting Bird Assessment, PJ Ecological Solutions, July 2023 Version 1

Protected Sites

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). As you are aware, on the 21st January 2021, we published an evidence package outlining phosphorus levels for all river SACs across Wales. In line with our [Planning Advice](#) (August 2023), under the Habitats Regulations, Planning Authorities must consider the phosphorus impact of proposed developments on water quality within SAC river catchments. We therefore advise you to consider whether the proposals, as submitted, would increase the volume of foul discharge from the site in planning terms.

We note from the revised information, Drawing Tŷ Architecture, Ty/1305/PL02B, that the new treatment plant will be installed to provide foul drainage for the staff accommodation,

and discharging to a new soakaway, for which the location has only been shown indicatively. We advise that the applicant confirm the exact location of the soakaway, along with its dimensions, and that results of an infiltration/percolation test of the location are provided. As such, we refer you to our Planning Advice and advise you to seek further information from the applicant. We advise you to seek further information as identified in the section titled 'What does this mean for development proposals involving private sewage treatment systems' of that advice.

Provided this advice is followed and you are able to conclude that the development is not likely to have a significant effect on the SAC, we would have no objection to the proposal. However, should you conclude that the proposed development is likely to have a significant effect on the SAC, please consult us on your Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended).

Protected Species

We note that the bat report submitted in support of the above application (Bat and Nesting Bird Assessment, PJ Ecological Solutions, July 2023 Version 1) has identified that Brown long-eared bats are present at the application site. From the information submitted, we consider that the proposed development represents a lower risk for bats, as defined in our guidance document '*Natural Resources Wales Approach to Bats and Planning (2015)*'.

Bats and their breeding and resting places are protected under the Conservation of Habitats and Species Regulations 2017 (as amended). Where bats are present and a development proposal is likely to contravene the legal protection they are afforded, the development may only proceed under licence issued by Natural Resources Wales, having satisfied the three tests set out in the Regulations (Please also refer to Paragraph 6.3.7 of Technical Advice Note 5: Nature Conservation and Planning). Please note, for the purposes of providing advice at the planning application stage, our comments are limited to the test relating to "*demonstration of no detriment to the maintenance of the favourable conservation status of European protected species*".

As this is a lower risk case for bats, we consider that the development is not likely to be detrimental to the maintenance of the population of the species concerned at a favourable conservation status in its natural range. However, we advise that the proposed development is likely to harm or disturb the bats or their breeding sites and resting places at this site and, therefore, we advise that all avoidance and mitigation measures described in the bat report must be undertaken.

The report must be included in the 'approved list of plans / documents' condition within the decision notice should consent for the project be granted.

Please consult us again if any further information shows that this is no longer a lower risk case.

NRW would refer the Local Authority to the Chief Planning Officer's letter dated 01 March 2018 which advises Local Planning Authorities to attach an informative regarding licence requirements to all consents and notices where European Protected Species are likely to be present on site.

Other Matters

Our comments above only relate specifically to matters included on our checklist, *Development Planning Advisory Service: Consultation Topics* (September 2018), which is published on our [website](#). We have not considered potential effects on other matters and do not rule out the potential for the proposed development to affect other interests.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our [website](#) for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yours faithfully,

Gareth Thomas

Cynghorydd - Cynllunio Datblygu/Advisor - Development Planning

Cyfoeth Naturiol Cymru/Natural Resources Wales

E-bost/E-mail: northplanning@cyfoethnaturiolcymru.gov.uk

Croesewir gohebiaeth yn Gymraeg a byddwn yn ymateb yn Gymraeg, heb i hynny arwain at oedi./Correspondence in Welsh is welcomed, and we will respond in Welsh without it leading to a delay.