

THIS DRAWING IS BASED ON PLANNING LAYOUT PROVIDED BY CLIENT
DRAWING NUMBER:- WJ/RBL/PSL/01
REVISION:- P11 (05.07.21)
CLIENT TO ENSURE THE ABOVE LAYOUT IS CURRENT BEFORE USING THIS DRAWING FOR CONSTRUCTION PURPOSES

- DENOTES BATTER SLOPES
- FDE --- FDE --- FDE --- DENOTES LOCATION OF FLAG ON EDGE MAX. RETAINED HEIGHT 450mm
- ACD --- ACD --- ACD --- DENOTES LOCATION OF ACO DRAIN TO CONNECT TO SW SYSTEM
- RET --- RET --- RET --- DENOTES LOCATION OF RETAINING STRUCTURE HEIGHT VARIES MAX. 650mm
- FGB --- FGB --- FGB --- DENOTES LOCATION OF FENCE & GRAVEL BOARD MAX. RETAINED HEIGHT VARIES MAX. 400mm



- GENERAL**
- All adaptable sewers and associated works are to comply fully with 'Sewers for Adoption' 7th Edition dated August 2012.
 - All highway works to be to adaptable standards and to comply fully with the Local Authority specification.
 - All private drainage works are to comply fully with part H of the Building Regulations
 - All existing invert levels to be checked by the Contractor at the start of works and any discrepancies notified to REFA. All levels are based on topographical survey information provided by others.
 - All materials to bear the relevant B.S. Kitemark and comply fully with the specifications. All concrete & concrete products must use Sulphate resistant cement (unless the site investigation report proves that sulphate attack from soils and groundwater will not occur)
 - All opening notices etc. as required under highways acts etc. are to be obtained prior to commencement of works. All works are to be inspected by L.A., NHBC or Relevant Water Authority as applicable.
- C.D.M. REGULATIONS 2015**
- In line with the above regulations we are obliged to inform the Client of their responsibilities under section CDM 15/1, and residual risks that may be encountered in the construction of these works. All design work has been carried out with Health and Safety aspects given full consideration. Wherever possible risks have been eliminated from the design, however due to the very nature of this type of work it is not possible to remove all the risks from the design. We would also respectfully remind the Client of his obligations to take all reasonable steps in ensuring that only competent Contractors who have a valid safety policy are employed. They should also provide satisfactory responses at tender stage as to the manner in which they will deal with the elements of risk involved in this type of work and in particular those highlighted by REFA below:-
- Support / treatment for ALL excavation work.
 - Guarding to edges of excavations to prevent people, materials and vehicles falling into excavation.
 - Guarding of excavations outside working hours to prevent unauthorised access.
 - Underpinning to adjacent roads or structures.
 - Confined space operations.
 - Dealing with existing services.
 - Traffic management on existing highways.
 - Procedure to be followed in event of accident or emergency.
 - Method of working where contaminated ground is present on site.
 - Confirmation will be required that all operatives are adequately trained, copies of relevant training certificates to be supplied.
- The above list is by no means exhaustive but it does highlight operations that present a risk to contractors and the general public. For clarification on any item please contact REFA.

Rev	Revision details	RevBy	Date
F	REVISED TO LATEST PLANNING LAYOUT	MA	05.07.21
E	TO PLANNING REV Q	GWH	22.6.21
D	REVISED TO LATEST LAYOUT REV P9/ VARIOUS AMENDMENTS	AS	27.04.21
C	GRAVEL BOARD CHANGED TO RET. WALL RETAINING WALL SECTION ADDED	FT	17.02.21
B	LEVELS REVISED FRONT OF RBL BLDG. GRAVEL BOARD RETAINER ADDED	FT	15.02.21
A	LEVELS REVISED ADDITIONAL SEPT LEVELS ADDED	FT	12.02.21



Drawing Stage	Drawing Status
Issued	Comments
Information	Tender
Approval	Construction
	As Built

Client
WATKIN JONES GROUP

Job title
WATTS DYKE RD LLAY

Drawing title
RBL CAR PARK LEVELS HIGHWAY LEVELS

REFA
CONSULTING ENGINEERS
CIVIL • STRUCTURAL
GEOTECHNICAL • ENVIRONMENTAL

Date 05.01.21	Scale 1/200	Drawn FT
DRAWING No 20072/10/1	Rev F	

This drawing is the property of REFA and should not be copied, used or its contents divulged without prior written consent.