Cyfoeth Naturiol Cymru
Natural Resources Wales

Ein cyf/Our ref: CAS-298374-Q9S3
Eich cyf/Your ref: P/2025/0885

Wrexham County Borough Council
The Guildhall
Wrexham
LL11 1AY

Dyddiad/Date: 16 February 2026

Annwyl Syr/Madam/Dear Sir/Madam,

BWRIAD/PROPOSAL: OUTLINE APPLICATION FOR ERECTION OF DWELLING (ALL MATTERS RESERVED)

LLEOLIAD/LOCATION: THE HOLLIES, NEW BRIGHTON, MINERA, WREXHAM, LL11 3D.

Thank you for consulting Cyfoeth Naturiol Cymru (CNC)/Natural Resources Wales (NRW) about the above, which we received on 27 January 2026.

We have concerns with the application as submitted because inadequate information has been provided in support of the proposal. To overcome these concerns, you should seek further information from the applicant regarding foul drainage. If this information is not provided, we would object to this planning application. Further details are provided below.

Protected Sites and Foul Drainage

We note the application site is within the catchment of the River Dee and Bala Lake Special Area of Conservation (SAC). In line with our Advice to Planning Authorities for Planning Applications Affecting Nutrient Sensitive River Special Areas of Conservation (22 October 2025), under the Habitats Regulations, Planning Authorities must consider the impact of proposed developments on water quality within SAC river catchments.

This application for the erection of a dwelling proposes connection of foul water to the mains sewer. The proposed development could potentially lead to an increase of phosphorus load from the receiving wastewater treatment works into the River Dee and Bala Lake SAC. The majority of the River Dee and Bala Lake catchment is currently failing to meet water quality targets for phosphorus. The nutrient impacts of new connections need to be considered on a case-by-case basis within the Habitats Regulations Assessment process.

Ultimately, the suitability of foul drainage arrangements for the proposed development is a matter for your Authority to determine. We advise your Authority that further consideration is required and to follow our Advice specifically the section titled '*What does this mean for development proposals involving connection to public wastewater treatment works?*'

We therefore advise you to take the above into account in your determination of whether the development is likely to have a significant effect on the SAC. Should you conclude that an Appropriate Assessment is required, the Applicant will need to provide whatever evidence they consider appropriate (seeking advice from consultants as necessary) to demonstrate no adverse effect on site integrity.

Please consult us on any Appropriate Assessment under Regulation 63 of the Conservation of Habitats and Species Regulations 2017 (as amended). However, until the development can demonstrate it will not lead to an increase of phosphorus load from the receiving wastewater treatment works into the river we would be unable to advise you that the proposed development would not result in an adverse effect on the integrity of the site.

Protected Species

We note that the information submitted in support of the above application (Preliminary Ecological Appraisal by Tyrer Ecological Consultants Ltd, dated October 2025) has identified that protected species are unlikely to be using the application site. We therefore have no comments to make on the application as submitted.

We recommend that you discuss the need to secure further measures/ avoidance measures with your internal ecological advisor.

Landscape

The development is situated within Bryniau Clwyd a Dyffryn Dyfrdwy/Clwydian Range and Dee Valley Area of Outstanding Natural beauty (AONB). We note that there is no information regarding landscape assessments with the application and therefore, we are assuming that your Authority has screened the application and concluded that any impacts on landscape are unlikely and the proposal is in line with Planning Policy Wales. If you require further advice, then please reconsult us.

Other Matters

The advice in this letter relates to matters which are included on our consultation topics list. We do not rule out the potential for the proposed development to affect other environmental interests that are not included on this list.

We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our website for further details.

If you have any queries on the above, please do not hesitate to contact us.

Yn gywir / Yours faithfully,

John Littlemore

Cynghorydd - Cynllunio Datblygu/Advisor - Development Planning
Cyfoeth Naturiol Cymru/Natural Resources Wales

E-bost/E-mail: northplanning@cyfoethnaturiolcymru.gov.uk

Croesewir gohebiaeth yn Gymraeg a byddwn yn ymateb yn Gymraeg, heb i hynny arwain at oedi./Correspondence in Welsh is welcomed, and we will respond in Welsh without it leading to a delay.