Your Quote

WVS236505

Quotation is valid for this month only

Your details

Reference: Winder

Customer Ref:

Name: CASTLE MEWS WINDOWS LTD

Billing Address: 18 HILL STREET
RHOSTYLLEN
WREXHAM

[redacted]

Delivery Week Commencing:

Delivery contact name:

Delivery Address: **UNIT 10 CLWYD COURT**
RHOSDDU IND EST
WREXHAM

LL11 4YL

Telephone:
Fax:
Mobile:
Email:

Please check your details and inform us of any missing information or changes prior to acceptance of this quote.

Product Summary

	Quantity
Vertical sliders	3
PVC Windows & Doors	0
Aluminium Windows & Doors	0
Composite Doors	0
Other	0

What to do next

Please check ALL INFORMATION on every product carefully as once ordered it will NOT be possible to make changes.

Our goods are made specifically to your requirements, You will not be able to amend or cancel your order once it has been accepted by us.

Acceptance of Terms and Conditions

We shall assume that you accept our standard terms and conditions (and guarantee), unless You notify us to the contrary. We will treat the fact that you continue to give instructions and/or accept Our goods and/or services as deemed acceptance of these standard terms and conditions.

☐ I wish to accept the upgrade options on page 2 in addition to the above price

Sign _____ Print Name _____ Date _____

Account No. 41114
Processed by. Jason.Reid
Printed Date 10/02/2026

Your Quote

WVS236505

Quotation is valid for this month only

Upgrade Options

Vertical Sliders

	Qty	Accept Upgrade
Woodgrain	3	☐
Deep Bottom Rail	3	☐
Safety Restrictors	3	☐
Security Upgrade / Pas24	3	☐

Your Quote


WVS236505

Quotation is valid for this month only

Qty (1) O/A Sizes 1150mm x 1650mm

Comments:

UNIT 1



Overall Cill Length : 1,146.00mm

Quantity 1

Location: F BED

Specification

Product Type	Spectus Legacy Welded VS
VS Frame Joints	VS Mech Frame
Colour	White Smooth
Sash colour	White Smooth
Cill colour	White Smooth
Cill	VS42 150mm Upstand Cill
Drainage	Concealed/Base
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
VS Tilt Facility	Tilt Both
VS Slide Facility	Fully Sliding
VS Hardware Colour	Chrome
VS Cam Lock Quantity	Standard
VS Sash Restrictors	No
Security	Standard Security
VS D Handle	None Required
VS Pole Eyes	Chrome Standard Amount
Ventilator (Sash)	No Trickle Vent
VS Locking	Standard Locking
VS Quick Release Kit	Yes
VS Fire Escape Kit	No
Fixing brackets	No
Mock sash horn	Run-Through Horns STD
Deep Bottom Rail	None Required
Template Required	N/A

Please review our guarantee document in relation to dark coloured profile

Balance type will be applied to best suit the sash specification

Glazing Details & Apertures

4/16/4 Total+ Argon White | 16mm Black Spacer Argon Gas Filled | Grid | 20mm Astragal Bar (FP)

A1(968 x 705) **QTY x 1**

Overall U-Value: 1.40 W/M2K

4/16/4 Total+ Argon Tough (Btm) White | 16mm Black Spacer Argon Gas Filled | Grid | 20mm Astragal Bar (FP)

A6(968 x 723) **QTY x 1**

Overall U-Value: 1.40 W/M2K


Your Quote

WVS236505

Quotation is valid for this month only

Qty (1) O/A Sizes 800mm x 1300mm

UNIT 2



Overall Cill Length : 796.00mm

Quantity 1

Comments:

Location: LAND

Specification

Product Type	Spectus Legacy Welded VS
VS Frame Joints	VS Mech Frame
Colour	White Smooth
Sash colour	White Smooth
Cill colour	White Smooth
Cill	VS42 150mm Upstand Cill
Drainage	Concealed/Base
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
VS Tilt Facility	Tilt Both
VS Slide Facility	Fully Sliding
VS Hardware Colour	Chrome
VS Cam Lock Quantity	Standard
VS Sash Restrictors	No
Security	Standard Security
VS D Handle	None Required
VS Pole Eyes	Chrome Standard Amount
Ventilator (Sash)	No Trickle Vent
VS Locking	Standard Locking
VS Quick Release Kit	Yes
VS Fire Escape Kit	No
Fixing brackets	No
Mock sash horn	Run-Through Horns STD
Deep Bottom Rail	None Required
Template Required	N/A

Please review our guarantee document in relation to dark coloured profile

Balance type will be applied to best suit the sash specification

Glazing Details & Apertures

4/16/4 Total+ Argon White | 16mm Black Spacer Argon Gas Filled | Grid | 20mm Astragal Bar (FP)

A1(618 x 530) **QTY x 1**

Overall U-Value: 1.40 W/M2K

4/16/4 Total+ Argon Tough (Btm) Bar (FP) White | 16mm Black Spacer Argon Gas Filled | Grid | 20mm Astragal

A6(618 x 548) **QTY x 1**

Overall U-Value: 1.40 W/M2K


Your Quote

WVS236505

Quotation is valid for this month only

Qty (1) O/A Sizes 1150mm x 1300mm

UNIT 3



Overall Cill Length : 1,146.00mm

Quantity 1

Comments:

Location: BATH

Specification

Product Type	Spectus Legacy Welded VS
VS Frame Joints	VS Mech Frame
Colour	White Smooth
Sash colour	White Smooth
Cill colour	White Smooth
Cill	VS42 150mm Upstand Cill
Drainage	Concealed/Base
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
VS Tilt Facility	Tilt Both
VS Slide Facility	Fully Sliding
VS Hardware Colour	Chrome
VS Cam Lock Quantity	Standard
VS Sash Restrictors	No
Security	Standard Security
VS D Handle	None Required
VS Pole Eyes	Chrome Standard Amount
Ventilator (Sash)	No Trickle Vent
VS Locking	Standard Locking
VS Quick Release Kit	Yes
VS Fire Escape Kit	No
Fixing brackets	No
Mock sash horn	Run-Through Horns STD
Deep Bottom Rail	None Required
Template Required	N/A

Please review our guarantee document in relation to dark coloured profile

Balance type will be applied to best suit the sash specification

Glazing Details & Apertures

4/16/4 Total+ Obs Argon Tough (Btm) 16mm Black Spacer Satin Grid
20mm Astragal Bar (FP) White Argon Gas Filled
A6(968 x 548) **QTY x 1**

Overall U-Value: 1.40 W/M2K

4/16/4 Total+ Obs Argon 16mm Black Spacer Satin Grid 20mm Astragal
Bar (FP) White Argon Gas Filled
A1(968 x 530) **QTY x 1**

Overall U-Value: 1.40 W/M2K

Glass & Panel Description	Location

Account No. 41114
Processed by. Jason.Reid

Printed Date 10/02/2026